

BRIDGESTONE

POTENZA RE050A POLE POSITION

Ultra High Performance



UTQG 280 AA A

PLATINUM PACT LIMITED WARRANTY

- Asymmetrical tread design allows for outstanding handling response.
- A high silica content for excellent traction and braking.
- W & Y-speed rated.
- Buy & Try 30 Day Guarantee (Except Run Flat).
- XL = Extra Load.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL											
205/55R16 91W	68162	5.5-7.5	6.5	24.9	8.3	7.3	11.5	10	837	23	\$
225/50R16 92W	68196	6.0-8.0	7	24.9	9.1	8	11.5	10	837	25	
205/50R17 89Y	68213	5.5-7.5	6.5	25.1	8.3	7.7	11.6	9	830	23	
205/45R17 XL 88W	80011	6.5-7.5	7	24.3	8.1	7.3	11.3	10	857	23	
NEW 215/45R17 XL 91W	68033										
225/45R17 91Y	68230	7.0-8.5	7.5	25	8.9	8.5	11.6	10	833	25	
235/45R17 94Y	68247	7.5-9.0	8	25.4	9.3	8.7	11.8	10	820	25	
245/45R17 95Y	68264	7.5-9.0	8	25.7	9.7	9.2	11.9	10	811	26	
245/40R17 91Y	57095	8.0-9.5	8.5	24.7	9.8	8.7	11.5	10	843	26	
255/40R17 94Y	68281	8.5-10.0	9	25	10.3	9.5	11.6	10	833	27	
225/45R18 91Y	68298	7.0-8.5	7.5	25.9	8.9	8.1	12.1	10	804	26	
245/45R18 XL 100W	67635	7.5-9.0	8	26.7	9.6	8.8	12.4	10	780	29	
225/40R18 88Y	56993	7.5-9.0	8	25.1	9.2	8.3	11.8	10	830	25	
NEW 235/40R18 XL 95Y	68034										
245/40R18 93Y	68315	8.0-9.5	8.5	25.7	9.8	9.1	12	10	811	27	
255/40R18 95Y	57180	8.5-10.0	9	26.1	10.2	9.3	12.1	11	798	28	
265/40R18 XL 101Y	122103	9.0-10.5	9.5	26.5	10.7	9.3	12.3	10	786	28	
275/40R18 99Y	70406	9.0-11.0	9.5	26.5	10.7	9.3	12.3	10	786	30	
225/35R18 XL 87W	78277	7.5-9.0	8	24.2	9.1	8	11.4	10	861	24	
255/35R18 90Y	78260	8.5-10.0	9	24.9	10.2	9.5	11.7	10	837	28	
265/35R18 93Y	68332	9.0-10.5	9.5	25.2	10.8	9.8	11.8	10	827	28	
275/35R18 95Y	80028	9.0-11.0	9.5	25.5	10.8	10.2	11.9	10	817	30	
285/35R18 97Y	57214	9.5-11.0	10	26	11.1	10.3	12.1	11	801	31	
285/30R18 93Y	68366	9.5-10.5	10	24.7	11.4	11.3	11.6	10	843	30	
295/30R18 XL 98W	57248	10.0-11.0	10.5	24.9	11.9	11.6	11.7	10	837	31	
225/40R19 89Y	122035	7.5-9.0	8	26.1	9.1	8	12.3	10	798	26	
245/40R19 XL 98Y	80045	8.0-9.5	8.5	26.7	9.6	8.7	12.5	10	780	29	
255/40R19 XL 100Y	122018	8.5-10.0	9	27	10.1	9.1	12.6	10	772	29	
275/40R19 101Y	122052	9.0-11.0	9.5	27.7	10.9	9.8	12.9	10	752	34	
235/35R19 XL 91W	57044	8.0-9.5	8.5	25.5	9.7	8.3	12	10	817	25	
245/35R19 XL 93W	67669	8.0-9.5	8.5	25.9	9.8	8.7	12.2	10	804	27	
255/35R19 XL 96Y	122069	8.5-10.0	9	26	10.2	8.8	12.2	10	801	29	
275/35R19 XL 100W	70423	9.0-11.0	9.5	26.5	10.6	9.1	12.4	10	786	30	
285/35R19 99Y	122001	9.5-11.0	10	26.9	11.4	10.1	12.6	10	774	33	
265/30R19 XL 95Y	80079	9.0-10.0	9.5	25.4	10.6	9.4	12	10	820	28	
275/30R19 XL 96W	68400	9.0-10.0	9.5	25.5	10.7	9.7	12	10	817	29	
285/30R19 XL 98Y	122120	9.5-10.5	10	25.8	11.2	10.2	12.1	10	807	31	
NEW 245/35ZR20 91Y	142452										
245/35R20 XL 95W	68417	8.0-9.5	8.5	26.7	9.5	8.7	12.6	10	780	28	
255/35R20 XL 97W	44651	8.5-10.0	9	27	10	8.7	12.7	10	772	28	
275/35R20 XL 102Y	122086	9.0-11.0	9.5	27.6	10.8	9.8	12.9	10	755	34	
NEW 285/35ZR20 100Y	142486										
255/30R20 XL 92W	57146	8.5-9.5	9	26.1	9.9	9.4	12.4	10	798	27	
275/30R20 XL 97W	67686	9.0-10.0	9.5	26.6	10.6	9.4	12.6	10	783	30	
285/30R20 95Y	80096	8.5-10.5	10	26.7	10.9	9.4	12.6	10	780	30	
305/25R20 XL 97W	91384	10.5-11.5	11	26	12.1	11.5	12.3	10	801	32	
P275/35R18 LL 87Y*	104440	9.0-11.0	9.5	25.6	10.9	10	11.9	9		31	
P325/30R19 LL 94Y*	104423	12.0-13.0	12	26.7	13.2	11.8	12.5	10		38	
NEW P245/40ZR19 94Y*	144968										
NEW P285/40ZR19 103Y*	144985										
*RUN FLAT											

POTENZA RE-11

Ultra High Performance



UTQG 180 A A

PLATINUM PACT LIMITED WARRANTY

- Designed for "Extreme Performance."
- Asymmetric cavity shape enhances road contact.
- "Stealth design" improves hydro-evacuation while also increasing block stiffness.
- Large outside shoulder blocks maximize cornering grip.
- V & W-speed rating.
- XL= Extra Loads.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL											
195/50R15 82V	102298	5.5-7.0	6	22.7	7.9	7.2	10.5	9	19		\$
205/50R15 86V	120709	5.5-7.5	6.5	23.1	8.4	7.6	10.6	9	21		
205/55R16 91V	79705	5.5-7.5	6.5	24.9	8.4	7.6	11.5	9	23		
225/50R16 92W	79858	6.0-8.0	7	24.9	9.2	8.3	11.5	9	26		
205/45R16 XL 87V	102315	7.5-9.0	8	23.2	8.1	7.5	10.8	9	22		
205/45R17 XL 88W	79875	6.5-7.5	7	24.3	8.1	7.5	11.3	9	23		
215/45R17 XL 91W	79892	7.0-8.0	7	24.6	8.4	8	11.4	9	25		
225/45R17 XL 94W	79909	7.0-8.5	7.5	25	8.9	8.3	11.6	9	26		
235/45R17 XL 97W	79722	7.5-9.0	8	25.4	9.3	8.7	11.8	9	27		
245/45R17 95W	79824	7.5-9.0	8	25.7	9.6	9.1	11.9	9	27		
235/40R17 90W	79807	8.0-9.5	8.5	24.4	9.5	8.5	11.4	9	25		
245/40R17 91W	79773	8.0-9.5	8.5	24.7	9.8	9	11.5	9	26		
255/40R17 94W	86182	8.5-10.0	9	25	10.2	9.4	11.6	9	27		
NEW 215/45R18 BW XL	109523										
225/45R18 91W	79841	7.0-8.5	7.5	25.9	8.9	8.3	12.1	9	27		
245/45R18 XL 100W	79739	7.5-9.0	8	26.7	9.6	9.1	12.4	9	30		
225/40R18 XL 92W	79926	7.5-9.0	8	25.1	9.1	8.2	11.8	9	26		
235/40R18 XL 95W	79977	8.0-9.5	8.5	25.4	9.5	8.5	11.9	9	27		
245/40R18 XL 97W	79943	8.0-9.5	8.5	25.7	9.8	9	12	9	29		
265/40R18 XL 101W	109591	9.0-10.5	9.5	26.3	10.7	9.6	12.2	9	31		
NEW 275/40R18 99W	68035										
255/35R18 90W	86199	8.5-10.0	9	25	10.2	9.4	11.7	9	27		
265/35R18 93W	079-756	9.0-10.5	9.5	25.3	10.7	9.6	11.8	9	28		
225/40R19 XL 93W	109-625										
235/35R19 XL 91W	86216	8.0-9.5	8.5	25.5	9.5	8.5	12	9	27		
245/35R19 XL 93W	86233	8.0-9.5	8.5	25.8	9.8	9	12.1	9	28		
255/35R19 XL 96W	109506	8.5-10.0	9	26	10.2	9.4	12.2	9	29		
265/35R19 XL 98W	109-642										
285/35R19 99W	68036										
NEW 275/30R19 XL 96W	86250	9.0-10.0	9.5	25.6	10.7	10.1	12.1	9	30		
305/30R19 98W	109-659										



UTQG 140 AA

PLATINUM PACT LIMITED WARRANTY

- Excellent wet and dry handling, sporty responsiveness and a comfortable, quiet ride.
- V, W, & Y-speed rated.
- Buy & Try 30 Day Guarantee.
- XL= Extra Load.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL											
225/50R17 94W	.118839	6.0-8.0	7	25.9	9.6	8.5	12	10	804	25	\$.
205/45R17 84W	.112039	6.5-7.5	7	24.3	8.2	7.4	11.3	10	857	20	
205/40R17 80Y	.25781	7.0-8.0	7.5	23.5	8.7	7.2	11	10	886	20	
215/40R17 83W	.25849	7.0-8.5	7.5	23.8	8.6	7.6	11.1	10	875	21	
235/40R17 90W	.25866	8.0-9.5	8.5	24.4	9.7	8.2	11.4	10	854	24	
225/50R18 95W	.95328	6.0-8.0	7	26.9	9	7.5	12.5	10	774	28	
P225/50R18 94W	.31561	6.0-8.0	7	.27	9.8	9.3	12.5	10	772	28	
P225/50R18 94W	.62994	6.0-8.0	7	26.9	9	8	12.5	10	774	29	
215/45R18 89Y	.71715	7.0-8.0	7	25.7	8.5	7.7	12	10	811	24	
215/45R18 XL 93Y	.63249	7.0-8.0	7	25.7	8.5	7.7	12	10	811	24	
225/45R18 91W	.112073	7.0-8.5	7.5	25.9	9.2	7.5	12.1	10	804	27	
225/45R18 91W	.126778	7.0-8.5	7.5	.26	9.2	7.9	12.1	10	801	26	
235/45R18 94Y	.90398	7.5-9.0	8	26.4	9.6	8.6	12.3	9	789	26	
245/45R18 96W	.95345	7.5-9.0	8	26.7	9.5	8.1	12.4	10	780	28	
245/45R18 96W	.112090	7.5-9.0	8	26.6	9.6	8.1	12.3	10	783	28	
245/45R18 96V	.120692	7.5-9.0	8	26.7	9.4	8.1	12.4	11	780	29	
P255/45R18 99V	.30490	8.0-9.5	8.5	27.1	10	9	12.5	11	769	32	
255/45R18 99Y	.25900	8.0-9.5	8.5	27	10.2	9.2	12.5	10	772	28	
P255/45R18 99W	.30269	8.0-9.5	8.5	26.9	10	9	12.5	10	774	30	
225/40R18 XL 92Y	.65204	7.5-9.0	8	25.1	9.4	8.1	11.8	10	830	24	
225/40R18 XL 92Y	.112141	7.5-9.0	8	.25	8.8	7.6	11.7	10	833	31	
235/40R18 91Y	.61209	8.0-9.5	8.5	25.5	9.5	8.6	11.9	10	817	25	
235/40ZR18 91Y	.127713	8.0-9.5	8.5	25.4	9.6		11.9	10	820	24	
245/40R18 93W	.71834	8.0-9.5	8.5	25.7	10.2	8.8	12	10	811	29	
245/40R18 93Y	.110543	8.0-9.5	8.5	25.7	10.3	9.3	12	11	811	26	
245/40R18 93Y	.112158	8.0-9.5	8.5	25.7	10.3	8.9	12	11	811	26	
255/40R18 95W	.119519	8.5-10.0	9	26.1	10.2	9.1	12.1	11.1	798	26	
255/40R18 XL 99Y	.117921	8.5-10.0	9	26.1	10.2	9.1	12.1	11	798	28	
255/40ZR18 95Y	.65221	8.5-10.0	9	26.1	10.1	9.1	12.1	11	798	27	
265/40R18 XL 101Y	.61226	9.0-10.5	9.5	26.3	11.2	10.1	12.2	10	792	30	
265/40ZR18 XL 101Y	.127730	9.0-10.5	9.5	26.2	11.7		12.2	9	795	29	
275/40R18 99Y	.90415	9.0-11.0	9.5	26.6	11.1	10	12.3	8	783	32	
285/35R18 97W	.119536	9.5-11.0	10	26.1	10.2	9.1	12.1	11	798	26	
295/35ZR18 99Y	.65238	10.0-11.5	10.5	26.1	12	10.8	12.1	10	798	31	
295/35ZR18 99Y	.127747	10.0-11.5	10.5	.26	12.4		12.1	10	801	32	
295/35ZR18 99Y	.68638	10.0-11.5	10.5	26.2	12.3	10	12.2	10	795	32	
225/45R19 92W	.112906	7.0-8.5	7.5	26.9	9.4	8.1	12.6	10	774	27	
225/40R19 89Y	.56500	7.5-9.0	8	26.1	9.1	8	12.3	10	798	27	
225/40R19 89Y	.133170	7.5-9.0	8	.26	9.1	7.6	12.2	10	801	26	
225/40R19 89W	.126795	7.5-9.0	8	26.1	9.1	8.1	12.3	10	798	26	
225/40R19 XL 93Y	.119621	7.5-9.0	8	26.1	9.5	8.1	12.3	10	798	25	
235/40ZR19 92Y	.38089	8.0-9.5	8.5	26.4	9.6	8.7	12.4	11	790	26	
245/40R19 94Y	.56517	8.0-9.5	8.5	26.7	9.9	8.8	12.5	10	780	30	
245/40R19 94Y	.133187	8.0-9.5	8.5	26.7	9.8	8.7	12.5	10	780	29	
245/40R19 94W	.56483	8.0-9.5	8.5	26.7	9.8	8.9	12.5	10	780	29	
245/40R19 94W	.112923	8.0-9.5	8.5	26.8	10.1	8.8	12.5	10	777	29	
245/40R19 94W	.120675	8.0-9.5	8.5	26.8	9.4	8.8	12.5	11	777	28	
245/40R19 94W	.133357	8.0-9.5	8.5	26.8	10.2	8.8	12.5	10	777	28	
245/40R19 XL 98W	.132745	8.0-9.5	8.5	26.8	10.2	8.6	12.5	10	777	29	
225/35ZR19 84Y	.63776	7.5-9.0	8	25.1	9.1	8.2	11.9	10	830	28	
235/35ZR19 87Y	.72888	8.0-9.5	8.5	25.5	9.4	8.4	12	10	817	24	
235/35ZR19 87Y	.127764	8.0-9.5	8.5	25.4	9.4		12	10	820	24	
255/35ZR19 XL 96Y	.24183	8.5-10.0	9	26.2	10	9	12.3	11	795	29	
255/35R19 XL 96Y	.119638	8.5-10.0	9	.26	10.5	9	12.2	10	801	27	
255/35ZR19 92Y	.69386	8.5-10.0	9	26.2	10	9	12.3	11	795	27	
265/35R19 94W	.71851	9.0-10.5	9.5	26.3	11.3	9.7	12.3	10	792	32	
265/35ZR19 94Y	.91350	9.0-10.5	9.5	26.3	11	9.4	12.3	10	792	29	
275/35ZR19 96Y	.38106	9.0-11.0	9.5	26.5	10.9	10.2	12.4	10	785	30	
275/35R19 96W	.133374	9.0-11.0	9.5	26.6	11.4	9.5	12.4	10	783	32	
285/35ZR19 99Y	.63793	9.5-11.0	10	26.7	11.7	10.9	12.5	8	780	39	
285/30R19 XL 98Y	.24200	9.5-10.5	10	.26	11.3	10.2	12.2	11	801	30	
295/30ZR19 100Y	.88715	10.0-11.0	10.5	26.1	12.3	11.1	12.3	10	798	32	
295/30ZR19 100Y	.127781	10.0-11.0	10.5	.26	12.4		12.2	10	801	32	
305/30ZR19 98Y	.69403	10.5-11.5	11	26.2	12	10.8	12.3	10	795	32	
305/30ZR19 XL 102Y	.72905	10.5-11.5	11	26.3	12.6	11.3	12.3	9	792	34	
305/30ZR19 XL 102Y	.127798	10.5-11.5	11	26.1	12.7		12.3	9	798	31	
265/35R20 XL 99Y	.112022	9.0-10.5	9.5	27.2	10.3	9.3	12.8	10	766	29	
245/35R21 96W	.113348	9.5-11.0	10	27.8	9.5	8.7	13.1	10	749	29	
255/30R21 93W	.113331	8.5-9.5	9	.27	10.1	9.2	12.8	10	772	28	
285/30R21 100W	.113314	9.5-10.5	10	27.8	11.3	10.4	13.1	10	749	29	
295/25R21 96W	.113297	10.0-11.0	10.5	26.8	11.3	10.2	12.8	10	777	30	
255/30R22 95W	.79994	8.5-9.5	9	28.1	10.1	9.4	13.4	10	741	30	
265/30R22 97W	.86318	9.0-10.0	9.5	28.3	10.6	9.4	13.4	10	736	30	
295/25R22 97W	.80062	10.0-11.0	10.5	27.8	11.3	10.2	13.3	10	749	31	
205/45R17 84W*	.104542		7	24.2	8.2	10	11.3	10		22	

*RUN FLAT

POTENZA RE760 SPORT

Ultra High Performance



UTQG 340 A A

PLATINUM PACT LIMITED WARRANTY

- Designed to "Maximize the pleasure of sporty driving."
- Delivers sharp, smooth response.
- Enhanced grip in both wet and dry conditions.
- Asymmetrical Rigid Tread Design with a 3D center block to help maintain contact with road.
- W-speed rating.
- Buy & Try 30 Day Guarantee.
- XL = Extra Load.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL											
NEW 195/55R16 87W	139919	6.0-0.0	7	5.5	7.9	-	11.2	10	853	21	\$
205/55R16 91W	79161	5.5-7.5	6.5	24.9	8.4	7.3	11.5	10	837	22	
NEW 215/55R16 97W XL	139902	7.5-7.0	6	25.3	8.9	-	11.6	10	824	26	
225/55R16 95W	79518	6.0-8.0	7	25.8	9.2	8	11.8	10	807	25	
205/50R16 87W	79552	5.5-7.5	6.5	24.1	8.4	7.3	11.1	10	864	21	
225/50R16 92W	79586	6.0-8.0	7	24.9	9.2	8	11.5	10	837	23	
205/45R16 83W	79178	6.5-7.5	7	23.3	8.1	7.4	10.8	10	894	19	
205/50R17 XL 93W	108010	5.5-7.5	6.5	25.9	9.1	8	11.7	10	827	25	
215/50R17 XL 95W	107993	6.0-7.5	7	25.6	8.9	7.6	11.8	10	814	26	
225/50R17 94W	107976	6.0-8.0	7	25.9	9.1	8	12	10	804	25	
205/45R17 XL 88W	79195	6.5-7.5	7	24.3	8.1	7.4	11.3	10	857	22	
215/45R17 XL 91W	79212	7.0-8.0	7	24.7	8.4	7.9	11.5	10	843	24	
225/45R17 XL 94W	79348	7.0-8.5	7.5	25	8.9	8.3	11.6	10	833	26	
235/45R17 94W	79355	7.5-9.0	8	25.4	9.3	8.5	11.8	10	820	25	
245/45R17 95W	79620	7.5-9.0	8	25.7	9.6	9	11.9	10	811	26	
NEW 205/40R17 XL 84W	66187	7.0-8.0	7.5	23.5	8.4	-	11	10	886	23	
245/40R17 91W	79603	8.0-9.5	8.5	24.7	9.8	8.9	11.5	10	843	25	
255/40R17 94W	79569	8.5-10.0	9	25	10.2	9.3	11.6	10	833	26	
NEW 265/40R17 96W	102332	9.0-10.5	9.5	25.4	10	-	11.7	10	820	28	
275/40R17 98W	79229	9.0-10.5	9.5	25.7	10.9	10	11.9	10	811	27	
NEW 255/50R18 95W	139868	8.0-7.0	6	26.9	9.2	-	12.4	10	775	27	
215/45R18 XL 93W	109676	7.0-8.0	7	25.7	8.4	7.9	12	10	811	25	
225/45R18 91W	79127	7.0-8.5	7.5	26	8.9	8.3	12.1	10	801	25	
245/45R18 XL 100W	79450	7.5-9.0	8	26.7	9.6	9	12.4	10	780	30	
255/45R18 99W	79246	8.0-9.5	8.5	27.1	10	9.4	12.5	10	769	28	
225/40R18 XL 92W	79263	7.5-9.0	8	25.1	9.1	8.1	11.8	10	830	26	
235/40R18 XL 95W	79637	8.0-9.5	8.5	25.4	9.5	8.4	11.9	10	820	27	
245/40R18 XL 97W	79654	8.0-9.5	8.5	25.7	9.8	8.9	12	10	811	28	
255/40R18 95W	79671	8.5-10.0	9	26	10.2	9.3	12.1	10	801	27	
NEW 275/40R18 99W	121440	9.0-11.0	9.5	26.7	10.9	-	12.3	10	782	34	
215/35R18 XL 84W	79365	7.0-8.5	7.5	23.9	8.6	8	11.3	10	872	22	
245/35R18 88W	86148	8.0-9.5	8.5	24.8	9.8	9	11.6	10	840	24	
255/35R18 90W	79688	8.5-10.0	9	25	10.2	9.3	11.7	10	833	25	
265/35R18 93W	79280	9.0-10.5	9.5	25.3	10.7	9.5	11.8	10	823	26	
275/35R18 95W	79297	9.0-10.5	9.5	25.6	10.9	10	11.9	10	814	27	
NEW 295/35R18 99W	102349	10.0-11.5	10.5	26.1	11.9	-	12.1	10	798	34	
NEW 225/45R19 92W	121457	7.0-8.5	7.5	27	89.9	-	12.6	10	772	25	
NEW 245/40R19 98W XL	121474	8.0-9.5	8.5	26.7	9.6	-	12.5	10	780	30	
235/35R19 XL 91W	79314	8.0-9.5	8.5	25.5	9.3	8.4	12	10	817	26	
245/35R19 XL 93W	79331	8.0-9.5	8.5	25.8	9.6	8.9	12.1	10	807	27	
275/35R19 XL 100W	121423	9.0-11.0	9.5	26.6	10.9	-	12.4	10	784	30	
275/30R19 XL 96W	79433	9.0-10.0	9.5	25.6	10.7	9.9	12.1	10	801	30	
245/35R20 XL 95W	78345	8.0-9.5	8.5	26.8	9.6	8.9	12.6	10	777	29	
255/35R20 XL 97W	78311	8.5-10.0	9	27	10	8.8	12.7	10	772	29	
255/30R20 XL 92W	78294	8.5-9.5	9	26.1	10	9.5	12.4	10	798	28	
275/30R20 XL 97W	78362	9.0-10.0	9.5	26.5	10.7	9.9	12.5	10	786	31	
285/30R20 XL 99W	79144	9.5-10.5	10	26.8	11.2	10.3	12.6	10	777	32	

POTENZA RE960A/S POLE POSITION

Performance



UTQG 400 AA A

40,000 MILE TREADWEAR LIMITED WARRANTY

PLATINUM PACT LIMITED WARRANTY

- All Season Performance Tire.
- Modern directional tread pattern.
- Dual Layer Tread.
- Excellent responsive handling.
- Buy & Try 30 Day Guarantee.
- XL = Extra Load.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL											
185/60R14 82H	49173	5.0-6.5	5.5	22.8	7.4	5.9	10.4	11	914	19	\$
195/60R14 86H	49207	5.5-7.0	6	23.2	7.8	6.2	10.6	11	898	20	
185/65R15 88H	49224	5.0-6.5	5.5	24.4	7.4	5.9	11.1	11	854	21	
195/65R15 91H	49241	5.5-7.0	6	25	7.9	6.2	11.4	11	833	22	
205/65R15 94H	49258	5.5-7.5	6	25.5	8.2	6.6	11.6	11	817	24	
195/60R15 88H	49275	5.5-7.0	6	24.2	7.8	6.2	11.1	11	861	22	
205/60R15 91H	49292	5.5-7.5	6	24.7	8.1	6.6	11.3	11	843	23	
215/60R15 94H	49309	6.0-7.5	6.5	25.2	8.6	6.9	11.5	11	827	25	
225/60R16 98W	49326	6.0-8.0	6.5	26.6	8.9	7.2	12.1	11	783	28	
205/55R16 91W	49343	5.5-7.5	6.5	24.9	8.3	6.8	11.5	11	837	24	
215/55R16 93W	49377	6.0-7.5	7	25.3	8.8	7.1	11.6	11	823	26	
225/55R16 95W	49394	6.0-8.0	7	25.7	9.1	7.4	11.8	11	811	27	
225/50R16 92W	49411	6.0-8.0	7	24.9	9	7.4	11.5	11	837	25	
245/50R16 97W	49428	7.0-8.5	7.5	25.7	9.8	8.1	11.8	11	811	29	
215/50R17 XL 95W	49445	6.0-7.5	7	25.5	8.7	7.1	11.8	11	817	25	
225/50R17 94W	49462	6.0-8.0	7	25.9	9	7.4	12	11	804	28	
235/50R17 96W	49479	6.5-8.5	7.5	26.3	9.5	7.7	12.1	11	792	29	
215/45R17 XL 91W	49496	7.0-8.0	7	24.6	8.3	7.2	11.4	11	847	23	
225/45R17 91W	49513	7.0-8.5	7.5	25	8.7	7.5	11.6	11	833	25	
225/45R17 94 BW XL	121899	7.0-8.5	7.5	25	8.9	0	11.6	11	835	25	
235/45R17 94W	49547	7.5-9.0	8	25.4	9.2	7.8	11.8	11	820	26	
245/45R17 95W	49564	7.5-9.0	8	25.7	9.4	8.2	11.9	11	811	28	
205/40R17 XL 84W	49598	7.0-8.0	7.5	23.5	8.2	6.8	11	11	886	21	
245/40R17 91W BW	108078	8.0-9.5	8.5	24.7	9.8	0	11.5	11	843	28	
255/40R17 94W BW	108061	8.5-10.0	9	25	10.2	0	11.6	11	832	27	
225/50R18 95W BW	121593	-	-	-	-	-	-	-	-	-	-
225/45R18 91W	49615	7.0-8.5	7.5	25.9	8.7	7.5	12.1	11	804	27	
245/45R18 XL 100W	49632	7.5-9.0	8	26.7	9.4	8.2	12.4	11	780	30	
255/45R18 99W BW	121610	-	-	-	-	-	-	-	-	-	-
225/40R18 88W	49649	7.5-9.0	8	25.1	8.9	7.5	11.8	11	830	25	
235/40R18 95W BW	108044	8.0-9.5	8.5	25.4	9.5	0	11.8	11	820	25	
245/40R18 93W	49666	8.0-9.5	8.5	25.7	9.6	8.2	12	11	811	27	
255/40R18 95W BW	121882	-	-	-	-	-	-	-	-	-	-
265/40R18 XL 101W BW	121865	9.0-10.5	9.5	26.3	10.7	0	12.2	11	791	29	
275/40R18 99W	49683	9.0-11.0	9.5	26.7	10.8	9.2	12.4	11	780	32	
265/35R18 93W	49717	9.0-10.5	9.5	25.3	10.6	9	11.8	11	823	28	
275/35R18 95W	67754	9.0-11.0	9.5	25.6	10.8	9.5	11.9	11	814	29	
NEW 245/45R19 98W	121508	-	-	-	-	-	-	-	-	-	-
225/40R19 89W BW	121627	7.5-9.0	8	26.1	9.1	0	12.2	11	798	32	
255/40R19 100W BW	121491	8.5-10.0	9	27.1	10.2	0	12.6	11	770	32	
275/40R19 101W BW	121542	9.0-11.0	9.5	27.7	10.9	0	12.8	11	753	22	
235/35R19 XL 91W	49734	8.0-9.5	8.5	25.5	9.4	8.4	12	11	817	25	
245/35R19 XL 93W	49768	8.0-9.5	8.5	25.8	9.6	8.4	12.1	11	807	27	
275/30R19 XL 96W	67771	9.0-10.0	9.5	25.6	10.7	9.6	12.1	11	814	30	
295/30R19 96W	49785	10.0-11.0	10.5	26	11.6	10.2	12.2	11	801	32	
245/35R20 XL 95W	49802	8.0-9.5	8.5	26.8	9.6	8.4	12.6	11	777	28	
255/35R20 93W	49819	8.5-10.0	9	27	10.1	8.7	12.7	11	772	29	
275/35R20 102W BW	121559	9.0-11.0	9.5	27.6	10.9	0	12.9	11	756	32	
275/30R20 XL 97W	49836	9.0-10.0	9.5	26.5	10.7	9.6	12.5	11	786	30	
285/30R20 XL 99W	49853	9.5-10.5	10	26.8	11.2	9.9	12.6	11	777	32	

POTENZA G019 GRID

Performance



UTQG 460 A A

50,000 MILE TREADWEAR LIMITED WARRANTY

PLATINUM PACT LIMITED WARRANTY

- Designed for sporty drivers.
- Silica to boost wet grip.
- Wider Footprint to help improve cornering.
- Advanced directional tread pattern for rapid water evacuation and sophisticated looks.
- Veri-pitch tread design to help minimize noise.
- Buy & Try 30 Day Guarantee.
- XL = Extra Load.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL											
P185/65R15 86H	.74486	5.0-6.5	5.5	24.5	7.4	6.6	11.2	11	850	22	.. \$
P195/65R15 89H	.74503	5.5-7.0	6	25	7.9	6.9	11.7	11	834	23	..
P205/65R15 92H	.74520	5.5-7.5	6	25.5	8.2	7.3	11.8	11	815	24	..
P195/60R15 87H	.74537	5.5-7.0	6	24.2	7.9	6.9	11.3	11	861	23	..
P205/60R15 90H	.74554	5.5-7.5	6	24.7	8.2	7.2	11.3	11	843	24	..
P215/60R15 93H	.74571	6.0-7.5	6.5	25.2	8.7	7.6	11.7	11	829	25	..
P205/60R16 91V	.74775	5.5-7.5	6	25.7	8.2	7.2	12	11	809	26	..
P205/60R16 91H	.74588	5.5-7.5	6	25.7	8.2	7.2	12	11	809	26	..
P215/60R16 94V	.74792	6.0-7.5	6.5	26.1	8.7	7.6	12.2	11	796	27	..
NEW P215/60R16 97V	.66276										
P255/60R16 97V	.121678	6.0-8.0	6.5	26.6	9	8	12.1	11	783	29	..
NEW 185/55R16 83H	.138848		5	24	7.6		11.1	11		21	..
195/55R16 87H	.74928	5.5-7.0	6	24.4	7.9	7.1	11.3	11	854	23	..
205/55R16 91V	.74809	5.5-7.5	6.5	24.9	8.4	7.4	11.7	11	838	25	..
205/55R16 91H	.74622	5.5-7.5	6.5	24.9	8.4	7.4	11.7	11	838	25	..
215/55R16 93V	.121644	7.5-9.0	8	25.4	9.2	8.1	11.8	11	820	26	..
225/55R16 95V	.121661	6.0-8.0	7	25.7	9.2	8.2	12	12	807	28	..
NEW 215/50R16 90V	.121831		6	24.5	8.9		11.3	11		23	..
NEW 205/50R16 86V	.121712		5.5	24.1	8.4		11.1	11		25	..
215/55R17 94V	.74826	6.0-7.5	7	26.3	8.9	7.8	12.4	11	792	27	..
225/55R17 97V	.121695	6.0-8.0	7	26.8	9.2	8.2	12.3	11	777	26	..
NEW 235/55R17 99V	.121729		6.5	27.2	9.7		12.4	11		30	..
205/50R17 89V	.74843	5.5-7.5	6.5	25.1	8.3	7.4	11.6	11	830	24	..
215/50R17 XL 95V	.74860	6.0-7.5	7	25.5	8.8	7.8	11.8	11	817	26	..
235/50R17 94V	.74877	6.0-8.0	7	25.9	9.2	8.2	12.2	12	803	28	..
225/50R17 96V	.74894	6.5-8.5	7.5	26.3	9.6	8.5	12.1	12	792	29	..
205/45R17 84V	.74911	6.5-7.5	7	24.3	8	7.4	11.3	11	857	22	..
NEW 215/45R17 XL 91V	.66277										
225/45R17 91V	.121780	7.0-8.5	7.5	25	8.9	7.9	11.6	11	833	28	..
235/45R17 94V	.121763	7.5-9.0	8	25.4	9.3	8.1	11.8	11	820	29	..
245/45R17 95H	.74707	7.5-9.0	8	25.7	9.5	8.5	11.9	11	811	28	..
NEW 255/45R17 91H	.66290										
255/45R17 98V	.121814	8.0-9.5	8.5	26.1	10	9.2	12	11	798	26	..
205/40R17 XL 84H	.74724	7.0-8.0	7.5	23.5	8.3	7.3	11	12	886	22	..
P225/60R18 99H	.74758	6.0-8.0	6.5	28.6	9	8	13.4	12	727	31	..
NEW P215/55R18 94H	.139953		6	27.3	8.9		12.6	11		28	..
NEW 235/45R18 94V	.121848		7.5	26.3	9.3		12.2	11		28	..
NEW 245/45R18 96V	.104457		8	26.7	9.6		12.3	11		27	..

TURANZA SERENITY

Touring



UTQG 440 AA A(W) (V) RATED 740 A A (H) RATED

50,000 MILE TREADWEAR LIMITED WARRANTY (V-RATED)

45,000 MILE TREADWEAR LIMITED WARRANTY (W-RATED)

70,000 MILE TREADWEAR LIMITED WARRANTY (H-RATED)

PLATINUM PACT 3 YEAR LIMITED WARRANTY

- Designed for premium sedans.
- Runs quietly and comfortably.
- Excels in wet performance.
- Dual Layer Tread.
- Like-new look lasts longer
- Buy & Try 30 Day Guarantee.
- XL= Extra Load.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL											
195/65R15 91H	.80130	5.5-7.0	6	25	7.9	7.1	11.4	12	833	23	.. \$
205/65R15 94H	.80283	5.5-7.5	6	25.5	8.2	7.4	11.6	12	817	24	..
205/60R16 92H	.80368	5.5-7.5	6	25.7	8.2	7.1	11.8	12	811	24	..
P205/60R16 91V	.113229	5.5-7.5	6	25.7	8.2	6.8	11.8	11	811	24	..
P215/60R16 94V	.113246	6.0-7.5	6.5	26.1	8.7	7.1	12.2	11	796	26	..
225/60R16 98H	.80113	6.0-8.0	6.5	26.7	9	7.8	12.2	12	780	29	..
235/60R16 100H	.80232	6.5-8.5	7	27.1	9.4	8.1	12.3	12	769	31	..
205/55R16 91H	.80351	5.5-7.5	6.5	24.9	8.4	6.7	11.5	12	837	25	..
215/55R16 93H	.80317	6.0-7.5	7	25.3	8.9	7.1	11.6	12	823	27	..
225/55R16 95V	.81031	6.0-8.0	7	25.7	9.2	7.4	11.8	11	811	28	..
225/55R16 95H	.80198	6.0-8.0	7	25.8	9.2	7.4	11.8	12	807	28	..
215/65R17 98H	.80249	6.0-7.5	6.5	28.1	8.7	7.8	12.8	12	741	29	..
215/55R17 94V	.81048	6.0-7.5	7	26.3	8.9	7.1	12.1	11	792	28	..
225/55R17 97V	.81099	6.0-8.0	7	26.8	9.2	7.4	12.3	11	777	29	..
235/55R17 99H	.102485	6.5-8.5	7.5	27.2	9.6	8.1	12.5	12	766	31	..
215/50R17 XL 95V	.81082	6.0-7.5	7	25.5	8.9	7.2	11.8	11	817	26	..
225/50R17 94W	.81235	6.0-8.0	7	25.9	9.2	7.6	12	11	804	28	..
235/50R17 96V	.81065	6.5-8.5	7.5	26.3	9.6	7.9	12.1	11	792	29	..
245/50R17 99V	.102502	7.0-8.5	7.5	26.7	9.8	8.3	12.3	11	780	31	..
225/45R17 91W	.81252	7.0-8.5	7.5	25	8.9	7.5	11.6	11	833	26	..
235/45R17 94W	.81116	7.5-9.0	8	25.4	9.3	7.8	11.8	11	820	27	..
NEW 245/45R17 99V XL	.129770										
245/45R17 95W	.102519	7.5-9.0	8	25.7	9.6	8.1	11.9	11	811	28	..
P225/60R18 99H	.80266	6.0-8.0	6.5	28.7	9	7.8	13.2	12	726	31	..
235/50R18 97W	.81133	6.5-8.5	7.5	27.3	9.6	7.9	12.6	11	763	30	..
245/50R18 100V	.122273	7.0-8.5	7.5	27.7	9.6	8.1	12.8	11	752	30	..
245/45R18 96W	.102536	7.5-9.0	8	26.7	9.6	8.1	12.4	11	780	30	..
255/45R18 XL 103W	.81150	8.0-9.5	8.5	27.1	10	8.5	12.5	11	769	33	..
235/40R18 XL 95W	.102553	8.0-9.5	8.5	25.4	9.3	7.8	11.9	11	820	27	..
245/40R18 93W	.102570	8.0-9.5	8.5	25.7	9.6	8.1	12	11	811	28	..
265/40R18 97W	.102604	9.0-10.5	9.5	26.3	10.5	8.8	12.2	11	792	31	..
245/45R19 98W	.81184	7.5-9.0	8	27.7	9.6	8.2	12.9	11	752	32	..
255/40R19 100W	.102587	8.5-10.0	9	27	10.1	8.5	12.6	11	772	31	..
275/40R19 XL 105W	.81218	9.0-11.0	9.5	27.7	10.9	9.1	12.9	11	752	34	..



EL 400-V, W, Z

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	PRICE
BLACKWALL												
205/60R16 91V	108-571							.10		.23		\$
P215/60R16 94V	54001	6.0-7.5	6.5	26.2	8.6	6.5	11.8	.10	.795	25	260 AA	
P195/55R16 86V	93458										260 AA	
P215/55R17 93V	43529	6.0-7.5	7	26.6	8.9	6.9	12.2	.10	.783	26	260 AA	
P215/55R17 93V	91333	6.0-7.5	7	26.6	8.9	6.9	12.2	.10	.783	26	260 AA	
P215/55R17 93V	65901	6.0-7.5	7	26.6	8.9	6.9	12.2	.10	.783	26	260 AA	
215/50R17 90V	108-605							.10		.24		
225/50R17 93V	108-622							.10		.26		
245/50R17 98V	90160							.10		.26		
P215/45R17 87W	57928	7.0-8.0	7	24.7	8.3	7.1	11.5	.10	.843	22	260 AA	
215/45ZR17 87Z	94512	7.0-8.0	7	24.7	8.3	7.1	11.5	.10	.843	22	260 AA	
225/40R18 88W	132677	7.5-9.0	8	25.1	9.5	7.6	11.8	.9	.830	24	260 AA	
255/40R18 95W	132694	8.5-10.0	8.5	26.1	9.1	26.1	12.1	.10	.798	27	260 AA	

PLATINUM PACT 3 YEAR LIMITED WARRANTY

- Features UNI-T Technology for Enhanced Wet Performance.
- Buy & Try 30 Day Guarantee.



EL 400-H

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	Limited Mileage Warranty	UTQG	PRICE
BLACKWALL													
195/65R15 91H	43291	5.5-7.0	6	25	7.9	6.3	11.4	.11	.833	21	50,000	400 AA	\$
P205/65R15 92H	43223	5.5-7.5	6	25.5	8.2	6.6	11.6	.11	.817	23	50,000	400 AA	
P195/60R15 87H	43240	5.5-7.0	6	24.2	7.9	6.3	11.1	.11	.861	21	50,000	400 AA	
P205/60R15 90H	90041	5.5-7.5	6	24.7	8.2	6.6	11.3	.12	.843	21		640 AB	
195/60R16 89H	112294	5.5-7.0	6	25.3	7.8	6.1	11.6	.10	.823	20		300 AA	
P205/60R16 91H	43359	5.5-7.5	6	25.7	8.2	6.6	11.8	.11	.811	25	50,000	400 AA	
P205/60R16 91H	96501	5.5-7.5	6	25.7	8.2	6.6	11.8	.11	.811	25		400 AA	
P205/55R16 89H	43597	5.5-7.5	6.5	25	8.3	6.7	11.5	10	.833			300 AA	
P205/55R16 89H	53950	5.5-7.5	6.5	25	8.3	6.7	11.5	9	.833			300 AA	
P205/55R16 89H	133255	5.5-7.5	6.5	25	8.8	6.7	11.5	12	.833	28		300 AA	
205/55R16 91H	53916	5.5-7.5	6.5	24.9	8.4	6.7	11.5	11	.837	21		300 AA	
P205/55R16 89H	57911	5.5-7.5	6.5	24.7	8.5	6.8	11.4	10	.843	23		400 AA	
P205/55R16 89H	112872	5.5-7.5	6.5	25	8.3	6.9	11.5	10	.833	21		300 AA	
215/55R16 93H	43342	6.0-7.5	7	25.3	8.9	7.2	11.4	11	.823	23	50,000	400 AA	
P225/55R18 97H	124347	6.0-8.0	7	27.8	9.2	7.5	12.8	12	.749	31	50,000	400 AA	
P225/60R18 99H	68434	6.0-8.0	8.5	28.7	10	7.3	12.8	11	.746		50,000	400 AA	
P245/50R18 99H	33108	7.0-8.5	7.5	27.7	10	8.6	12.8	11	.752	31		300 AA	

EL 400-T

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	Limited Mileage Warranty	UTQG	PRICE
BLACKWALL													
185/65R15 88T	43002	5.0-6.5	5.5	24.5	7.4	6	11.2	.11	.850	19	80,000	640 AB	\$
P195/65R15 89T	43019	5.5-7.0	6	25	7.9	6.3	11.4	12	.833	21	80,000	640 AB	
P205/65R15 92T	43053	5.5-7.5	6	25.5	8.2	6.6	11.6	12	.817	21	80,000	640 AB	
P215/65R15 95T	43070	6.0-7.5	6.5	26	8.7	6.9	11.8	12	.801	23	80,000	640 AB	
P195/60R15 87T	43104	5.5-7.0	6	24.2	7.9	6.3	11.1	12	.861	20	80,000	640 AB	
P205/60R15 90T	43121	5.5-7.5	6	24.7	8.2	6.6	11.3	12	.843	20	80,000	640 AB	
P215/60R15 93T	43138	6.0-7.5	6.5	25.2	8.7	6.9	11.5	12	.827	23	80,000	640 AB	
215/65R16 98T	43155	6.0-7.5	6.5	27	8.7	6.9	12.3	12	.772	27	80,000	640 AB	
P215/60R16 94T	43172	6.0-7.5	6.5	26.1	8.7	6.9	11.9	12	.798	24	80,000	640 AB	
P225/60R16 97T	43189	6.0-8.0	6.5	26.6	9	7.3	12.1	12	.783	25	80,000	640 AB	
P205/55R16 89T	43206	5.5-7.5	6.5	24.9	8.4	6.8	11.5	12	.837	21		640 AB	
P215/65R17 98T	68451	6.0-7.5	7	28	8.7	6.9	12.8	11	.737	23	80,000	640 AB	
P225/65R17 100T	112702	6.0-8.0	6.5	28.5	8.8	6.7	13	12	.731	28		640 AB	
P215/60R17 95T	58098	6.0-7.5	6.5	27.2	8.6	6.6	12.5	10	.766	23		400 B B	
NEW P225/60R17 98T	125231	8.0 - 6.5	6	27.6	9		12.6	11	.754	35	40,000		
235/60R17 102T	124823							11		.30			
P215/55R18 94T	58081	6.0-7.5	7	27.5	8.7	7	12.7	10	.758	27		400 B B	
P225/50R18 94T	124636	6.0-8.0	7	26.9	9.2	7.8	12.5	12	.774	25	80,000	640 AB	
WHITEWALL													
P205/70R15 95T	45042	5.0-7.0	6	26.3	8.2	6.6	11.8	12	.792	23	80,000	640 AB	
P215/70R15 97T	45059	5.5-7.0	6.5	26.9	8.7	6.9	12.1	12	.774	24	80,000	640 AB	

ECOPIA EP100



Tire Size	Code #	Sidewall Styling	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	Limited Mileage Warranty	PRICE
BLACKWALL														
175/65R14 82H	132252													\$
185/65R15 88H	126914	BW	5.0-6.5	5.5	24.3	7.4	5.4	11.1		.10	.857	17	50,000	
195/65R15 91H	126931	BW	5.5-7.0	6	25	7.9	5.7	11.4		.10	.833	19	50,000	
205/65R15 94H	132235													
195/55R16 87V	126897	BL	5.50-7.00	6	24.3	7.9	6.5	11.2	0	.10	.853	21	0	
205/55R16 91V	132286													
215/60R16 95H	132218													
215/60R17 96H	132269													
NEW NEW 215/45R17 87W	132363													

UTQG 400 A B PLATINUM PACT LIMITED WARRANTY

- Features NanoPro-Tech Technology which contributes to fuel-efficiency by improving rolling resistance.
- Maintains wet performance while improving rolling resistance.
- Silent C-S-C helps absorb noise.



ECOPIA EP422

Passenger



Tire Size	Code #	Approved Rims	Rim Width	Measuring Tire Diameter	Overall Section Width	Overall Tread Width	Load Radius	Static Dual Spacing	Min Tread Depth	RPM	Tire Weight	PRICE
P185/65R15 86H	122732	6.5-5.5	5	24.5	7.4	7.4	11.1	10	10	852	18	..\$
P195/65R15 89H	122800	7.0-6.0	5.5	24.4	7.9	7.9	11.2	10	10	853	19	..\$
P195/65R16 86V	122749	7.0-6.0	5.5	25	7.9	7.9	11.3	10	10	833	19	..\$
P215/60R16 94V	129702	7.5-6.5	6	26.1	8.7	8.7	11.9	10	10	797	22	..\$
P215/60R16 94H	122783	7.5-6.5	6	26.1	8.7	8.7	11.9	10	10	797	22	..\$

- Low Rolling Resistance without sacrificing WetPerformance and wear.
- Improved Fuel Savings.
- Built with Green technologies including: Recycled materials; Non-Aromatic oils-reduces carbon footprint.
- All Season Tire.

UTQG 400 A A
65,000 MILE WARRANTY
30 DAY BUY & TRY



INSIGNIA SE200

Mass Market



Tire Size	Code #	Approved Rims	Rim Width	Measuring Tire Diameter	Overall Section Width	Tread Width	Load Radius	Tread Depth	RPM	Tire Weight	UTQG	PRICE
BLACKWALL												
P175/70R13 82S	26053	4.5-6.0	5	22.7	7	5.4	10	11	915	15	440 A B	..\$
P175/70R14 84S	26087	4.5-6.0	5	23.7	7	5.4	10.5	11	876	16	560 A B	..\$
P195/70R14 90S	26138	5.0-6.5	6	24.8	7.9	6	10.9	11	837	19	560 A B	..\$
P175/65R14 81T	85791	5.0-6.0	5	23	7	5.5	10.2	11	903	16	506 A B	..\$
P185/65R14 85T	85655	5.0-6.5	5.5	23.5	7.4	5.8	10.4	11	885	17	560 A B	..\$
P195/65R14 88T	85621	5.5-7.0	6	24	7.9	6.1	10.6	11	864	18	560 A B	..\$
P235/75R15 XL 108S	26036	6.0-8.0	6.5	28.9	9.3	7.2	12.5	11	719	29	560 A B	..\$
P185/65R15 86T	85757	5.0-6.5	5.5	24.5	7.4	5.8	11.2	11	850	19	560 A B	..\$
P195/65R15 89S	21735	5.5-7.0	6	25	7.9	5.7	11.5	10	833	20	380 B B	..\$
P195/65R15 89S	72497	5.5-7.0	6	25	7.9	5.7	11.5	10	823	20	380 B B	..\$
P195/65R16 89S	85638	5.5-7.0	6	25	7.2	5.7	11.4	10	833	20	380 B B	..\$
P205/65R15 92T	85672	5.5-7.5	6	25.5	8.2	6.5	11.2	11	815	22	560 A B	..\$
P215/65R15 95T	85740	6.0-7.5	6.5	26	8.7	6.8	11.8	11	801	21	560 A B	..\$
P185/60R15 84T	71052	5.0-6.5	5.5	23.7	7.4	6	10.9	11	879	18	560 A B	..\$
P195/60R15 87H	124568	5.5-7.0	6	24.2	7.9	6.3	11.1	11	861	19	560 A B	..\$
215/65R16 98T	26410	6.0-7.5	6.5	27	8.7	6.8	11.9	11	768	24	560 A B	..\$
225/65R16 100T	123667	6.0-8.0	6.5	27.5	9	7.1	12.6	11	758	28	560 A B	..\$
235/65R16 103T	122562	6.5-8.5	7	28	9.5	7.4	12.8	12	744	30	560 A B	..\$
205/60R16 91H	124551							11		29		..\$
P215/60R16 94S	1301	6.0-7.5	6.5	26.1	8.7	7	11.7	10	801	22	380 B B	..\$
P225/60R16 97T	85706	6.0-8.0	6.5	26.6	9	7.3	11.8	11	780	24	560 A B	..\$
P235/60R16 99T	71069	6.5-8.5	7	27.1	9.5	7.6	12.3	11	769	27	560 A B	..\$
NEW 195/55R16 87H	140072		6	24.4	7.9		11.2	11		20		..\$
P205/55R16 89T	85689	5.5-7.5	6.5	24.9	8.4	6.8	11.2	11	834	20	560 A B	..\$
P205/60R16 86H	124602	5.5-7.5	6.5	24.1	8.4	6.9	11.1	11	864	20	560 A B	..\$
NEW P225/65R17 100T	138933	8.0-6.5	6	28.5	9		12.9	11	731	29	560 A B	..\$
P215/65R17 98T	71086	6.0-7.5	6.5	28	8.7	6.8	12.8	11	745	28	560 A B	..\$
NEW P235/60R17 102T	138899	7.5-7.0	6.5	28.1	9.5		12.8	11	741	29	560 A B	..\$
P215/60R17 95T	124585	6.0-7.5	6.5	27.2	8.7	6.9	12.5	11	766	22	560 A B	..\$
NEW P215/55R17 93T	127101		7	26.3	8.9		12.1	11		23		..\$
P225/50R17 93T	124619	6.0-8.0	7	25.9	9.2	7.8	12	11	804	23	560 A B	..\$
WHITE STRIPE												
P185/70R14 87S	26104	4.5-6.0	5.5	24.3	7.4	5.7	10.7	11	856	18	560 A B	..\$
P205/70R15 95S	26206	5.0-7.0	6	26.3	8.2	6.3	11.6	11	788	23	560 A B	..\$
P215/70R15 97S	26223	5.5-7.0	6.5	26.9	8.7	6.6	11.8	11	772	24	560 A B	..\$

Awesome Wet Performer
65,000 MILE TREADWEAR LIMITED WARRANTY
PLATINUM PACT LIMITED WARRANTY

- The Insignia SE200 is a Bridgestone tire designed with the value-conscious vehicle owner in mind. The Insignia SE200 incorporates many premium features in a value position.
- Silica-based tread compound for improved wet traction.
- Wide footprint.
- The Insignia SE200 is the original equipment choice for popular GM and Toyota vehicles.
- Buy & Try 30 Day Guarantee.



POTENZA S-02

Original Equipment



Tire Size	Code #	Approved Rims	Rim Width	Measuring Tire Diameter	Overall Section Width	Tread Width	Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
205/55R16 89W	81612	5.5-7.5	6.5	25	8.1	7.1	11.5	10	833	22	'00 Honda S2000	..\$
205/55R16 N-3	57118							10		21	PORSCHE BOXSTER	..\$
225/50R16 92W	81620	6.0-8.0	7	24.8	9.2	8.5	11.4	10	840	25	'00 Honda S2000	..\$
225/50ZR16	57126	6.0-8.0	7	24.7	8.7	8.1	11.4	10	843	24	Porsche Boxster	..\$
225/40ZR18	60100	7.5-9.0	8	25.2	9.2	7	11.8	10	827	22	Porsche 911 (993), Turbo	..\$
235/40ZR18	40274	8.0-9.5	8.5	25.3	9.3	7.5	11.8	10	823	25	BMW 5 Series	..\$
245/40ZR18	85871	8.0-9.5	8.5	25.7	9.8	7.7	12	10	811	28	'99 Aston-Martin DB7	..\$
255/40ZR18	75027	8.5-10.0	9	26.2	10.4	9.9	12.2	8	795	25	Ferrari F550 Maranello-F	..\$
265/35ZR18	58912	9.0-10.5	9.5	25.3	10.3	9.1	11.8	10	823	28	BMW 5 Series	..\$
295/35ZR18	75140	10.0-11.5	10.5	26.3	11.9	11.5	12.2	9	792	29	Ferrari F550 Maranello-R	..\$
285/30ZR18	64963	10.0-11.0	10	24.8	11.3	11.1	11.5	10	840	30	Porsche 911 (993), Turbo	..\$

UTQG 140 A A



BRIDGESTONE

27

POTENZA S-02A

Original Equipment



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
205/50ZR17	119288	5.5-7.5	6.5	25.2	8.4	6.9	11.7	10	827	21	Porsche Boxster-F, 911-F	\$
255/40ZR17	119296	8.5-10.0	9	24.9	10.4	8	11.6	10	837	25	Porsche Boxster-R, 911-R	
215/45ZR18	87955	7.0-8.0	7	25.7	8.6	6.6	12	9	811	22	Ferrari 360 Modena-F	
225/40ZR18	146693	7.5-9.0	8	25.3	9	7.9	11.8	10	823	30	Porsche 911 (996), 996 Turbo, Carrera 4S-F	
275/40ZR18	87971	9.0-11.0	9.5	26.7	11.1	8.5	12.4	10	780	27	Ferrari 360 Modena-R	
265/35ZR18 93Z	38072	9.0-10.5	9.5	25	11.1	9.8	11.7	10	832	28	Porsche 911 (996)-R	
285/30ZR18	146710	10.0-11.0	10	24.8	11.7	10.3	11.6	10	840	29	Porsche 911 Carrera-R	
295/30ZR18 XL	24285	10.0-11.0	10.5	24.9	12.3	10.8	11.7	9	837	30	Porsche 911(996), Carrera 4S-R	

EXPEDIA S-01

Original Equipment



NEW

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
215/50ZR17 Z	18805	6.0-7.5	7	25.5	8.8	7.2	11.8	10	817	20	Ferrari 348	\$
255/45ZR17 Z	85073	8.0-9.5	8.5	25.9	10.1	9.7	12	10	804	26	'00 Ferrari 456 Evoluzione	
285/40ZR17 Z	85081	9.5-11.0	10	25.7	11.7	10.6	11.9	10	811	34	'00 Ferrari 456 Evoluzione	
225/40ZR18 Z	37524	7.5-9.0	8	25	9.1	9.1	11.7	11	833	24	Ferrari F355	
245/40ZR18 Z	37036	8.0-9.5	8.5	25.7	9.5	9.5	12	10	811	26	Aston-Martin DB7	
245/40R18 Z	37044	8.0-9.5	8.5	25.7	9.8		12	10	811	26	Aston-Martin DB8	
265/40ZR18 Z	37532	9.0-10.5	9.5	26.3	11.2	11.2	12.2	10	792	31	Ferrari F355	
265/40ZR18 Z	37540	9.0-10.5	9.5	26.3	11.2	11.2	12.2	10	792	31	Ferrari F355	

UTQG 140 A A

POTENZA RE010

Original Equipment



UTQG 140 A A

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
215/45ZR16 Z	19879	7.0-8.0	7	23.5	8.3	7.3	10.9	10	886	22	Acura NSX -RF	\$
215/45ZR16 Z	19887	7.0-8.0	7	23.5	8.3	7.3	10.9	10	886	22	Acura NSX -LF	
245/40ZR17 Z	19895	8.0-9.5	8.5	24.6	9.5	8.4	11.4	10	847	27	Acura NSX -RR	
245/40ZR17 Z	19909	8.0-9.5	8.5	24.6	9.5	8.4	11.4	10	847	27	Acura NSX -LR	

POTENZA RE011

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
215/45R17 87W	103446	7.0-8.0	7	24.6	8.3	7.4	11.4	10	847	24	Subaru Imprezza WRX	\$
215/45R17 XL 91W	46521	7.0-8.0	7	24.6	8.3	7.4	11.4	10	847	24	SAAB 9.2X	

UTQG 140 A A



POTENZA RE030

Original Equipment



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
205/55R16 89W	72038	5.5-7.5	6.5	24.8	8.5	7.1	11.4	9	840	21			\$
P235/45ZR17 Z	61034	7.5-9.0	8	25.5	9.4	8.3	11.8	10	817	25	140 AA	Lexus GS400/GS430	
235/45R17 93W	1250	7.5-9.0	8	25.5	9.4	8.3	11.8	10	817	25	140 AA	Acura TL	

POTENZA RE040

Original Equipment



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
185/55R15 81V	1590	5.0-6.5	6	23	7.6	6.4	10.6	10	906	19	140 AA	Toyota MR2 Spyder F	\$
205/50R15 85V	86614	5.5-7.5	6.5	23	8.2	7.2	10.6	10	906	20	140 AA	Toyota MR2 -R	
235/60R16 100W	65187	6.5-8.5	7	27	9.6		12.3	11	772	27	140 AA	Audi A8	
225/55R16 94V	18896	6.0-8.0	7	25.7	9.3	7.5	11.8	10	811	24	140 AA	Mazda RX-8	
215/45R16 86W	1607	7.0-8.0	7	23.5	8.2	7.4	10.9	10	886	21	140 AA	Toyota MR2 Spyder R	
235/55R17 99Y	46504	6.5-8.5	7.5	27.2	9.2	8.4	12.5	11	766	28	140 AA	Audi A8	
225/50R17 94W	146778	6.0-8.0	7	25.9	9.1	7.5	12	10	804	28	140 AA	Nissan 350Z-F	
235/50R17 96W	146795	6.5-8.5	7.5	26.3	9.8	8.1	12.1	10	792	29	140 AA	Nissan 350Z-R	
215/45ZR17	112062	7.0-8.0	7	24.6	8.4	8	11.4	10	847	23	140 AA	Lexus IS300/IS300 Sports Cross-F	
225/45ZR17	112127	7.0-8.5	7.5	25	8.7	8.3	11.6	10	833	24	140 AA	Lexus IS300	
Sports Cross -R													
225/45R17 XL 94W	28841	7.0-8.5	7.5	24.8	8.6	7.5	11.5	10	840	24	140 AA	Audi A6 Biturbo	
												VW Passat	
225/45R18 91W	95226	7.0-8.5	7.5	25.9	9.2	7.9	12.1	10	804	26			
225/45R18 91W	147084	7.0-8.5	7.5	25.9	9	7.5	12.1	10	804	28	140 AA	Nissan 350Z-F	
												Optional Fitment	
245/45R18 96W	147101	7.5-9.0	8	26.6	9.6	8.1	12.3	10	783	30	140 AA	Nissan 350Z-R	
												Optional Fitment	
255/45R18 99Y	13643	8.0-9.5	8.5	26.9	10	8.7	12.5	11	774	28	140 AA	Audi A8	
235/40R18 91W	65272	8.0-9.5	8.5	25.4	9.4		11.9	10	820	25	140 AA	Pontiac GTO	
255/40R19 XL 100Y	13660	8.5-10.0	9	27	9.8	8.5	12.6	11	772	28	140 AA	Audi A8	

POTENZA RE050

Original Equipment



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
215/45R17 87W	33380	7.0-8.0	7	24.8	8.3	6.7	11.5	9	840	22	140 AA	Honda S2000-F	
225/45R17 90W	72055	7.0-8.5	7.5	25	8.7		11.6	10	833	25	140 AA	Lexus IS250/350	
225/45R17 91W	80147	7.0-8.5	7.5	25	8.9	7.2	11.6	10	833	24			
225/45R17 91W	47388	7.0-8.5	8.5	25	8.9	7.7	11.6	10	833	23	140 AA	MERCEDES BENZ C CLASS	
245/45R17 95W	72072	7.5-9.0	8	25.7	9.6	8.8	11.9	10	811	27	140 AA	Lexus IS250/350	
245/45R17 95W	24251	7.5-9.0	8	25.7	9.7	8.3	11.9	11	811	26	140 AA	Mercedes Benz E Class	
245/40R17 91W	33397	8.0-9.5	8.5	24.6	9.6	9	11.4	10	847	27	140 AA	Honda S2000-R	
245/45R18 XL 100Y	6928	7.5-9.0	8	26.6	9.9	8.9	12.3	11	783	27	140 AA	Mercedes C & S-Class (AMG) (FR)	
245/45R18 96Y	62688	7.5-9.0	8	26.6	9.7	7.9	12.3	11	783	27	140 AA	Mercedes S-Class (FR)	
255/45R18 99Y	71868		8.5	27.2	10.2		12.6	11		29	140AA	MERCEDES AMG SL55, SL65	
275/45R18 103Y	71885		9	27.8	11.1		12.8	11		31	140AA	MERCEDES AMG SL55, SL65	
225/40R18 88Y	93390	7.5-9.0	8	25.1	9.3	8.1	11.8	10	830	24	140 AA	Lexus IS250/350	
255/40R18 95Y	93407	8.5-10.0	9	26.1	10.1	9.1	12.1	11	798	27	140 AA	Lexus IS250/350	
265/40R18 XL 101Y	6945	9.0-10.5	9.5	26.6	10.4	9.4	12.3	11	783	28	140 AA	Mercedes C & S-Class (AMG) (RR)	
265/40R18 97Y	62705	9.0-10.5	9.5	26.6	10.4	8.8	12.3	11	783	29	140 AA	Mercedes M-Class (RR)	
275/40R18 99Y	120138							11		28		AMG S55	
255/40R19 XL 100Y	127815	8.5-10.0	9	27.1	10.2	9	12.6	11	769	29	140 AA	MERCEDES BENZ	
255/40ZR19 XL 100Z	119570	8.5-10.0	9	27.2	10.2	9	12.7	11	766	29	140 AA	MERCEDES BENZ	
275/40R19 101Y	127832	9.0-11.0	9.5	27.7	11.2	9.9	12.9	11	752	32	140 AA	MERCEDES BENZ	
275/40ZR19 XL 105Z	119587	9.0-11.0	9.5	27.7	11.2	9.9	12.9	11	766	31	140 AA	MERCEDES BENZ S CLASS	

POTENZA RE050 ECOPIA

Original Equipment



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
255/45R18 99Y	133476	8.0-9.5	8.5	27.2	10.2	9	12.6	11	766	27	140 AA	MERCEDES S CLASS	\$

POTENZA RE050A

Original Equipment



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	Tire RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
225/50R17 94W	118839	6.0-8.0	7	25.9	9.6	8.5	12	10	804	25	140 A A	AUDI TT	\$
205/45R17 84W	112039	6.5-7.5	7	24.3	8.2	7.4	11.3	10	857	20	140 A A	MAZDA MIATA	
P225/50R18 94W	31561	6.0-8.0	7	27	9.8	9.3	12.5	10	772	28	140 A A	PONTIAC GRAND PRIX GXP	
225/50R18 95W	95328	6.0-8.0	7	26.9	9	7.5	12.5	10	774	28	140 A A	INFINITI G35 SEDAN	
P225/50R18 94W	62994	6.0-8.0	7	26.9	9	8	12.5	10	774	29	140 A A	CADILLAC CTS	
215/45R18 89Y	71715	7.0-8.0	7	25.7	8.5	7.7	12	10	811	24	140 A A	SUBARU LEGACY S	
215/45R18 XL 93Y	63249	7.0-8.0	7	25.7	8.5	7.7	12	10	811	24	140 A A	MAZDASPEED 6, MAZDA SPEED 3	
225/45R18 91W	112073	7.0-8.5	7.5	25.9	9.2	7.5	12.1	10	804	27	140 A A	NISSAN 350Z	
225/45R18 91W	126778	7.0-8.5	7.5	26	9.2	7.9	12.1	10	801	26	140 A A	MAZDA RX-8	
235/45R18 94Y	90398	7.5-9.0	8	26.4	9.6	8.6	12.3	9	789	26	140 A A	ASTON MARTIN AM V8	
245/45R18 96W	95345	7.5-9.0	8	26.7	9.5	8.1	12.4	10	780	28	140 A A	INFINITI G35 SEDAN	
245/45R18 96W	112090	7.5-9.0	8	26.6	9.6	8.1	12.3	10	783	28	140 A A	NISSAN 350Z	
245/45R18 96V	120692	7.5-9.0	8	26.7	9.4	8.1	12.4	11	780	29	140 A A	PONTIAC G8	
255/45R18 99Y	25900	8.0-9.5	8.5	27	10.2	9.2	12.5	10	772	28	140 A A	CADILLAC STS	
P255/45R18 99W	30269	8.0-9.5	8.5	26.9	10	9	12.5	10	774	30	140 A A	PONTIAC GRAND PRIX GXP	
P255/45R18 99V	30490	8.0-9.5	8.5	27.1	10	9	12.5	11	769	32	140 A A	TOYOTA TACOMA X RUNNER	
225/40R18 XL 92Y	65204	7.5-9.0	8	25.1	9.4	8.1	11.8	10	830	24	140 A A	VOLKSWAGEN GOLF GTI	
225/40R18 XL 92Y	112141	7.5-9.0	8	25	8.8	7.6	11.7	10	833	31	140 A A	AUDI A3	
235/40R18 91Y	61209	8.0-9.5	8.5	25.5	9.5	8.6	11.9	10	817	25	140 A A	PORSCHE BOXSTER 911	
235/40ZR18 91Y	127713	8.0-9.5	8.5	25.4	9.6	8.1	11.9	10	820	24	140 A A	PORSCHE 911 (997)	
245/40R18 93W	71834	8.0-9.5	8.5	25.7	10.2	8.8	12	10	811	29	140 A A	NISSAN 350Z	
245/40R18 93Y	110543	8.0-9.5	8.5	25.7	10.3	9.3	12	11	811	26	140 A A	AUDI TT	
245/40R18 93Y	112158	8.0-9.5	8.5	25.7	10.3	8.9	12	11	811	26	140 A A	AUDI A4	
255/40R18 95W	119519	8.5-10.0	9	26.1	10.2	9.1	12.1	11	798	28	140 A A	AUDI S6	
255/40R18 XL 99Y	117921	8.5-10.0	9	26.1	10.2	9.1	12.1	11	798	28	140 A A	AUDI S6	
255/40ZR18 95Y	65221	8.5-10.0	9	26.1	10.1	9.1	12.1	11	798	27	140 A A	FERRARI 575 MARANELLO	
265/40R18 XL 101Y	61226	9.0-10.5	9.5	26.3	11.2	10.1	12.2	10	792	30	140 A A	PORSCHE BOXSTER 911	
265/40ZR18 XL 101Y	127730	9.0-10.5	9.5	26.2	11.7	9.1	12.2	9	795	29	140 A A	PORSCHE 911 (997)	
275/40R18 99Y	90415	9.0-11.0	9.5	26.6	11.1	10	12.3	8	783	32	140 A A	ASTON MARTIN AM V8	
285/35R18 97W	119536	8.5-11.0	10	26.1	10.2	9.1	12.1	11	798	26	140 A A	MERCEDES BENZ SL	
295/35ZR18 99Y	65238	10.0-11.5	10.5	26.1	12	10.8	12.1	11	798	31	140 A A	FERRARI 575 MARANELLO	
295/35ZR18 99Y	127747	10.0-11.5	10.5	26	12.4	10	12.1	10	801	32	140 A A	PORSCHE 911 (997)	
295/35ZR18 99Y	68638	10.0-11.5	10.5	26.2	12.3	10	12.2	10	795	32	140 A A	PORSCHE 911 C4S	
225/45R19 92W	112906	7.0-8.5	7.5	26.9	9.4	8.1	12.6	10	774	27	140 A A	INFINITI G37 COUPE	
225/40R19 89Y	56500	7.5-9.0	8	26.1	9.1	8	12.3	10	798	27	140 A A	INFINITI G35 COUPE	
225/40R19 89Y	133170	7.5-9.0	8	26	9.1	7.6	12.2	10	801	26	140 A A	HYUNDAI GENESIS COUPE	
225/40R19 89W	126795	7.5-9.0	8	26.1	9.1	8.1	12.3	10	798	26	140 A A	MAZDA RX-8	
225/40R19 XL 93Y	119621	7.5-9.0	8	26.1	9.5	8.1	12.3	10	798	25	140 A A	LEXUS IS-F	
235/40ZR19 92Y	38089	8.0-9.5	8.5	26.4	9.6	8.7	12.4	11	790	26	140 A A	ASTON MARTIN D89	
245/40R19 94Y	56517	8.0-9.5	8.5	26.7	9.9	8.8	12.5	10	780	30	140 A A	INFINITI G35 COUPE	
245/40R19 94Y	133187	8.0-9.5	8.5	26.7	9.8	8.7	12.5	10	780	29	140 A A	HYUNDAI GENESIS COUPE	
245/40R19 94W	56483	8.0-9.5	8.5	26.7	9.8	8.9	12.5	10	780	29	140 A A	INFINITI M45	
245/40R19 94W	112923	8.0-9.5	8.5	26.8	10.1	8.8	12.5	10	777	29	140 A A	INFINITI G37 COUPE	
245/40R19 94W	120675	8.0-9.5	8.5	26.8	9.4	8.8	12.5	11	777	28	140 A A	PONTIAC G8 GT	
245/40R19 94W	133357	8.0-9.5	8.5	26.8	10.2	8.8	12.5	10	777	28	140 A A	NISSAN 370Z	
245/40R19 XL 98W	132745	8.0-9.5	8.5	26.8	10.2	8.6	12.5	10	777	29	140 A A	INFINITI G37 CONVERTIBLE	
225/35ZR19 84Y	63776	7.5-9.0	8	25.1	9.1	8.2	11.9	10	830	28	140 A A	FERRARI F430	
235/35ZR19 87Y	72888	8.0-9.5	8.5	25.5	9.4	8.4	12	10	817	24	140 A A	PORSCHE 911 C4S, BOXSTER 987, CAYMAN	
235/35ZR19 87Y	127764	8.0-9.5	8.5	25.4	9.4	8.2	12	10	820	24	140 A A	PORSCHE 911 (997)	
255/35R19 96Y	24183	8.5-10.0	9	26.2	10	9	12.3	11	795	28	140 A A	MERCEDES BENZ AMG SL55, CLS55	
255/35R19 XL 96Y	119638	8.5-10.0	9	26	10.5	9	12.2	10	801	27	140 A A	LEXUS IS-F	
255/35ZR19 92Y	69386	8.5-10.0	9	26.2	10	9	12.3	11	795	27	140 A A	FERRARI 575 SUPERAMERICA	
265/35R19 94W	71851	9.0-10.5	9.5	26.3	11.3	9.7	12.3	10	792	32	140 A A	NISSAN 350Z	
265/35ZR19 94Y	91350	9.0-10.5	9.5	26.3	11	9.4	12.3	10	792	29	140 A A	PORSCHE BOXSTER 987, CAYMAN	
275/35ZR19 96Y	38106	9.0-11.0	9.5	26.5	10.9	10.2	12.4	10	785	30	140 A A	ASTON MARTIN D89	
275/35R19 96W	133374	9.0-11.0	9.5	26.6	11.4	9.5	12.4	10	783	32	140 A A	NISSAN 370Z	
285/35ZR19 99Y	63793	9.5-11.0	10	26.7	11.7	10.9	12.5	8	780	39	140 A A	FERRARI F430	
285/30R19 XL 98Y	24200	9.5-10.5	10	26	11.3	10.2	12.2	11	801	30	140 A A	MERCEDES BENZ AMG SL55, CLS55	
295/30ZR19 100Y	88715	10.0-11.0	10.5	26.1	12.3	11.1	12.3	10	798	32	140 A A	PORSCHE 911 (997)	
295/30ZR19 100Y	127781	10.0-11.0	10.5	26	12.4	10	12.2	10	801	32	140 A A	PORSCHE 911 (997)	
305/30ZR19 XL 102Y	72905	10.5-11.5	11	26.3	12.6	11.3	12.3	9	792	34	140 A A	PORSCHE 911 C4S	
305/30ZR19 XL 102Y	127798	10.5-11.5	11	26.1	12.7	10	12.3	9	798	31	140 A A	PORSCHE 911 (997)	
305/30ZR19 98Y	69403	10.5-11.5	11	26.2	12	10.8	12.3	10	795	32	140 A A	FERRARI 575 SUPERAMERICA	
265/35R20 XL 99Y	112022	9.0-10.5	9.5	27.2	10.3	9.3	12.8	10	766	29	140 A S	AUDI S8	

POTENZA RE050A SCUDERIA

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	Tire RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
345/35ZR19 110Y	944	11.5-13.5	12	28.6	14	11.5	13.2	8	728	35	140 A A	FERRARI ENZO	\$
245/35ZR19 89Y	927	8.0-9.5	8.5	25.7	9.9	8.7	12.1	9	810	24	140 A A	FERRARI ENZO	

POTENZA RE070

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
215/45R17 87W	118363	7.0-8.0	7	24.6	8.3	7.4	11.4	9	847	24	140 AA	Honda S2000 CR	\$
225/45R17 90W	13626	7.0-8.5	7.5	24.9	8.9	8.7	11.6	9	837	27	140 AA	Subaru WRX STI	
255/40R17 94W	118380	8.5-10.0	9	25	9.8	9.1	11.6	9	833	28	140 AA	Honda S2000 CR	

POTENZA RE92

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	Limited Mileage Warranty	UTQG	OE Fitment	PRICE
BLACKWALL														
1P185/65R14 78S	87939	4.5-6.0	5	22.5	6.5	5	10.3	9	926	13	40,000	.260 A B	Honda Insight	\$
P175/65R14 XL 84S	96040	5.0-6.0	5	23.1	7	5.3	10.5	10	902	15	40,000	.160 A A	Toyota Prius	
P175/65R14 81S	77257	5.0-6.0	5	23	7.2	5.2	10.5	11	906	15	40,000	.160 A A	Toyota Yaris	
P185/65R14 85S	119318	5.0-6.5	5.5	23.5	7.5	5.4	10.7	10	886	17	40,000	.160 A B	Suzuki Aeno	
P185/60R14 82H	119261	5.0-6.5	5.5	22.8	7.1	5.7	10.4	10	914	16	40,000	.160 A A	Suzuki Esteem	
P205/65R15 92T	96849	5.5-7.0	6	25.5	8.4	6	11.6	10	817	21	40,000	.160 A A	Toyota Camry	
P185/60R15 84T	77274	5.0-6.5	5.5	23.9	7.2	5.2	11	11	872	17	40,000	.160 A A	Toyota Yaris	
195/60R15 87H	17706	5.5-7.0	6	24.2	7.8	5.9	11.1	10	861	19	40,000	.160 A A	Honda Civic	
195/60R15 87H	72419	5.5-7.0	6	24.3	8.1	6.1	11.1	10	857	23	40,000	.160 A A	Nissan Sentra	
P195/55R15 84V	68969	5.5-7.0	6	23.5	7.7	6.9	10.7	10	886	19	0	.160 A A	Mazda Protege	
P205/55R15 87V	85006	5.5-7.5	6.5	23.9	8.3	6.8	11	10	872	15	0	.160 A A	Toyota Celica	
P205/60R16 91V	72427	5.5-7.5	6	25.9	8	5.9	11.8	10	804	25	0	.260 A A	Lexus ES300	
P215/60R16 94V	96628	6.0-7.5	6.5	26.2	8.6	6.5	11.8	10	795	24	0	.160 A A	Toyota Camry	
P225/60R16 97H	108278	6.0-8.0	6.5	26.6	8.9	6.5	12.3	11	790	24	40,000	.360 A A	Subaru Outback	
P205/55R16 89V	96121	5.5-7.5	6.5	25	8.2	6.8	11.5	10	833	21	0	.160 A A	Lexus IS300	
P225/50R17 93V	86495	6.0-8.0	7	25.9	8.9	6.7	12	10	804	25	0	.160 A A	Infiniti I30	
215/45ZR17 87Z	1556	7.0-8.0	7	24.6	8.6	7.1	11.4	10	847	23	0	.160 A A	Nissan Maxima Lexus IS200/IS300 Scion iC	
215/45R17 XL 91W	71783	7.0-8.0	7	24.7	8.5	7.1	11.5	10	843	23	0			
225/45R17 91V	72089	7.0-8.5	7.5	24.9	9.5	7.4	11.6	9	837	21	0			
245/45R17 95V	72106	7.5-9.0	8	25.6	9.7	8.1	11.8	9	814	25	0			
OUTLINE WHITEWALL														
P205/60R15 90H	57010	5.5-7.5	6	24.8	8	6.5	11.3	10	840	19	40,000	.160 A A	Subaru Imprezza, Outback	
P225/60R16 97H	100595	6.0-8.0	6.5	26.5	8.8	6.5	12.1	11	786	26	40,000	.360 A A	Subaru Outback	

POTENZA RE92A

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE	
BLACKWALL														\$
P215/55R18 94H	58064	6.0-7.5	7	27.4	8.9	7.6	12.5	9	769	27				
P215/45R18 89W	72463	7.0-8.0	7	25.6	8.5	7.1	11.9	11	814	23				
P265/50R20 106V	118295	7.5-9.5	8.5	30.6	10.7	9.1	14.1	10	681	41				
P265/50R20 106V	73347	7.5-9.5	8.5	30.6	10.7	9.1	14.1	10	681	48				
P265/60R18 109V	842	7.0-9.5	8	30.6	10.8	9.1	13.9	10	681	38	.260 A A	Infiniti FX45		
P215/50R17 90H	1182	6.0-7.5	7	25.7	8.7	7.2	12.2	10	808	23	.260 A A	Toyota Matrix Pontiac Vibe		
P225/55R17 95V	30388	6.0-8.0	7	26.9	9	7	12.6	10	775	25	.260 A A	Subaru Outback		
P225/50R17 93V	30507	6.0-8.0	7	25.9	9.1	7.5	12	10	804	27	.260 A A	Mitsubishi		
P205/55R16 89V	56534	5.5-7.5	6.5	24.9	8.5	6.8	11.5	10	837	21	.260 A A	SAAB 9.2X		
P225/60R16 97H	108278	6.0-8.0	6.5	26.6	8.9	6.5	12.3	11	790	24	.160 A A	Subaru Outback 2.5XT		
P225/50R17 93V	39041	6.0-8.0	7	25.9	9.1	7.5	12	10	804	27	.260 A A	Infiniti G35 Coupe (Front)		
P235/50R17 95V	39058	6.5-8.5	7.5	26.3	9.8	8.1	12.1	10	792	28	.260 A A	Infiniti G35 Coupe (Rear)		
P205/50R17 88V	110509	5.5-7.5	6.5	25.2	8.2	6.9	11.7	10	827	22	.260 A A	Subaru Imprezza		
225/45R18 91V	133136	7.0-8.5	7.5	25.9	8.9	7.3	12.1	10	804	25	.260 A A	HYUNDAI GENESIS COUPE		
245/45R18 96V	133153	7.5-9.0	8	26.5	9.6	7.9	12.3	10	786	29	.260 A A	HYUNDAI GENESIS COUPE		

TURANZA ER30

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE	
BLACKWALL														\$
195/50R15 82V	24098	5.5-7.0	6	22.8	7.7	7.1	10.5	10	914	18	140 AA	Mazda Miata		
P215/60R16 94V	33363	6.0-7.5	6.5	26.1	8.8	7.4	11.9	10	798	24				
P215/60R16 94V	5088	6.0-7.5	6.5	25.9	8.8	7.4	11.8	10	804	24	140 AA	Lexus GS300		
225/50R16 92V	59169	6.0-8.0	7	24.8	9.1	7.7	11.4	10	840	23				
225/50R16 92W	66893	6.0-8.0	7	24.8	9.2	7.8	11.4	10	840	22	140 AA	BMW 3 Series		
225/45R16 83W	97217	6.5-7.5	7	23.2	8	6.9	10.8	10	898	18	140 AA	Mazda Miata		
235/65R17 104V	31102	6.5-8.5	7	29.1	9.8	8.1	13.2	11	716	35	140 AA	Mercedes ML-Class Mercedes R-Class		
235/65R17 XL 108V	149957	6.5-8.5	7	29.1	9.8	8.1	13.2	11	716	35	140 AA	Porsche Cayenne		
225/45R17 91W	64335	7.0-8.5	7.5	25	9.2	7.8	11.6	10	833	22	140 AA	BMW 3 Series		
255/55R18 XL 109Y	149974	7.0-9.0	8	28.9	10.5	8.9	13.2	11	721	37	140 AA	Porsche Cayenne		
255/55R18 105W	31119	7.0-9.0	8	29	10.4	8.9	13.3	11	718	37				
245/50R18 100W	118869	7.0-8.5	7.5	27.8	10.2	8.7	12.8	11	749	30	140 AA	BMW 7 Series		
255/50R19 103V	81361	7.0-9.0	8	29.3	10.7	9	13.5	11	711	34	140 AA	BMW X5		
255/50R19 103W	31136	7.0-9.0	8	29.1	10.6	8.9	13.4	11	716	34	140 AA	Mercedes M-Class		
285/45R19 107W	65255										140 AA	Mercedes ML-Class Mercedes R-Class		
285/45R19 107V	81388	9.0-10.5	9.5	29.1	11.5	9.7	13.4	11	716	36	140 AA	BMW X5		

TURANZA ER33

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Overall Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
P215/60R16 94V	105465	6.0-7.5	6.5	26.1	8.6	6.2	11.9	10	798	23	140 AA	Lexus ES300, Toyota Camry	\$
225/60R16 97V	35629							10		25		.98 LEXUS LS400	
P225/55R17 95H	96148	6.0-8.0	7	26.7	9.2	7.1	12.3	10	780	26	140 AA	.01 Lexus LS430	
235/50R18 97W	93509	6.5-8.5	7.5	27.4	9.4	8.9	12.6	10	760	27	140 AA	Lexus LS460	
235/50R18 97W	132779							10		27		LEXUS LS (4WD)	
245/45R18 96W	34060	7.5-9.0	8	26.8	9.1	8.2	12.4	10	777	28	140 AA	Lexus LS430	
235/45R18 94W	61243	7.5-9.0	8	26.5	9.1	7.4	12.3	10	786	26	140 AA	Infiniti G35	
225/40R18 88Y	108180	7.5-9.0	8	25.1	9.5	7.5	11.8	9	830	23			
255/40R18 95Y	108163	8.5-10.0	9	26.1	10	8.8	12.1	9	798	27			
245/45R19 98Y	93526	7.5-9.0	8	27.8	9.5	8.7	12.9	10	749	30	140 AA	Lexus LS460	

TURANZA ER300

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Overall Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
215/60R17 96H	58047	6.0-7.5	6.5	27.2	8.7	6.8	12.5	11	766	27			\$
235/55R17 99W	69369	6.5-8.5	7	27.4	10	TBD	12.5	11	780	27	320 AA	Mercedes S-Class	

TURANZA ER300 ECOPIA

Original Equipment



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Overall Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
235/55R17 99W	132626							11		27			\$

TURANZA EL300-02

Original Equipment



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Overall Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
195/55R16 89H	132830							9		22			\$
195/55R16 89V	132847							9		22			

TURANZA EL41

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Overall Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
P195/65R15 89H	58548	5.5-7.0	6	25	7.9	5.9	11.4	10	833	21	300 AA	Honda Accord	\$
P205/65R15 92H	146642	5.5-7.5	6	25.4	8.3	6.4	11.5	9	820	21	300 AA	Honda Accord	
P195/55R15 84H	88698	5.5-7.0	6	23.4	7.6	6.7	10.8	10	890	19			
P205/60R16 91V	147509	5.5-7.5	6	25.6	8.3	6.2	11.7	10	814	22	260 AA	Honda Accord	
P205/60R16 91V	147135	5.5-7.5	6	25.6	8.3	6.2	11.7	10	814	22	260 AA	Honda	

TURANZA EL400 02

Original Equipment



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Overall Tread Width	Static Load Radius	Static Tread Depth	Tire RPM	Tire Weight	Limited Mileage Warranty	UTQG	OE Fitment	PRICE
BLACKWALL														
P205/60R15 90H	90041	5.5-7.5	6	24.7	8.2	6.6	11.3	12	843	21	640 A B		Nissan Sentra	\$
195/60R16 89H	112294	5.5-7.0	6	25.3	7.8	6.1	11.6	10	823	20	300 A A		Scion xD	
P205/60R16 91H	96501	5.5-7.5	6	25.7	8.2	6.6	11.8	11	811	25	400 A A		Suzuki SX-4	
205/60R16 91V	108571							10		23				
P215/60R16 94V	54001	6.0-7.5	6.5	26.2	8.6	6.5	11.8	10	795	25	260 A A		Toyota Camry	
P195/55R16 86V	93458												Toyota Prius	
205/55R16 91H	53916	5.5-7.5	6.5	24.9	8.4	6.7	11.5	11	837	21	300 A A		VW Jetta	
P205/55R16 89H	43597	5.5-7.5	6.5	25	8.3	6.7	11.5	10	833		300 A A		Honda Civic	
P205/55R16 89H	53950	5.5-7.5	6.5	25	8.3	6.7	11.5	9	833		300 A A		Nissan Sentra	
P205/55R16 89H	133255	5.5-7.5	6.5	25	8.8	6.7	11.5	12	833	28	300 A A		MAZDA 3	
P205/55R16 89H	57911	5.5-7.5	6.5	24.7	8.5	6.8	11.4	10	843	23	400 A A		400 A A	
P205/55R16 89H	112872	5.5-7.5	6.5	25	8.3	6.9	11.5	10	833	21	300 A A		Scion xB	
P225/65R17 100T	112702	6.0-8.0	6.5	28.5	8.8	6.7	13	12	731	28	640 A B		640 A B	
P215/60R17 95T	58098	6.0-7.5	6.5	27.2	8.6	6.6	12.5	10	766	23	400 B B		Chrysler	
235/60R17 102T	124823							11		30				
P215/55R17 93V	43529	6.0-7.5	7	26.6	8.9	6.9	12.2	10	783	26	260 A A		Toyota Camry, Toyota Camry Solara	
P215/55R17 93V	91333	6.0-7.5	7	26.6	8.9	6.9	12.2	10	783	26	260 A A		Toyota Camry, Toyota Avalon	
P215/55R17 93V	65901	6.0-7.5	7	26.6	8.9	6.9	12.2	10	783	26	260 A A		Nissan Altima	
215/50R17 90V	108605							10		24				
225/50R17 93V	108622							10		26				
245/50R17 98V	90160							10		26				
P215/45R17 87W	57928	7.0-8.0	7	24.7	8.3	7.1	11.5	10	843	22	260 A A		Toyota Matrix, Pontiac Vibe	
215/45ZR17 87Z	94512	7.0-8.0	7	24.7	8.3	7.1	11.5	10	843	22	260 A A		Scion iC	
P215/55R18 94T	58081	6.0-7.5	7	27.5	8.7	7	12.7	10	758	27	400 B B		Chrysler	
P245/50R18 99H	33108	7.0-8.5	7.5	27.7	10	8.6	12.8	11	752	31	300 A A		Cadillac Deville	
225/40R18 88W	132677	7.5-9.0	8	25.1	9.5	7.6	11.8	9	830	24	260 A A		LEXUS IS250, IS350	
255/40R18 95W	132694	8.5-10.0	8.5	26.1	9.1	26.1	12.1	10	798	27	260 A A		LEXUS IS250, IS350	
NEW 225/40RF18 88V*	142520												LEXUS IS-C	
NEW 255/40RF18 95V*	142503												LEXUS IS-C	
NEW 235/55R18 99H*	79059												TOYOTA SIENNA	
* Run Flat														

TURANZA EL470

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Overall Tread Width	Static Load Radius	Static Tread Depth	Tire RPM	Tire Weight	Limited Mileage Warranty	UTQG	OE Fitment	PRICE
BLACKWALL														
185/55R16 83H	110186							9		18				\$

TURANZA EL42

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Overall Tread Width	Static Load Radius	Static Tread Depth	Tire RPM	Tire Weight	Limited Mileage Warranty	UTQG	OE Fitment	PRICE
BLACKWALL														
P205/65R16 94V	123005	5.5-7.5	6	26.5	8.4	6.2	12.1	11	786	25	260 A A		Infiniti G35	\$
P205/65R16 94T	147169	5.5-7.5	6	26.6	8.5	6.2	12.1	10	783	23	320 B B		Nissan Altima	
215/65R16 98T	30728	6.0-7.5	6.5	27	8.6	6.4	12.3	11	779	24	320 B B		Chrysler Town & Country, Dodge Caravan	
235/65R16 103T	30354	6.5-8.5	7	28	9.3	7.2	12.7	11	744	31	320 B B		Honda Odyssey	
P235/65R17 103T	119407	6.5-8.5	7	29.2	9.3	7.3	13.2	11	713	31	320 B B		Mitsubishi Endeavor	
215/60R17 96H	37375	6.0-7.5	6.5	27.2	8.9	6.8	12.5	10	766	28	260 A A		BMW X3	
P215/55R17 93V	22432	6.0-7.5	7	26.5	8.9	6.9	12.2	10	786	25	260 A A		Toyota Solara	
P215/55R17 93H	103284	6.0-7.5	7	26.4	8.9	6.9	12.1	10	789	24	300 A A		Nissan Altima	
235/55R17 99H	37392	6.5-8.5	7	27.2	9.9	7.5	12.5	10	766	30	260 A A		BMW X3	
P225/60R17 98T	146608	6.0-8.0	6.5	27.8	8.7	6.7	12.7	10	749	25	260 A A		Toyota Sienna	
P235/45R17 93W	65969	7.5-9.0	8	25.5	9.2	7.5	11.8	10	817	25	260 A A		Acura TL	
P235/60R18 102H	90432							10		32			Mazda CX-7	
255/55R18 105V	130087	7.0-9.0	8	29	10.6	8.4	13.3	11	718	35	260 A A		BMW X5	
235/60R18 97H	37409	6.5-8.5	7.5	27.3	9.9	7.5	12.6	10	763	29	260 A A		BMW X-5	
P235/50R18 97V	93492	6.5-8.5	7.5	27.3	9.9	7.5	12.6	10	763	29	260 A A		Lexus LS460	
235/50R18 97V	132762							10		30			LEXUS LS (4WD)	
245/50R18 100V	118818	7.0-8.5	7.5	27.8	10.2	7.4	12.8	11	749	31	260 A A		BMW 7-Series	
245/50R18 100V	21684	7.0-8.5	7.5	27.8	10.2	7	12.8	11	749	31	260 A A		Saturn Vue Redline	
P245/45R19 98V	112311	7.5-9.0	8	27.8	9.5	8.2	12.9	10	749	30	260 A A		Lexus LS600h	

ECOPIA EP-02

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
195/80R16 97S	.64351	.5.5-6.5	.5.5	.28.2	.8	.4.8	.12.7	.8	.739	.360	B B	Toyota RAV 4 EV	\$

ECOPIA EP-20

Original Equipment

NEW

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
P195/65R15 89S	.133459												\$

B381

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE	
BLACKWALL														
P185/70R14 87S	.123455	.4.5-6.0	.5.5	.24.3	.7.4	.5	.11	.10	.857	.16	.240	B B	Honda Civic Hybrid	\$
NEW P185/65R14 85T	.134020													

B450

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
205/65R15 92S	.1284							.10		.21		CHEVROLET MALIBU	\$

INSIGNIA SE200

Original Equipment



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	Tire Weight	PRICE
BLACKWALL										
195/65R15 89S	.21735		.6	.25	.7.9		.11.5	.10	.20	\$
215/60R16 94S	.1301		.6.5	.26.1	.8.7		.11.7	.10	.23	\$
NEW 235/60R17 102T	.13889									\$
NEW 225/65R17 100T	.138933									\$

WARRANTY MILEAGE 65,000

UTQG 380 B B

INSIGNIA SE200-02

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	Tire Weight	PRICE
BLACKWALL										
195/65R15 89S	.72497		.6	.25	.7.9		.11.5	.10	.20	\$

WARRANTY MILEAGE 65,000

UTQG 380 B B

BLIZZAK LM-25

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
NEW 205/55R16 91H	121933											\$
NEW 225/45R17 94V	132320											\$
NEW 205/50R17 89H	132354											\$
225/60R18 99H	68468		6.5	28.7	9		13.2	12		29	CHRYSLER 300 DODGE MAGNUM	\$
225/50R18 95H	86284		7	26.9	9.2		12.5	11		27	PONTIAC GRAND PRIX®	\$
255/45R18 99H	86267		8.5	27.1	10.1		12.5	12		30	PONTIAC GRAND PRIX (F)	\$
245/45R19 98V	78447		8	27.7	9.6		12.9	11		30	LEXUS LS (07MY)	\$

BLIZZAK LM-25 4x4

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
275/55R17 109H	90143							11		37	MERCEDES ML320/35/500	\$

BLIZZAK DM-Z3

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
225/65R17 101Q	90126		6.5	28.6	9		13	14		34	LEXUS RX330 TOYOTA HIGHLANDER	\$
275/60R18 113Q	86301		8	31.1	10.8		14.1	14		42	LEXUS LX470 TOYOTA 4 RUNNER	\$
285/60R18 116Q	86488		8.5	31.6	11.5		14.3	14		44	LEXUS LX470	\$
235/55R18 100Q	763364							14		32	LEXUS RX330	\$
275/55R20 111Q	92778		8.5	32	11		14.7	12		43	TOYOTA TUNDRA 2	\$

WINTER DUELER DM-Z2

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
245/60R18 104Q	120641							14		33	MAZDA CX-9	\$

POTENZA RE040 RUN FLAT

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
275/40R18 99W	93602		9.5	26.7	10.8		12.4	10		36	BMW Z8	\$
245/45R18 96W	93580		8	26.7	9.6		12.4	11		32	BMW Z8	\$
245/40R18	149940		8.5	25.8	9.4		12	10		31	LEXUS SC430	\$

UTQG 140 A A

POTENZA RE050 RUN FLAT

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
225/50R16 92V	119423	6.0-8.0	7	25	9.1	8.1	11.5	10	833	27	BMW Z4 2.5i	\$
225/50R17 94W	24149	6.0-8.0	7	25.9	9.5	8.5	12	10	804	31	BMW 5 SERIES	
225/50R17 94W	117938	6.0-8.0	7	25.9	9.7	8.6	12	10	8.4	30	AUDI TT	
245/50R17 99W	63266	7.0-8.5	7.5	26.8	10.1	9	12.3	11	777	34	BMW 6SERIES COUPE, CONVERTIBLE	
245/45R17 95W	24166	7.5-9.0	8	25.8	9.7	8.6	11.9	11	8.7	31	BMW 5 SERIES	
245/45R17 95W	24132	7.5-9.0	8	25.7	9.7	8.6	11.9	11	811	32	MERCEDES BENZ E CLASS-ARMORED	
245/45R18 XL 100H	24268	7.5-9.0	8	26.7	9.7	8.6	12.4	11	780	33	MERCEDES BENZ S CLASS-ARMORED	
245/45R18 96Y	65153	7.5-9.0	8	26.7	9.8	8.7	12.4	11	780	31	MASERATI QUATTROPORTE	
285/40R18 101Y	65170	9.5-11.0	10	27.1	11.7	10.4	12.5	9	769	38	MASERATI QUATTROPORTE	
245/40R19 94Y	144968										FERRARI CALIFORNIA	
NEW 285/40R19 103Y	144985										FERRARI CALIFORNIA	

UTQG 140 A A

POTENZA RE92A RUN FLAT

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
265/50R20 106V	73347		8.5	30.6	10.7		14.1	10		48	INFINITI FX 35/45	\$

POTENZA RE050A RUN FLAT

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
205/45R17 84W	68621	6.5-7.5	7	24.2	8.2	7.4	11.3	10	861	23	MAZDA MIATA	\$
225/45R17 91W	119415	7.0-8.5	7.5	25	9.2	8.2	11.6	10	833	26	Z4 2.5i SPORT, 3.0i	
245/45R18 96W	34094	7.5-9.0	8	26.7	9.6	8.5	12.4	11	780	31	BMW 6 SERIES (E63, E64)	
245/45ZR18 96Y	48867	7.5-9.0	8	26.7	9.2	8.2	12.4	10	780	28	FERRARI 612 SCUGLIETTI	
205/40R18 82W	96535		7.5	24.6	8.2					21	MINI COOPER	
215/40R18 85Y	118414	7.0-8.5	7.5	24.8	8.8	7.8	11.6	10	840	24	BMW 1 SERIES	
225/40R18 88W	119431	7.5-9.0	8	25.2	9.1	8.1	11.8	10	827	24	BMW Z4 3.0i SPORT, 330i SPORT	
245/40R18 93W	34077	8.0-9.5	8.5	25.7	9.7	8.6	12	11	811	31	BMW 5 SERIES (E60, E61)	
245/40R18 93Y	65918									34	BMW 5 SERIES	
275/40R18 99W	34111	9.0-11.0	9.5	26.8	10.8	9.6	12.4	11	777	34	BMW 6 SERIES (E63, E64)	
245/35R18 88Y	118431	8.0-9.5	8.5	25	9.8	8.7	11.7	11	833	26	BMW 1 SERIES	
255/35R18 90W	119458	8.5-10.0	9	25.1	9.6	8.6	11.8	10	830	26	BMW Z4 3.0i SPORT, 330i SPORT	
275/35R18 95W	69352	9.0-11.0	9.5	25.6	10.9	9.7	11.9	11	814	33	BMW 5 SERIES	
275/35R18 95Y	65952	9.0-11.0	9.5	25.6	10.9	9.7	11.9	11	814	33	BMW 5 SERIES	
245/40R19 94W	34128	8.0-9.5	8.5	26.9	9.9	8.8	12.6	11	774	30	BMW 6 SERIES (E63, E64)	
245/40ZR19 94Y	69420	8.0-9.5	8.5	26.7	9.4	8.3	12.5	11	780	28	FERRARI 612 SCAGLIETTI	
285/40ZR19 103Y	48884	9.5-11.0	10	28	11.4	10.1	13	8	744	39	FERRARI 612 SCAGLIETTI	
225/35ZR19 88Y	94903	7.5-9.0	8	25.4	9.1	8.1	12	10	820	24	BMW 3 SERIES, COUPE, TOURING	
275/35R19 96W	34145	9.0-11.0	9.5	26.7	10.7	9.5	12.5	11	780	33	BMW 6 SERIES (E63, E64)	
255/30ZR19 91Y	94920	8.5-9.5	9	25.2	10.3	9.2	11.9	11	827	26	BMW 3 SERIES, COUPE, TOURING	
245/35ZR20 91Y	106684	8.0-9.5	8.5	26.6	9.3	8.3	12.6	11	783	26	FERRARI 599 GTB	
305/35ZR20 104Y	106701	10.0-12.0	11	28.3	12.2	10.9	13.2	8	736	37	FERRARI 599 GTB	

UTQG 140 A A

POTENZA II RE050A RUN FLAT

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
225/45R17 91V	67346	7.0-8.5	7.5	25.1	9.3	8.3	11.6	11	830	27	BMW 3 SERIES	\$
255/40R17 94V	68825	8.5-10.0	9	25.2	10.1	8.8	11.8	11	827	30	BMW 3 SERIES	
255/40R17 94W	79008									30	BMW Z4 + 3 SERIES	

POTENZA RE050 MOEXTENDED

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
225/45R17 91W	46436		7.5	25	9		11.6	11		25	MERCEDES C/CLK/SLK	\$
245/40R17 91W	46453		8.5	24.8	9.7		11.5	11		26	MERCEDES C/CLK/SLK	
245/45R18 96Y	46470		8	26.6	9.7		12.3	11		30	MERCEDES S CLASS	
265/40R18 97Y	46487		9.5	26.5	10.3		12.3	11		31	MERCEDES S CLASS	

POTENZA RE050A MOEXTENDED

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	Tread RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
255/40R18 95Y	.71800		9	26.1	10.2		12.1	.11		.29	MERCEDES AMG SL55, SL65	\$
285/35R18 97Y	.71817		10	25.9	11.2		12.1	.11		.32	MERCEDES AMG SL55, SL65	

POTENZA RE070R RUN FLAT

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	Tread RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
255/40RF20 97Y	.126982							.9		.37	NISSAN GT-R	\$
285/35ZRF20 100Y	.127016							.9		.40	NISSAN GT-R	

TURANZA EL42 RUN FLAT

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	Tread RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
205/55R16 91H	.116833		6.5	24.9	8.7		11.5	.10		.27	BMW 3-SERIES	\$
225/55R17 95V	.108014		7	26.7	9.3		12.3	.10		.34	INFINITI Q45 OPT	
225/45R17 91H	.96824		7.5	25	9.2		11.6	.10		.28	BMW 3-SERIES	
245/50R18 100V	.118818							.11		.35	BMW 7-SERIES OPT	
245/40R18 93V	.65289		8.5	25.7	9.4		12	.10		.29	LEXUS GS430/SC430	

TURANZA ER30 MOE

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	Tread RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
255/50R18 103W	.31153		8	29.1	10.6		13.4	.11		.40	MERCEDES M-CLASS	

TURANZA ER33 RUN FLAT

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	Tread RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
245/40R18 Z	.90381		8.5		9.6		12	.10		.28	LEXUS GS	\$

B380 RUN FLAT

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	Tread RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
225/60R17 98T	.1522		6.5	27.7	8.6		12.7	.10		.37	TOYOTA SIENNA	\$

UTQG 240 B B

BLIZZAK LM-22 RUN FLAT

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	Tread RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
205/55R16 91H	.56551		6.5	25	8.7		11.5	.13		.28	BMW Z4 3-SERIES SNOW	\$
225/45R17 91V	.148223		7.5	25	9.4		11.6	.11		.28	BMW Z4 ROADSTER SNOW	
225/45R17 91H	.67618		7.5	25	8.9		11.6	.11		.28	BMW 3-SERIES (E90) SNOW	

BLIZZAK LM-25 RUN FLAT

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
195/55R16 87H	82901							11		21	MINI COOPER	\$
245/50R17 99H	71171		7.5	26.8	10.1		12.3	11		36	BMW 6-SERIES SNOW	
205/45R17 84H	67584		7	24.3	8.1		11.3	11		23	MAZDA MIATA SNOW	
205/45R17 84V	83037							11		23	MINI COOPER	
245/45R18 96V	40248		8	26.8	9.6		12.4	11		32	BMW 6-SERIES SNOW	
255/40R20 97V	118771							10		36	NISSAN GT-R	
285/35R20 100V	118805							11		39	NISSAN GT-R	

BLIZZAK LM-25 4x4 MOE

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
255/50R19 107H	127305							11		42	MERCEDES	\$

BLIZZAK MZ-03 RUN FLAT

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL-												
245/40R18 93Q	112569		8.5	25.6	10		12			35	LEXUS SC430 SNOW	\$

BLIZZAK LM-50 RUN FLAT

Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL-												
225/60R17 93Q	059-424		6.5	27.8	8.9		12.7	11		39	TOYOTA SIENNA SNOW	\$

DUELER HP SPORT

Light Truck



UTQG 300 AA PLATINUM PACT LIMITED WARRANTY

- Designed for High Performance SUVs and Light Trucks.
- Excellent wet handling and braking.
- Ever-Black sidewall technology improves tire appearance.
- Buy & Try 30 Day Guarantee.
- XL = Extra Load.

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
235/65R17 XL 108V	56721		6.5-8.5	7	29.1	9.4	8	13.2	10	716	34	\$
P275/60R17 110V	48918		7.5-9.5	8	30	11	9.1	13.5	11	694	38	
275/55R17 109W	48935		7.5-9.5	8.5	28.9	11.2	9.7	13.1	11	721	39	
P265/60R18 109W	48952		7.0-9.5	8	30.5	10.7	8.7	13.9	11	683	38	
285/60R18 116V	48969		8.0-10.0	8.5	31.5	11.5	9.6	14.2	11	661	42	
255/55R18 XL 109Y	67890		7.0-9.0	8	28.8	10.7	9.5	13.2	11	723	38	
285/50R18 109W	49003		8.0-10.0	9	29.3	11.7	9.9	13.4	11	711	42	
235/50R19 99V	131317		6.5-8.5	7.5	28.1	10	8.7	13	11	741	31	
255/50R19 XL 103V	49020		7.0-9.0	8	29.1	10.6	9.8	13.4	11	716	36	
255/45R19 100V	132711		8.0-9.5	8.5	28.1	10.2	8.9	13	11	741	31	
275/45R19 XL 108Y	98864								11		37	
285/45R19 XL 111W	67924		7.0-9.0	8	29.1	11.4	10.2	13.4	11	716	38	
235/45R20 XL 100W	133595		7.5-9.0	8	28.2	9.7	8.4	13.2	11	739	30	
255/45R20 101W	133306		8.0-9.5	8.5	29.1	10.3	9	13.5	11	716	33	
275/45R20 XL 110Y	89038		8.5-10.0	9	29.8	10.7	8.7	13.8	9	699	39	
255/40R20 XL 101W	133561		8.0-9.5	8.5	28.1	10.7	9.3	13.1	11	741	31	
275/40R20 XL 106Y	67958		9.0-11.0	9.5	28.7	10.7	9.2	13.4	11	726	37	
275/40R20 102W	95107		9.0-11.0	9.5	28.6	10.9	10	13.4	11	726	37	
315/35R20 106W	95124				28.6	12.7	11.7		11		42	



DUELER H/L ALENZA

Light Truck



ELEGANCE WITH AN EDGE

LIMITED MILEAGE 65,000

PLATINUM PACT LIMITED WARRANTY

- Designed for luxury SUVs and light trucks.
- Smooth quiet ride.
- Excellent wet handling and braking.
- Buy & Try 30 Day Guarantee.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	PRICE
BLACKWALL												
P265/70R15 110H	42645	7.0-9.0	8	29.5	10.6	7.8	13.1	12	706		600 A A	\$
P265/75R16 114H	42662	7.0-9.0	7.5	31.5	10.4	7.8	13.9	12	661	36	600 A A	
P235/70R16 106H	42577	6.0-8.0	7	28.9	9.3	7.2	12.9	12	721		600 A A	
P245/70R16 106H	42611	6.5-8.0	7	29.4	9.7	7.5	13.1	13	709		600 A A	
P275/70R16 114H	42696	7.0-9.0	8	31	10.9	8.1	13.8	12	672		600 A A	
255/65R16 109H	40656	7.0-9.0	7.5	29.1	10	7.5	13.1	12	718	36	600 A A	
P255/75R17 113T	42628	6.5-8.5	7	31.9	9.9	7.8	14.2	13	653		700 A B	
P265/70R17 113H	40639	7.0-9.0	8	31.7	10.5	7.7	14.1	12	657	40	600 A A	
225/65R17 102H	42509	6.0-8.0	6.5	28.4	8.9	6.9	12.9	12	733		600 A A	
235/65R17 104H	25475	6.5-8.5	7	28.8	9.5	7.2	13.1	12	723	32	600 A A	
P245/65R17 105H	42594	7.0-8.5	7	29.4	9.6	7.5	13.3	12	709		600 A A	
P255/60R17 106H	68553	7.0-9.0	7.5	29	10.1	8.1	13.2	12	718	36	700 A B	
P275/60R17 110H	42679	7.5-9.5	8	29.9	10.9	8.8	13.5	13	697		600 A A	
275/55R17 109H	25645							13		39		
275/55R17 109V	73721	7.5-9.5	8.5	28.9	11.1	9.1	13.1	12	721	40	600 A A	
P275/65R18 114H	56585	7.0-9.5	8	32.1	10.9	8	14.5	12	649	44	600 A A	
265/60R18 110V	98456	7.5-9.5	8	30.5	10.7	8.5	13.9	11	683	39	600 A A	
P275/60R18 113H	98473	7.5-9.5	8	30.1	11	8.8	13.7	12	692	41	600 A A	
P285/60R18 114H	25594	8.0-10.0	8.5	31.5	11.4	9.1	14.2	13	661	46	600 A A	
235/55R18 100V	67278	6.5-8.5	7.5	28.2	9.5	7.7	13	12	739	33	600 A A	
255/55R18 109W	98490	7.0-9.0	8	29	10.4	8.4	13.3	11	718	40	600 A A	
235/50R18 XL 101V	93152	6.5-8.5	7.5	27.3	9.7	7.9	12.6	11	763	44	600 A A	
255/45R18 99V	73653	8.0-9.5	8.5	27.1	10	8.5	12.5	11	769	44	600 A A	
255/55R19 XL 111V	98524	7.0-9.0	8	30	10.4	8.4	13.8	11	694	37	600 A A	
P235/50R19 99H	107959	6.5-8.5	7.5	28.2	10.9	8.8	13.1	13	739	46	600 A A	
245/45R19 XL 102V	98609	7.5-9.0	8	27.7	9.6	8.2	12.9	11	752	31	600 A A	
NEW P255/60R19 108H	68032											
P275/60R20 114H	42798	7.5-9.5	8	33	10.9	8.8	15	13	631	46	600 A A	
P255/55R20 107H	127390	7.0-9.0	8	31.1	10.4	9	14.3	12	670	39	600 A A	
P275/55R20 111S	53967	7.5-9.5	8.5	32	11	9.6	14.7	12	651	43	700 B B	
P275/55R20 111H	58574	7.5-9.5	8.5	32	11	9.6	14.7	12	651	43	600 A B	
255/50R20 XL 109W	93169	7.0-9.0	8	30.1	10.4	8.5	13.9	11	683	38	600 A A	
P265/50R20 106V	42747	7.5-9.5	8.5	30.5	10.7	8.5	14.1	13	684	39	600 A A	
P275/45R20 106V	42764	8.5-10.0	9	29.8	10.8	8.5	13.8	13	699	38	600 A A	
275/40R20 106W	98745	9.0-11.0	9.5	28.7	10.9	9.7	13.4	11	726	39	600 A A	
275/45R22 XL 112V	98694	5.0-10.5	9	31.8	10.8	9.2	14.8	12	655		600 A A	
P285/45R22 110H	53984	9.0-11.0	9.5	32.2	10.7	9.5	15	11	647	42	700 A A	
305/40R22 XL 114W	96212	10.0-12.0	11	31.5	12.4	10.8	14.7	11	661	44	440 A A	
OUTLINE WHITE LETTER												
P215/75R15 100T	44260	5.5-7.0	6	27.6	8.5	6.6	12.3	12	755	29	700 A B	
P225/75R15 102T	44277	6.0-7.5	6	28.2	8.8	6.9	12.6	12	739		700 A B	
P235/75R15 105T	44107	6.0-8.0	6.5	28.7	9.3	7.2	12.8	12	726		700 A B	
P205/70R15 95T	44294	5.0-7.0	6	26.2	8.2	6.3	11.8	12	795		700 A B	
P225/70R15 100T	44090	6.0-7.5	6.5	27.3	8.9	6.9	12.2	12	763		700 A B	
P235/70R15 102T	44124	6.0-8.0	7.0	27.9	9.4	7.2	12.4	12	747		700 A B	
P225/75R16 104T	44158	6.0-7.5	6	29.2	8.8	6.9	13.1	12	713	32	700 A B	
P235/75R16 106T	44175	6.0-8.0	6.5	29.7	9.2	7.2	13.3	12	701		700 A B	
P245/75R16 109T	44192	6.5-8.0	7	30.3	9.9	7.5	13.5	13	687		700 A B	
P215/70R16 99T	44141	5.5-7.0	6.5	27.8	8.6	6.6	12.5	12	749		700 A B	
P225/70R16 101T	25373	6.0-7.5	6.5	28.3	8.9	6.9	12.7	12	736	32	700 A B	
P255/70R16 109T	44209	6.5-8.5	7.5	29.9	10.1	7.8	13.3	13	697		700 A B	
265/70R16 112T	25458	7.0-9.0	8	30.6	10.7	8.1	13.7	12	681	42	700 A B	
245/70R17 108T	98320							13		40		
265/70R17 113T	98354							13		42		
245/65R17 105T	98405							12		37		
P265/65R17 110T	98422	7.5-9.5	8	30.6	10.7	8.1	13.8	13	681	40	700 A B	
P265/70R18 114T	68502	7.0-9.0	8	32.6	10.7	9.5	14.6	13	640	44	700 A B	
P235/65R18 104T	98371	6.5-8.5	7	30	9.5	7.2	13.7	12	694	42	600 A A	
265/65R18 112T	98439							13		42		

ECOPIA DUELER HL 422

Light Truck/CUV



WINTER FORCE

- Fuel efficient tire focused on SUV/CUV applications.
- Low Rolling Resistance without sacrificing Wet Performance and wear.
- Fuel Efficiency.
- Fuel Saving Tread Compound.
- Fuel Saver Sidewall Compound.
- Non-Aromatic oil reducing the carbon footprint.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL												
P215/70R16 99S												\$
P235/70R16 104T												
P235/70R16 104T												
P235/70R16 104T												
225/65R16 100H												
225/65R17 102H												
P265/65R18 112S												
P235/55R18 99V												

DUELER H/T 684 II

Light Truck



60,000 MILEAGE LIMITED WARRANTY
PLATINUM PACT 3 YEARS LIMITED WARRANTY

- UNI-T Technology enhances wet performance.
- Buy & Try 30 Day Guarantee.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	UTQG	PRICE
BLACKWALL													
P215/70R16 99S	106216	5.5-7.0	6.5	27.8	8.8	6.9	12.5		11	749	25	360 B B	\$
P235/70R16 104T	58421		7	28.8	9.4		12.9				30	360 B B	
P235/65R16 101S	106267	6.5-8.5	7	28	9.7	7.7	12.7		11	744	28	360 B B	
NEW P245/70R17 108S	142741	8.0 - 7.0	6.5	30.6	9.8		13.7		10	682	34	360 B B	
P265/70R17 113S	147985	7.0-9.0	8	31.7	10.5	8.3	14.1		13	657	39	360 B B	
P265/70R17 113S	116816	7.0-9.0	8	31.7	10.4	7.2	14.1		11	657	39	360 B B	
P265/65R17 110S	30456	7.5-9.5	8	30.6	10.7	8.6	13.8		13	681	37	360 B B	
P235/60R17 100S	1267	6.5-9.0	7	28.3	9.3	7.8	12.9		11	736	28	360 B B	
P265/65R18 112T	55106	6.5-8.5	7.5	32.2	10.2	7.8	14.4		11	647	39	360 B B	
P265/65R18 112S	43614	7.5-9.5	8	31.6	10.4	9.8	14.3		12	659	41	360 B B	
NEW P275/65R18 112T	126591		8		11		14.4		11		41		
P275/65R18 114T	55089	7.5-9.5	8	32	10.9	8.6	14.4		11	651	40	360 B B	
P235/60R18 102H	58438	6.5-8.5	7	29.1	9.3	7.2	13.3		10	716	31	360 B B	
P285/60R18 114V	112889	0-10.0	8.5	31.5	11.2	8.9	14.2		10	661	42	360 B A	
NEW P245/60R20 107H	142758		7	31.6	10.2		14.4		10		36	360 B A	
P-METRIC OUTLINE													
WHITE LETTER													
P225/75R15 102S	44889	6.0-7.5	6	28.3	8.8	6.7	12.6		12	736	31	460 A B	
P235/75R15 105S	44940	6.0-8.0	6.5	28.9	9.3	7	12.8		12	721	33	460 A B	
P225/70R15 100S	44872	6.0-7.5	6.5	27.4	9	6.7	12.3		12	760	32	460 A B	
P235/70R15 102S	44906	6.0-8.0	7	28	9.5	7	12.5		12	744	31	460 A B	
P265/70R15 110S	45008	7.0-9.0	8	30.6	10.7	7.9	13.6		13	681	38	460 A B	
P245/75R16 109S	62960	6.5-8.0	7	30.5	9.8	7.3	13.6		13	683	38	460 A B	
P265/75R16 114S	45025	7.0-9.0	7.5	31.7	10.5	7.9	14		13	657	39	460 A B	
P245/70R16 106S	44957	6.5-8.0	7	29.5	9.8	7.3	13.2		13	706	36	460 A B	
P255/70R16 109S	44991	6.5-8.5	7.5	30.1	10.2	7.6	13.4		13	692	37	460 A B	
P265/70R16 111S	62977	7.0-9.0	8	30.6	10.7	7.9	13.6		13	681	38	460 A B	
P235/65R16 101S	60954											360 B B	
P265/70R17 113S	148002	7.0-9.0	8	31.7	10.5	8.3	14.1		13	657	39	360 B B	
P245/65R17 105S	42815	7.0-8.5	7	29.5	9.8	7.3	13.4		13	706	35	460 A B	
P235/60R17 100S	60971	6.5-8.5	7	28.1	9.5	7.6	12.8		13	741	28	460 A B	
P235/65R18 104T	73772	6.5-8.5	7.5	32.2	10.2	7.8	14.4			647	39	460 A B	
LT													
BLACKWALL													
LT245/75R16 120/116R	190806	6.5-8.0	6.5	30.5	9.8	7.4	14.1		14	684	39		
LT265/75R16 123/120R	190789	7.0-8.0	7.5	31.7	10.5	8	14.7		15	659	44		
LT													
OUTLINE													
WHITE LETTER													
LT235/75R15 104/101S	191367	6.0-7.0	6.5	28.9	9.3	7.2	12.8	10.8	14	721	36	460 A B	

DUELER H/T 689

Light Truck



60,000 MILEAGE LIMITED WARRANTY
PLATINUM PACT FREE REPLACEMENT WARRANTY

- Bridgestone technology provides smooth quiet ride for light trucks and sport utility vehicles.
- Buy & Try 30 Day Guarantee.

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	PRICE
BLACKWALL												
P245/70R16 106S	621	6.5-8.0	7	29.5	9.6	6.9	13.2	12	706	33	180 B B	\$
P255/70R16 108S	77690	6.5-8.5	7.5	30	9.9	7.1	13.4	12	694	33	180 B B	
P265/70R16 111S	92061	7.0-9.0	8	30.5	10.2	7.6	13.6	11	683	38	180 B B	
P265/70R16 112S	32020	7.0-9.0	8	30.5	10.2	7.2	13.6	11	683	35	180 B B	
P215/65R16 96H	57826	6.0-7.5	6.5	27.1	8.7	6.3	12.3	10		24	180 B A	
P255/65R16 106S	76554	7.0-9.0	7.5	29.3	9.7	6.9	13.1	12	711	33	180 B B	
P245/65R17 105S	92827	7.0-8.5	7	29.5	10	6.9	13.4	12	706	32	180 B B	

DUELER H/T (D684)

Light Truck



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL											
235/65R17 104T	50771	6.5-8.5	7	29.2	9.5	7.4	13.2	13	713	35	\$

DUELER A/T REVO

Light Truck



**CIVILIZED
PREMIUM
ALL-TERRAIN**

**50,000 MILE TREADWEAR
LIMITED WARRANTY
(P-METRIC SIZES ONLY)
PLATINUM PACT 3 YEAR
LIMITED WARRANT**

- The Dueler A/T Revo features a Dual Layer Tread that provides powerful grip as well as a smooth ride for light truck and SUV's.
- Designed to handle the best and worst driving conditions. With its aggressive tread and sidewall designs, the driver stays in control while driving on wet, dry, and even snow covered roads.
- Buy & Try 30 Day Guarantee.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	Tire RPM	Tire Weight	UTQG	PRICE
P-METRIC OUTLINED WHITE LETTER													
225/75R15 102S	110043		6	28.3	8.9		12.6		13		.32	500 A B	\$
235/75R15 105S	110051		6.5	28.9	9.4		12.8		13		.36	500 A B	
235/70R15 102S	110094		7	28	9.5		12.5		13		.32	500 A B	
265/70R15 110S	110108		8	29.6	10.6		13.1		13		.39	500 A B	
245/75R16 109S	110116		7	30.5	9.8		13.6		13		.38	500 A B	
265/75R16 114S	110159		7.5	31.9	10.6		14.1		13		.46	500 A B	
235/70R16 104S	110183		7	29	9.5		13		13		.33	500 A B	
245/70R16 106S	110191		7	29.6	9.8		13.2		13		.36	500 A B	
255/70R16 109S	110205		7.5	30.1	10.3		13.4		13		.38	500 A B	
265/70R16 111S	110213		8	30.7	10.6		13.6		13		.42	500 A B	
275/70R16 114S	110256		8	31.2	10.8		13.8		13		.43	500 A B	
235/75R17 108S	44447		6.5	30.9	9.2		13.5		13		.36	500 A B	
245/70R17 108S	44430		7	30.6	9.6		13.3		13		.37	500 A B	
255/70R17 110S	44498		7.5	31.1	10.1		13.5		13		.40	500 A B	
265/70R17 113S	110264		8	31.7	10.6		14.1		13		.45	500 A B	
255/65R17 108S	44481		7.5	30	10.5		13.2		13		.39	500 A B	
265/65R17 110S	24829		8	30.5	10.5		13.7		13		.42	500 A B	
265/70R18 114T	54205		8	32.6	10.7		14.6		11		.42	500 A B	
NEW 265/65R18 112T	102213		8	32.1	10.7		14.5		11		.43	500 A B	
275/65R18 114T	68485		8	32.1	11		14.5		11		.43	500 A B	
LT METRIC OUTLINED WHITE LETTER													
LT235/75R15 104/101S	156-167		6.5	29	9.3		13.5		15		.37		
LT215/85R16 115/112R	156183		6	30.6	8.6		14.2		16		.43		
LT225/75R16 115/112R	156213		6	29.5	8.8		13.7		15		.43		
LT245/75R16 108/104S	156221		7	30.7	9.8		14.2		15		.40		
LT245/75R16 120/116R	156248		7	30.7	9.8		14.2		15		.47		
LT265/75R16 112/109S	156256		7.5	31.8	10.6		14.7		16		.48		
LT265/75R16 123/120R	156302		7.5	31.8	10.6		14.7		16		.52		
LT245/75R17 121/118S	211835	6.5-7.5	7	31.5	9.8	7.4	14.7		17	661	.44		
NEW LT255/75R17 111/108R 6PLY	223861		7	30.6	9.8	7.5	14.3		15	681	.43		
LT245/70R17 119/116R	211818	6.5-8.0	7	30.6	9.8	7.5	14.3		15	681	.43		
LT265/70R17 121/118R	191180		8	31.6	10.5		13.7		13		.49		
NEW LT285/70R17 121/118R 10PLY	212158												
NEW LT285/65R18 125/122R 10PLY	206514												
LT275/65R18 123/120S	211767	7.5-9.0	8	32.1	11	8	15	12.7	16	649	.52		
30X9.50R15LT 104S	156353		7.5	29.6	9.9		13.7		16		.38		
31X10.50R15LT 109S	156345		8.5	30.5	10.9		14.1		16		.44		

DUELER A/T REVO 2 (D696)

Light Truck



**50,000 MILE TREADWEAR
LIMITED WARRANTY
(P-METRIC SIZES ONLY)
PLATINUM PACT
LIMITED WARRANT**

- Dual Layer Tread (available in P-Metric sizes)**
Minimizes the effect of wear on wet tire performance by exposing high grip rubber as the tire wears.
- DuraTech (available in LT-Metric and flotation sizes)**
High durability compound that minimizes chipping and tearing of the tread to stand up to demanding applications.
- Semi-Stealth Blocks**
Promote higher tread stiffness for improved handling while enhancing water evacuation.
- Stepped Inside Notch & Saw Tooth Grooves**
Contribute to snow traction.
- Open Shoulder Tread Design**
Helps evacuate water and improves wet traction and handling.

Tire Size	Code #	Approved Rim Width	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Static Load Radius	Tread Depth	Tire Weight	Max Load Single	Max Load Dual	UTQG	PRICE	
OUTLINED WHITE LETTER													
P235/75R15 XL 108T	081694	6.0-8.0	6.5	28.9	9.3	12.8	.722	.11	.33	2183	.0	500 A B	\$
P245/75R16 109T	081405	6.5-8.0	7.0	30.5	9.8	13.5	.684	.12	.38	2271	.0	500 A B	
P265/75R16 114T	081371	7.0-9.0	7.5	31.7	10.5	14.0	.658	.11	.42	2601	.0	500 A B	
P235/70R16 104T	081354	6.0-8.0	7.0	29.0	9.5	13.0	.719	.11	.34	1984	.0	500 A B	
P245/70R16 106T	081320	6.5-8.0	7.0	29.5	9.8	13.2	.705	.12	.37	2094	.0	500 A B	
P255/70R16 109T	081524	6.5-8.5	7.5	30.1	10.2	13.4	.693	.12	.38	2271	.0	500 A B	
P265/70R16 111T	081541	7.0-9.0	8.0	30.6	10.7	13.6	.680	.11	.40	2403	.0	500 A B	
P235/75R17 108T	081456	6.0-8.0	6.5	30.9	9.3	13.8	.675	.11	.36	2205	.0	500 A B	
P245/75R17 110T	081677	6.5-8.0	7.0	31.5	9.8	14.1	.661	.11	.40	2337	.0	500 A B	
P245/70R17 108T	081626	6.5-8.0	7.0	30.6	9.8	13.7	.682	.12	.36	2205	.0	500 A B	
P255/70R17 110T	081643	6.5-8.5	7.5	31.1	10.2	13.9	.670	.12	.40	2337	.0	500 A B	
P265/70R17 113T	081303	7.0-9.0	8.0	31.7	10.7	14.1	.658	.12	.41	2535	.0	500 A B	
P285/70R17 117T	081439	7.5-9.5	8.5	32.8	11.5	14.5	.636	.11	.48	2833	.0	500 A B	
NEW P235/65R17 103T	102247	8.5-7.0	6.5	29.1	9.5	13.1	.717	.11	.32			500 A B	
P245/65R17 105T	081286	7.0-8.5	7.0	29.5	9.8	13.3	.705	.12	.36	2039	.0	500 A B	
P255/65R17 108T	081660	7.0-9.0	7.5	30.1	10.2	13.5	.693	.11	.38	2205	.0	500 A B	
P265/65R17 110T	081592	7.5-9.5	8.0	30.6	10.7	13.7	.682	.12	.40	2337	.0	500 A B	
P255/70R18 112T	102196	6.5-8.5	7.5	32.1	10.2	14.4	.649	.12	.42	2469	.0	500 A B	
P265/70R18 114T	081473	7.0-9.0	8.0	32.6	10.7	14.6	.638	.11	.44	2601	.0	500 A B	
P265/65R18 112T	102213	7.5-9.5	8.0	31.5	10.7	14.2	.660	.12	.43	2469	.0	500 A B	
P275/65R18 114T	081609	7.5-9.5	8.0	32.1	11.0	14.4	.649	.11	.43	2601	.0	500 A B	
P265/60R18 109T	102230	7.5-9.5	8.0	30.5	10.7	13.8	.683	.14	.41	2271	.0	500 A B	
LT245/75R16 120/116S E	212107	6.5-8.0	7.0	30.5	9.8	11.34	14.1	.684	.15	.42	3042	2778	
LT235/85R16 120/116R E	212124	6.0-7.5	6.5	31.7	9.3	10.75	14.7	.656	.16	.43	3042	2778	
LT265/75R16 123/120R E	206548	7.0-8.0	7.5	31.7	10.5	12.2	14.7	.658	.16	.47	3415	3085	
LT285/75R16 126/123R E	206480	7.5-9.0	8.0	32.8	11.3	13.07	15.2	.634	.15	.54	3750	3415	
LT265/70R17 121/118S E	206531	7.0-8.5	8.0	31.7	10.7	12.44	14.7	.658	.17	.47	3195	2910	
LT315/70R17 121/118S E	232497	8.5-10.0	9.5	34.4	12.7	14.76	15.9	.605	.17	.61	3195	2910	
NEW LT245/75R17 121/118R	71354												
LT275/65R18 123/120R E	212056	7.5-9.0	8.0	32.1	11.0	12.76	15.0	.649	.15	.52	3415	3085	
LT285/65R18 125/122R E	206514	8.0-10.0	8.5	32.6	11.5	13.35	15.2	.640	.15	.47	3640	3305	
LT275/65R20 126/123S E	214623	7.5-9.5	8.0	34.1	11.0	12.76	16.0	.611	.15	.36	3750	3415	
31x10.50R15 109S C	212141	7.0-9.0	8.5	30.5	10.5	14.1	.683	.11	.42	2270	.0		



DUELER A/T 695

Light Truck



50,000 MILE TREADWEAR LIMITED WARRANTY (P-METRIC SIZES ONLY)

PLATINUM PACT LIMITED WARRANT

- Aggressive all-terrain tread.
- Smooth, quiet ride.
- Silica-based tread compound for outstanding wet performance.
- R, S and T Speed Rated.
- Buy & Try 30 Day Guarantee.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	UTQG	PRICE
P-METRIC OUTLINED WHITE LETTER													
P215/75R15 100S	75319	5.5-7.0	6	27.7	8.5	6.6	12.3	13	753	27	460 A B		\$
P225/75R15 102S	75336	6.0-7.5	6	28.3	8.8	6.9	12.5	13	737	28	460 A B		
P235/75R15 105S	75370	6.0-8.0	6.5	28.9	9.3	7.2	12.7	13	723	30	460 A B		
P235/70R15 102S	75387	6.0-8.0	7	28	9.5	7.2	12.4	13	745	29	460 A B		
P245/75R16 109S	75404	6.5-8.0	7	30.5	9.8	7.5	13.4	13	684	36	460 A B		
P235/70R16 104S	75438	6.0-8.0	7	29	9.5	7.2	12.9	13	720	31	460 A B		
P245/70R16 106S	75455	6.5-8.0	7	29.5	9.8	7.5	13.1	13	706	34	460 A B		
P255/70R16 108S	75472	6.5-8.5	7.5	30.1	10.2	7.8	13.3	13	693	35	460 A B		
P265/70R16 111S	75489	7.0-9.0	8	30.6	10.7	8.1	13.5	13	681	39	460 A B		
P255/75R17 113S	108945	6.5-8.5	7	32.1	10	7.8	14.4	13	649	43	460 A B		
P235/70R17 XL 108S	98184	6.0-8.0	7	30	9.5	7.1	13.5	13	694	35	460 A B		
P245/70R17 108S	75506	6.5-8.0	7	30.6	9.8	7.5	13.7	13	681	37	460 A B		
P255/70R17 110S	75540	6.5-8.5	7.5	31.1	10.2	7.8	13.9	13	670	43	460 A B		
P235/65R17 103T	108962	6.5-8.5	7	29.1	9.5	7.2	13.2	10	716	31	460 A B		
P245/65R17 105S	75591	7.0-8.5	7	29.5	9.8	7.5	13.2	13	706	34	460 A B		
P255/65R17 108S	75608	7.0-9.0	7.5	30.1	10.2	7.8	13.4	13	690	37	460 A B		
P265/65R17 110T	75642	7.5-9.5	8	30.6	10.7	8.1	13.7	13	681	38	460 A B		
P265/70R18 114S	108996	7.0-9.0	8	32.6	10.7	7.8	14.6	11	639	43	460 A B		
P275/65R18 114T	75625	7.5-9.5	8	32.1	11	8.4	14.4	11	649	47	460 A B		
P265/60R18 109T	109013	7.5-9.5	8	30.5	10.7	8.3	13.9	11	683	38	460 A B		
P275/60R20 114S	109030	7.5-9.5	8	33	11	8.3	15	12.8	631	46	460 A B		
LT METRIC OUTLINED WHITE LETTER													
LT235/75R15 104/101R	204508	6.0-7.0	6.5	28.9	9.3	7.2	13.4	14	723	33			
LT265/75R16 112/109R	204559	7.0-8.0	7.5	31.7	10.5	8.1	14.7	14	659	42			
LT265/75R16 123/120R	211733	7.0-8.0	7.5	31.7	10.5	8.1	14.7	15	657	43			
LT285/75R16 126R	223657	7.5-9.0	8	32.8	11.3	8.7	15.2	13.1	635	50			
LT265/70R16 117/114R	211614	7.0-8.5	8	31.7	10.7	8	14.7	15	657	44			
LT305/70R16 124/121R	204593	8.0-9.5	9	32.8	12.2	9.3	15.2	16	635	54			
LT245/70R17 119/116S	211665	6.5-8.0	7	30.6	9.8	7.4	14.3	14	681	41			
LT265/70R17 121/118S	211682	7.0-8.5	8	31.7	10.7	8	14.7	15	657	47			
LT285/70R17 121/118R	211631	7.5-9.0	8.5	32.8	11.5	8.6	15.2	15	635	52			
NEW LT285/70R17 10PLY121/118R	232701	9.0-8.5	7.5	32.8	11.5	8.6	15.2	15	636	53			
LT275/70R18 125/122S	214572	7.0-8.5	8	33.2	11	8.8	15.5	16	627	48			
LT275/65R18 113/110S	204610	7.5-9.0	8	32.2	11	8.3	15	16	647	50			
LT275/65R18 123/120S	211597	7.5-9.0	8	32.2	11	8.3	15	16	647	50			
LT245/75R16 120/116S	211716	6.5-7.5	7	30.5	9.6	7.5	14.2	14	683	38			
30X9.50R15LT 104R	204525	6.5-8.5	7.5	29.5	9.7	7.3	13.7	15	706	36			
31X10.50R15 LT 109R	204542	7.0-9.0	8.5	30.5	10.7	8.1	14.1	15	683	41			
BLACKWALL													
LT245/75R16 120/116S	211716	6.5-7.5	7	30.5	9.6	7.5	14.2	14	683	38			

DUELER A/T RH-S

Light Truck



PLATINUM PACT LIMITED WARRANTY

- Buy & Try 30 Day Guarantee.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	PRICE
BLACKWALL												
NEW 235/60R17 102H	131232		7	28.3	9.8			12		34	400 B B	\$
P265/70R17 113S	86505	7.0-9.0	7.5	31.9	10.4	8.3	14.3	14	653	41		
P265/65R18 112S	54018	7.5-9.5	8	31.5	10.7	8.4	14.2	14	661	42		
P275/55R20 111T	107925	7.50-9.50	8.5	32.1	0	9.4	0	14	649	46	400 B B	
P285/45R22 110H	107942	9.0-11.0	9.5	32.2	10.8	9.5	15	10	647	44	400 B B	
LT285/75R16	190823	7.5-9.0	8	33	11.3	8.4	15.2		630	51		
OUTLINE WHITE LETTER												
P265/70R17 113S	86097	7.0-9.0	7.5	31.9	10.4	8.3	14.3	14	653	41		
P255/70R18 112S	57945	6.5-8.5	7.5	32.1	10.2	7.5	14.4	14	649	41		
P265/65R18 112S	54035	7.5-9.5	8	31.5	10.7	8.4	14.2	14	661	42		

V-STEEL RIB R265

Hwy Rib

Commerical Light Truck

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL											
LT245/75R16 120/116S	154075		7	30.3		9.5		11.3		40	\$

DURAVIS R500 HD

Hwy Rib

Commerical Light Truck

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL												
LT215/85R16 115/112R	.191826	5.5-7.0	6	30.3	8.7	6.4	14.1	9.9	14	687	41	\$
LT235/85R16 120/116R	.191843	6.0-7.5	6.5	31.7	9.5	6.3	14	10.8	14	657	47	
LT225/75R16 115/112R	.192659	6.0-7.0	6	29.2	9	6.7					41	
LT245/75R16 120/116R	.191860	6.5-8.0	7	30.4	10	7.2	13.5	11.3	14	685	44	
LT265/75R16 123/120R	.191877	7.0-8.0	7.5	31.6	10.8	7.7	14	12.2	15	659	53	
LT235/80R17 120/117R	.191928	6.0-7.5	6.5	31.7	9.5	6.6	14.1	10.8	14	657	47	
LT245/70R17 119/116R	.191894	6.5-8.0	7	30.5	10	7.4	13.7	11.3	14	683	46	
LT265/70R17 121/118R	.191911	7.0-8.5	8	31.6	11.1	8.1	14.1	12.4	15	659	53	
LT275/65R18 123/120S	.206582	7.5-9.0	8	32.1	11	8.1	15	12.8	16	649	42	

- 9 sizes 16" to 18."
- Delivering long mileage with durability.
- Designed for heavy-duty Light Truck commercial highway use.
- TBR compounds contribute to high casing durability.
- Closed shoulder slots contribute to increased wear life.
- 3D sipes- Helps improve dry traction while maintaing snow, ice and wet traction.
- Stone Ejector- Helps to protect against stone drilling to protect belts and enhance casing durability.
- Sidewall Protector- Helps to protect sidewall against damage from curbing.

DURAVIS R250

All Steel Hwy Rib

Commerical Light Truck

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL												
LT215/85R16 115/112Q	.206327	5.5-7.0	6	30.5	8.5	6.7	14.2	9.9	13	683	54	\$
LT235/85R16 120/116Q	.206378	6.0-7.5	6.5	31.8	9.3	7.1	14.7	10.8	14	655	60	
LT225/75R16 115/112Q	.206361	6.0-7.0	6	29.4	9	6.9	13.7	10.2	13	709	50	
LT245/75R16 120/116Q	.210815	6.5-8.0	7	30.7	10	7.3	14.2	11.3	14	679	57	
LT265/75R16 123/120Q	.210832	7.0-8.0	7.5	31.7	10.7	7.7	14.7	12.2	15	657	62	
NEW LT225/75R17/10 116Q	.223555		6	30.3	8.8		14.2		13	657	50	
NEW LT245/75R17 121/118Q 10PLY	.213501											

- Designed for Pick-up and Delivery, Regional and Long Haul Service.
- Reinforced Steel Casing contribute to long life and retreadability.
- Closed shoulders contribute to increased wear life.
- Dual Sidewall Protectors resist cuts and abrasions.

R187

All Steel

Commerical Light Truck

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL												
8R19.5 LT 12PLY	.267775	5.25-6.75	6	33.6	8	5	15.9	9.1	16	618	64	\$

DURAVIS M895

All Steel Mixed Service

Commerical Light Truck



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL												
LT215/85R16 115/112Q	.206395	5.5-7.0	6	30.5	8.7	6.9	9.9	14.2	14	683	54	\$
LT235/85R16 120/116Q	.206412	6.0-7.5	6.5	31.9	9.5	7.5	10.8	10.8	15	653	61	
LT225/75R16 115/112Q	.206463	6.0-7.0	6	29.4	9	7.2	13.7	10.2	14	709	52	
LT245/75R16 120/116Q	.206446	6.5-8.0	7	30.7	10	7.8	11.3	14.2	15	679	58	

- Reinforced steel casing for long life and retreadability.
- Stone Rejector design helps to protect against stone drilling to protect the casing and enhance casing durability.
- Closed shoulders contributes to increased wear life.
- Dual sidewall protector resists cuts an abrasions.

DURAVIS M700 HD

Mixed Service

Commerical Light Truck



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL												
LT215/85R16 115/112R	.214606	6.5-7.0	6	30.4	8.7	6.4	14.1	9.9	15	685	42	\$
LT235/85R16 120/116R	.214589	6.0-7.5	6.5	31.7	9.5	7	14	10.8	16	657	48	
LT225/75R16 115/112R	.213518	6.0-7.0	6	29.3	9	6.8	13.7	10.2	15	711	42	
LT245/75R16 120/116R	.206310	6.5-8.0	7	30.5	10	7.3	14.2	11.3	16	683	48	
LT265/75R16 123/120R	.206293	7.0-8.0	7.5	31.7	10.8	7.9	14.7	12.2	17	657	54	
LT235/80R17 120/117R	.206242	6.0-7.5	6.5	31.9	9.4	9.4	14.8	10.8	16	653	50	
LT265/70R17 121/118R	.206276	7.0-8.5	8	31.7	11.1	7.9	14.7	12.4	17	657	54	
LT275/65R18 121/120S	.206259	7.5-9.0	8	32.1	11	8.1	15	12.8	16	649	48	

- TBR compound contributes to high casing durability.
- Closed shoulder slots contribute to wear life.
- Stone Ejector helps protect against stone drilling to protect belts and enhance casing durability.
- Dual Sidewall Protector resists cuts and abrasions.
- Stepped Block Edges, Aggressive off Shoulder Design, interlocking Zig Zag Grooves and Multi-edged Shoulder Rib and Center Blocks contribute to increased snow traction.

DURAVIS M773 II

Mixed Service All-Season

Commerical Light Truck



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL												
LT245/75R16 120/116R	208231	6.5-7.5	7	30.5	9.8	7.3	11.3	14.2	.17	683	.41	\$
LT265/75R16 123/120Q	185230	7.0-8.0	7.5	31.2	10.4	8.2	14.5	12.2	.17	668	.48	\$

- All season on highway design for traction in rain, snow and icy conditions.
- Light truck construction for durability and long life.

DURAVIS M724

Mixed Service

Commerical Light Truck

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL												
8R19.5 R 12PLY	272906	5.25-6.75	6	20.3	7.9	5.3	16.3	10.2	.20	613	.65	\$

DUELER H/P SPORT

Light Truck Original Equipment



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL														
255/55R18 XL 109Y	67890	7.0-9.0	8	28.8	10.7	9.5	13.2		.11	723	.38		300 AA	\$
235/50R19 99V	131317	6.5-8.5	7.5	28.1	10	8.7	13		.11	741	.31		300 AA	MERCEDES BENZ GLK
255/45R19 100V	132711	8.0-9.5	8.5	28.1	10.2	8.9	13		.11	741	.31		300 AA	MERCEDES BENZ GLK
275/45R19 XL 108Y	98864								.11		.37			
235/45R20 XL 100W	133595	7.5-9.0	8	28.2	9.7	8.4	13.2		.11	739	.30		300 AA	MERCEDES GLK
255/45R20 101W	133306	8.0-9.5	8.5	29.1	10.3	9	13.5		.11	716	.33		300 AA	AUDI Q5
275/45R20 XL 110Y	89038	8.5-10.0	9	29.8	10.7	8.7	13.8		.9	699	.39		300 AA	Audi Q7
255/40R20 XL 101W	133561	8.0-9.5	8.5	28.1	10.7	9.3	13.1		.11	741	.31		300 AA	MERCEDES GLK
NEW 275/40R20 102W	095107		9.5	28.6	10.9					.11				
275/40R20 XL 106Y	67958	9.0-11.0	9.5	28.7	10.7	9.2	13.4		.11	726	.37		300 AA	Porsche Cayenne
NEW 315/35R20 106W	095124			28.6	12.7				.11		.42			

DUELER H/P 92A

Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL												
P265/50R20 106V	126812	7.5-9.5	8.5	30.6	10.7	9.1	14.1	.10	681	.41	Infiniti, FX35, FX45	\$
P260/60R18 109V	127356	7.5-9.5	8	30.6	10.8	9.1	13.9	.10	681	.38	Infiniti, FX35, FX45	\$

UTQG 260 A A

DUELER H/L ALENZA

Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL														
255/55R20 107H	90296		8	31.1	10.4	11	14.3		.12		.40		Saturn Outlook	\$
P255/55R20 107H	127390	BW	7.0-9.0	8	31.1	10.4	9	14.3	.12	670	.39		GMC Acadia/Buick Enclave	
P275/55R20 111S	53967	BW	7.5-9.5	8.5	32	11	9.6	14.7	.12	651	.43		Saturn Outlook/GMC Acadia	
P275/55R20 111H	58574	BW	7.5-9.5	8.5	32	11	9.6	14.7	.12	651	.43		Chevy Tahoe/GMC Yukon	
P285/45R22 110H	53984	BW	9.0-11.0	9.5	32.2	10.7	9.5	15	.11	647	.42		Toyota Tundra	
													Cadillac Escalade	
													GMC Denali	

DUELER H/T (D684)

Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
P205/70R15 95S	118028	5.5-7.0	6	26.2	8.1	5.7	11.8	.9	795	.21	180 B B	Honda CRV	\$
235/70R16 105T	105635	6.0-8.0	7	28.9	9.4	7.4	12.9	.14	721	.31			
P235/70R16 104S	105163	6.0-8.0	7	29.1	9.1	6.8	13	.10	716	.31	180 B B	Honda Pilot	
215/65R16 98T	57860	6.0-7.5	6.5	26.8	8.4	6.1	12.2	.9	777	.23			
P275/60R18 111H	859	7.5-9.5	8	31	10.7	8	14	.11	672	.40	300 B A	Lexus LX470,	
												Toyota Land Cruiser	

DUELER H/T (D684 II)

Light Truck Original Equipment



***60,000 LIMITED MILEAGE WARRANTY**

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
NEW P205/70R15 95S	118028		6	26.2	8.1		11.8	.9		21	180 B B		..\$
P215/70R16 99S	106216*	5.5-7.0	6.5	27.8	8.8	6.9	12.5	.11	749	25	360 B B	Chevrolet Equinox, Saturn Vue	
P235/70R16 104T	58421*		7	28.8	9.4		12.9	.10		30	360 B B	Hyundai Santa Fe	
NEW 235/70R16 105T	105635		7	28.9	9.4		12.9	.14		31	180 B B		
NEW 215/65R16 98T	057860		6.5	26.8	8.4		12.2	.9		23	300 B B		
P235/65R16 101S	106267*	6.5-8.5	7	28	9.7	7.7	12.7	.11	744	28	360 B B	Chevrolet Equinox, Saturn Vue	
NEW *P245/70R17 108S	142741		6.5	30.6	9.8		13.7	.10		34	360 B B	TOYOTA 4RUNNER	
P265/70R17 113S	147985*	7.0-9.0	8	31.7	10.5	8.3	14.1	.13	657	39	360 B B	Chevrolet Silverado, Tahoe, GMC Yukon	
P265/70R17 113S	116816	7.0-9.0	8	31.7	10.4	7.2	14.1	.11	657	39			
P265/65R17 110S	30456*	7.5-9.5	8	30.6	10.7	8.6	13.8	.13	681	37	360 B B	Toyota Tacoma	
P235/60R17 100S	1267*	6.5-9.0	7	28.3	9.3	7.8	12.9	.11	736	28	360 B B	Chevrolet Equinox, Saturn Vue	
P255/70R18 112T	55106*	6.5-8.5	7.5	32.2	10.2	7.8	14.4	.11	647	39			
P265/65R18 112S	43614*	7.5-9.5	8	31.6	10.4	9.8	14.3	.12	659	41			
P275/65R18 114T	55089*	7.5-9.5	8	32	10.9	8.6	14.4	.11	651	40			
P235/60R18 102H	58438*	6.5-8.5	7	29.1	9.3	7.2	13.3	.10	716	31	360 B B	Hyundai Santa Fe	
NEW P275/60R18 111H	000859		8	31	10.7		14	.11		40	300 B A		
P285/60R18 114V	112889*	0-10.0	8.5	31.5	11.2	8.9	14.2	.10	661	42			
NEW P245/60R20 107H	142758											TOYOTA 4RUNNER	
NEW P275/60R20 114H	149779		8	33	11		15	.11		44	360 B B	Infinity QX	
NEW P275/50R22 111H	149796		8.5	32.9	11.2		15.2	.11		44	360 B A	Infinity QX	
OUTLINE WHITE LETTER													
P235/65R16 101S	60954*										360 B B	Saturn Vue	
P265/70R17 113S	148002*	7.0-9.0	8	31.7	10.5	8.3	14.1	.13	657	39	360 B B	Chevrolet Silverado, Tahoe, GMC Yukon	
P235/60R17 100S	60971*	6.5-8.5	7	28.1	9.5	7.6	12.8	.13	741	28	460 A B	Saturn Vue	
NEW P235/65R18 104T	073772*		7.5	32.2	10.2		14.4			39	360 B B		

DUELER H/T (D687)

Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
215/70R16 99H	72616		6	27.8	8.6		12.5	.11		23		TOYOTA RAV4	..\$
215/70R16 99S	35661		6.5	27.8	8.3		12.6	.10		26		TOYOTA RAV4	
225/70R16 101S	64378		6.5	28.3	8.8		12.7	.10		30		LEXUS RX300	
225/70R16 102T	122270		6.5	28.4	8.8		12.8	.10		28		HYUNDAI SANTA FE	
215/65R16 96H	120658							.10		23		SUBARU FORESTER	
235/60R16 99H	103411		7	27.2	9.1		12.3	.10		28		SUZUKI GRAND VITARA XL7	
235/60R16 99T	95209		7.5	27.1	9.1		12.3	.10		29		HYUNDAI TUCSON, KIA SPORTAGE	
235/60R16 100H	56871		7	27.1	9.1		12.3	.10		28		TOYOTA RAV4	
225/65R17 101H	72633		6.5	28.6	9.1		13	.11		27		TOYOTA RAV4	
235/65R18 104T	120165		7	30.2	9.6		13.7	.10		33		NISSAN MURANO	
235/55R18 99H	72650		7.5	28.3	9.1		13	.11		27		TOYOTA RAV4	

DUELER H/T (D840)

Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
P265/70R16 111S	910	7.0-9.0	8	30.5	10.2	7.2	13.6	.11	683	37			..\$
P265/70R17 113S	77291	7.0-9.0	8	31.7	10.3	7.1	14.2	.11	657	30			
P265/65R17 110S	117072	7.5-9.5	8	30.4	10.4	7.2	13.7	.11	685	37			
P265/65R17 110S	893	7.5-9.5	8	30.4	10.4	7.2	13.7	.11	685	36	300 B B	Toyota 4-Runner, Land Cruiser	
265/65R17 112H	56449	7.5-9.5	8	30.6	10.3	7.5	13.8	.11	681	39	300 B A	Mitsubishi Montero	
P265/60R18 109H	72599	7.0-9.5	8	30.5	10.3	7.1	13.9	.11	683	38			

DUELER H/T (D689)

Light Truck Original Equipment



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
P245/70R16 106S	621	6.5-8.0	7	29.5	9.6	6.9	13.2	.12	706	33	180 B B	Toyota Tundra, Sequoia	..\$
P255/70R16 109S	77690	6.5-8.5	7.5	30	9.9	7.1	13.4	.12	694	33	180 B B	Mitsubishi Montero Sport	
P265/70R16 111S	92061	7.0-9.0	8	30.5	10.2	7.6	13.6	.11	683	38	180 B B	Toyota Tacoma, Sequoia, Tundra	
265/70R16 112S	32020	7.0-9.0	8	30.5	10.2	7.2	13.6	.11	683	35	180 B B		
P215/65R16 96H	57826	6.0-7.5	6.5	27.1	8.7	6.3	12.3	.10		24	180 B A	Nissan X Trail	
P255/65R16 106S	76554	7.0-9.0	7.5	29.3	9.7	6.9	13.1	.12	711	33	180 B B	Nissan Pathfinder, Infiniti QX4	
P245/65R17 105S	92827	7.0-8.5	7	29.5	10	6.9	13.4	.12	706	32	180 B B	Nissan Pathfinder, Infiniti QX4	

DUELER H/T 470

Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
225/65R17 102T	67193	6.0-8.0	6.5	28.5	8.9	6.9	13	9	731	28	360 B B	Honda CR-V	\$

DUELER H/L 400

Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
NEW 225/65R17 102T	142724											HONDA CR-V	\$
P245/65R17 105S	112056	7.0-8.5	7	29.5	9.8	7.2	13.4	10	706	31	400 B B	Toyota Highlander	
P235/60R17 102V	131266	6.5-8.5	7	28.3	9.8		12.9	11	736	31	300 A A	MERCEDES BENZ GLK	
P235/55R17 98T	127696							10		29			
255/55R17 104V	131300	7.0-9.0		28.2	10.6		12.8	11	739	32	300 A A	MERCEDES BENZ GLK	
NEW 215/70R17 100H	142469											MAZDA CX-7	
P235/60R18 102H	126761							10		31			
P245/60R18 104H	95243	7.0-8.5	7	29.5	9.8	7.7	13.5	10	706	35	300 A A	Mazda CX-9	
P245/60R18 104H	133272	7.0-8.5	7	29.5	9.8	7.7	13.5	10	706	35	300 A A	MAZDA CX-9	
P255/55R18 104T	127084							10		34			
P255/55R18 104H	55140	7.0-9.0	8	29.2	10.2	8.2	13.3	10	713	35	400 B B	Acura MDX	
P255/55R18 109H XL	92982	7.0-9.0	8	29.2	10.2	8.2	13.3	10	713	35	400 B B	Audi Q7	
P235/55R19 101V	133289	6.5-8.5	6.5	29.2	9.5	7.6	13.5	10	713	31	260 A A	LEXUS RX350, RX450h	
P245/55R19 103S	86131	7.0-9.0	8	29.6	9.9	8.1	13.6	10	704	33	400 B B	Toyota Highlander	
P245/50R20 102V	95260	7.0-9.0	8	29.8	9.8	8.5	13.8	10	699	34	260 A A	Mazda CX-9	
P265/45R21 104V	118312	8.5-10.0	9	30.6	11	8.8	14.2	10	681	40			

DUELER A/T (693 II)

Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
P245/75R17 110S	147152	6.5-8.0	7	31.8	10	7.2	14.2	13	655	37	360 B B	Nissan Titan Pickup	\$
P235/60R17 102H	131232	6.5-8.5	7	28.3	9.8		12.9	12	736	34	360 B B	Mercedes Benz GLK	
OUTLINE WHITE LETTER													
P265/75R16 114S	105503	7.0-9.0	7.5	31.6	10.4	7.9	14	14	659	40	360 B B	GM C/K Pickup	

DUELER A/T RH-S

Light Truck Original Equipment



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
NEW P245/75R17 110S	147152											360 B B	\$
P265/70R17 113S	86505	7.0-9.0	7.5	31.9	10.4	8.3	14.3	14	653	41		Chevy Avalanche/Silverado	
P265/65R18 112S	54018	7.5-9.5	8	31.5	10.7	8.4	14.2	14	661	42		Hummer H3	
P275/55R20 111T	107925	7.50-9.50	8.5	32.1	0	9.4	0	14	649	46	400 B B		
P285/45R22 110H	107942	9.0-11.0	9.5	32.2	10.8	9.5	15	10	647	44	400 B B		
LT285/75R16	190823	7.5-9.0	8	33	11.3	8.4	15.2		630	51		Hummer H3	
OUTLINE WHITE LETTER													
P265/70R17 113S	86097	7.0-9.0	7.5	31.9	10.4	8.3	14.3	14	653	41		Chevy Avalanche/Silverado	
P255/70R18 112S	57945	6.5-8.5	7.5	32.1	10.2	7.5	14.4	14	649	41		Jeep Wrangler	
P265/65R18 112S	54035	7.5-9.5	8	31.5	10.7	8.4	14.2	14	661	42		Hummer H3	

DUELER A/T H/L 400 MOE

Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	UTQG	OE Fitment	PRICE
BLACKWALL													
NEW P215/70R17 100H	142-469											MAZDA CX-7	\$
NEW 225/65R17 102T	142-724											HONDA CR-V	
NEW 235/60R17 102V	131-266		7	28.3	9.8		12.9	11		31		MERCEDES GLK	
NEW 255/55R17 104V	131-300			28.2	10.6		12.8	11		32		MERCEDES GLK	
NEW P235/60R18 102V	087-372		7	29.1	9.7		13.3	10		31		LEXUS RX350	
NEW P245/60R18 104H	133-272		7	29.5	9.8		13.5	10		35		MAZDA CX-9	
NEW P235/55R19 101V	133-289		6.5	29.2	9.5		13.5	10		31		LEXUS RX350/RX450h	
NEW P235/55R19 101H	135-618									31.5		MAZDA CX-7	
255/50R19 XL 107H	110169							11		44		MERCEDES M-CLASS, R-CLASS	

DUELER H/L 400 (RUN FLAT)

Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring		Overall		Overall		Static		Tire Weight	UTQG	OE Fitment	PRICE
			Rim Width	Tire Diameter	Section Width	Tread Width	Load Radius	Tread Depth	RPM					
BLACKWALL														
235/55R18 99H	131249		7.5	28.3	9.5	13	10			34			TOYOTA RAV4	\$
255/55R18 XL 109H	58234		8	29.1	10.5	13.3	11			44			BMW X5	
255/50R19 XL 107H	58268		8	29.2	11.1	13.5	11			44			BMW X5	

DUELER H/P SPORT (RUN FLAT)

Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring		Overall		Overall		Static		Tire Weight	UTQG	OE Fitment	PRICE
			Rim Width	Tire Diameter	Section Width	Tread Width	Load Radius	Tread Depth	RPM					
BLACKWALL														
255/50R19 XL 107V	90075		8	29.2	11.1	13.5	10			44			BMW X5	\$
255/50R16 XL 107W	58285		8	29.2	11.1	13.5	10			44			BMW X5	
285/45R19 XL 111V	90092		9.5	29.2	11.7	13.5	10			42			BMW X5	
285/45R19 XL 111W	58302		9.5	29.2	11.7	13.5	10			45			BMW X5	
275/40R20 XL 106W	112243		9.5	28.7	11.5	13.4	11			40			BMW X5	
315/35R20 XL 110W	112260		11	28.7	13	13.4	11			49			BMW X5	

DURAVIS M773 II

Commercial Light Truck Original Equipment



Tire Size	Code #	Approved Rims	Measuring		Overall		Overall		Static		Tire Weight	UTQG	OE Fitment	PRICE
			Rim Width	Tire Diameter	Section Width	Tread Width	Load Radius	Tread Depth	RPM					
BLACKWALL														
LT245/75R16 120/116R	208231		7	30.5	9.8	11.3	17			41			CHEVY EXPRESS VAN/SILVERADO	\$
LT265/75R16 123/120Q	185230		7.5	31.2	10.4	14.5	17			48			CHEVY AVALANCHE/SILVERADO	

V-STEEL RIB R265

Commercial Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring		Overall		Overall		Static		Min		Tire Weight	OE Fitment	PRICE
			Rim Width	Tire Diameter	Section Width	Tread Width	Load Radius	Dual Spacing	Tread Depth	RPM					
BLACKWALL															
LT245/75R16 120/116S 10PLY	154075	6.5-7.5	7	30.3	9.5	7.4	11.3	14.1	14	.687	.40		GM C/K 2500, Express Van	\$	

M779 ALL SEASON

Commercial Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring		Overall		Overall		Static		Min		Tire Weight	OE Fitment	PRICE
			Rim Width	Tire Diameter	Section Width	Tread Width	Load Radius	Dual Spacing	Tread Depth	RPM					
BLACKWALL															
LT215/85R16 115/112P 10PLY	293695	5.0-6.5	6	30.5	8.5	6.4	14.2	9.9	16	.683	.44		Isuzu NPR Truck	\$	

DURAVIS M700

Commercial Light Truck Original Equipment

Tire Size	Code #	Approved Rims	Measuring		Overall		Overall		Static		Min		Tire Weight	OE Fitment	PRICE
			Rim Width	Tire Diameter	Section Width	Tread Width	Load Radius	Dual Spacing	Tread Depth	RPM					
BLACKWALL															
LT265/70R17 121/118Q	190-840									18			48	CHEVY SILVERADO/GMC SIERRA	\$