

# Firestone

## WIDE OVAL INDY 500

## Ultra High Performance



**UTQG 320 A A**

### FOCUS

- Wet/Dry Traction.
- Smooth Wear.
- Competitive.



Tire Size	Code #	Rim Range	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
195/55R15 STD 85W	136-757	5.5-7.0	6.0	23.4	7.9	10.7	.9	889	.20	\$
205/55R15 STD 88W	136-774	5.5-7.5	6.5	23.9	8.4	10.9	.9	872	.21	
205/55R16 STD 91W	136-842	5.5-7.5	6.5	24.9	8.4	11.4	.9	837	.25	
215/55R16 STD 93W	136-876	6.0-7.5	7.0	25.3	8.9	11.6	.9	824	.27	
225/55R16 STD 95W	136-893	6.0-8.0	7.0	25.8	9.2	11.7	.9	809	.24	
205/50R16 STD 87W	136-910	5.5-7.5	6.5	24.1	8.4	11.1	.9	865	.21	
225/50R16 STD 92W	136-927	6.0-8.0	7.0	24.9	9.2	11.4	.9	837	.24	
245/50R16 STD 97W	136-944	7.0-8.5	7.5	25.7	10.0	11.7	.10	812	.26	
205/45R16 STD 83W	136-961	6.5-7.5	7.0	23.2	8.1	10.8	.9	897	.23	
225/55R17 STD 97W	136-978	6.0-8.0	7.0	26.8	9.2	12.2	.9	778	.26	
235/55R17 STD 99W	136-995	6.5-8.5	7.5	27.2	9.7	12.4	.10	767	.27	
205/50R17 XL 93W	137-012	5.5-7.5	6.5	25.1	8.4	11.6	.9	829	.26	
215/50R17 XL 95W	137-029	6.0-7.5	7.0	25.5	8.9	11.8	.9	817	.24	
225/50R17 STD 94W	137-046	6.0-8.0	7.0	25.9	9.2	11.9	.9	804	.24	
215/45R17 XL 91W	137-063	7.0-8.0	7.0	24.7	8.4	11.4	.9	845	.22	
225/45R17 XL 94W	137-080	7.0-8.5	7.5	25.0	8.9	11.6	.9	835	.27	
235/45R17 XL 97W	137-097	7.5-9.0	8.0	25.4	9.3	11.7	.10	822	.24	
245/45R17 STD 95W	137-114	7.5-9.0	8.0	25.7	9.6	11.8	.10	812	.28	
245/45R17 STD 95W	137-131	8.0-9.5	8.5	26.1	10.0	12.0	.10	799	.26	
205/40R17 XL 84W	137-148	7.0-8.0	7.5	23.5	8.4	11.0	.9	888	.20	
245/40R17 STD 91W	137-182	8.0-9.5	8.5	24.7	9.8	11.5	.10	843	.27	
275/40R17 STD 98W	137-216	9.0-11.0	9.5	25.7	10.9	11.8	.10	812	.28	
235/50R18 STD 97W	137-250	6.5-8.5	7.5	27.3	9.7	12.6	.10	764	.27	
225/45R18 STD 91W	137-267	7.0-8.5	7.5	25.9	8.9	12.0	.9	803	.24	
245/45R18 XL 100W	137-284	7.5-9.0	8.0	26.7	9.6	12.3	.10	782	.27	
255/45R18 STD 99W	137-301	8.0-9.5	8.5	27.1	10.0	12.5	.10	770	.27	
225/40R18 XL 92W	137-335	7.5-9.0	8.0	25.1	9.1	11.7	.9	831	.22	
235/40R18 XL 95W	137-352	8.0-9.5	8.5	25.4	9.5	11.8	.10	820	.25	
245/40R18 XL 97W	137-369	8.0-9.5	8.5	25.7	9.8	12.0	.10	810	.23	
275/40R18 STD 99W	137-386	9.0-11.0	9.5	26.7	10.9	12.3	.10	782	.30	
275/35R18 STD 95W	137-420	9.0-11.0	9.5	25.6	10.9	11.9	.10	815	.37	
245/50R19 STD 101W	137-437	7.0-8.5	7.5	28.7	10.0	13.2	.10	726	.30	
235/35R19 XL 91W	137-471	8.0-9.5	8.5	25.5	9.5	12.0	.10	818	.25	
245/35R19 XL 93W	137-488	8.0-9.5	8.5	25.8	9.8	12.1	.10	808	.37	
285/35R19 STD 99W	137-505	9.5-11.0	10.0	26.9	11.4	12.5	.10	775	.31	
245/45R20 STD 99W	137-522	7.5-9.0	8.0	28.7	9.6	13.3	.10	727	.30	
255/45R20 STD 99W	137-556	8.0-9.5	8.5	29.1	10.0	13.5	.10	717	.35	
245/40R20 XL 99W	137-573	8.0-9.5	8.5	27.7	9.8	13.0	.10	751	.24	
255/35R20 XL 97W	137-590	8.5-10.0	9.0	27.0	10.2	12.7	.10	771	.35	
275/35R20 XL 102W	137-607	9.0-11.0	9.5	27.6	10.9	12.9	.10	756	.39	

## PRECISION SPORT

## Ultra High Performance



**UTQG 400 AA**

**30-DAY BUY & TRY  
40,000 MILE WARRANTY**

- All Season.
- Value line - Priced against General Altimax and Yokohama Avid H45.
- Non Directional.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
185/60R14 STD 82H	137-913	5.0-6.5	5.5	22.8	7.4	7.4	10.4	.11	915	.19	\$
185/65R15 STD 88H	137-930	5.0-6.5	5.5	24.5	7.4	7.4	11.1	.11	852	.22	
195/65R15 STD 91H	137-947	5.5-7.0	6.0	25.0	7.9	7.9	11.3	.11	833	.23	
205/65R15 STD 94H	137-964	5.5-7.5	6.0	25.5	8.2	8.2	11.5	.11	818	.24	
215/65R15 STD 96H	137-981	6.0-7.5	6.5	26.0	8.7	8.7	11.7	.11	801	.26	
195/60R15 STD 88H	137-998	5.5-7.0	6.0	24.2	7.9	7.9	11.0	.11	860	.21	
205/60R15 STD 91H	138-015	5.5-7.5	6.0	24.7	8.2	8.2	11.2	.11	844	.24	
215/60R15 STD 94H	138-032	6.0-7.5	6.5	25.2	8.7	8.7	11.4	.11	828	.25	
205/60R16 STD 92H	138-049	5.5-7.5	6.0	25.7	8.2	8.2	11.7	.11	812	.27	
215/60R16 STD 95H	138-066	6.0-7.5	6.5	26.1	8.7	8.7	11.9	.11	797	.28	
225/60R16 STD 98H	138-083	6.0-8.0	6.5	26.6	9.0	9.0	12.1	.11	783	.28	
205/55R16 STD 91H	138-100	5.5-7.5	6.5	24.9	8.4	8.4	11.4	.11	837	.23	
215/55R16 STD 93H	138-117	6.0-7.5	7.0	25.3	8.9	8.9	11.6	.11	824	.25	
225/55R16 STD 95H	138-151	6.0-8.0	7.0	25.8	9.2	9.2	11.7	.11	809	.28	
205/50R16 STD 87H	138-168	5.5-7.5	6.5	24.1	8.4	8.4	11.1	.11	865	.22	
215/50R17 XL 95H	138-202	6.0-7.5	7.0	25.5	8.9	8.9	11.8	.11	817	.27	
235/45R17 STD 94H	138-219	7.5-9.0	8.0	25.4	9.3	9.3	11.7	.11	822	.25	

# PRECISION TOURING

Ultra High Performance



## UTQG 560 A B

30-DAY BUY & TRY  
70,000 MILE WARRANTY

NON DIRECTIONAL  
TREAD PATTERN

S, T, H RATED

- All Season-Silica Compound.
- Quiet Comfortable Ride.
- Long Wear.
- Low Rolling Resistance-improved fuel economy.

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P205/70R15 95T	140650	6.0-8.0	6.5	26.6	9.0	12.1	.11	783	.25	..\$
P215/70R15 97S	140684	5.5-7.0	6.0	24.4	7.9	11.2	.11	853	.25	
P195/65R15 89T	140599	5.5-7.0	6.0	25.0	7.9	11.3	.11	833	.20	
P205/65R15 92T	140633	5.5-7.5	6.0	25.5	8.2	11.5	.11	818	.22	
P195/60R15 87T	140582	5.5-7.0	6.0	24.2	7.9	11.0	.11	860	.20	
P205/60R15 90T	140616	6.0-7.5	7.0	25.3	8.9	11.6	.11	824	.25	
P215/60R15 93T	140667	6.0-8.0	6.5	28.5	9.0	12.9	.11	731	.28	
215/65R16 98T	140735	6.0-7.5	6.5	27.0	8.7	12.2	.11	771	.26	
P205/60R16 91H	140854	5.5-7.5	6.0	25.7	8.2	11.7	.11	812	.23	
P215/60R16 94T	140718	6.0-7.5	6.5	26.1	8.7	11.9	.11	797	.25	
P225/60R16 97T	140752	6.0-8.0	6.5	26.6	9.0	12.1	.11	783	.25	
195/55R16 87H	140939	6.0-7.5	7.0	26.3	8.9	12.1	.11	792	.22	
P205/55R16 89T	140701	5.5-7.5	6.5	24.9	8.4	11.4	.11	837	.21	
215/55R16 93H	140820	6.0-8.0	7.0	26.8	9.2	12.2	.11	778	.26	
P225/65R17 100T	140922	5.5-7.5	6.5	24.9	8.4	11.4	.11	837	.21	
P225/60R17 98H	140786	6.0-8.0	6.5	27.6	9.0	12.6	.11	754	.25	
235/60R17 102T	140905	6.5-8.5	7.0	28.1	9.5	12.8	.11	741	.30	
P215/55R17 93T	140888	6.5-8.5	7.5	27.2	9.7	12.4	.11	767	.29	
P225/55R17 95T	140769	6.0-8.0	7.0	26.8	9.2	12.2	.11	778	.26	
P235/55R17 98H	140803	6.5-8.5	7.5	27.2	9.7	12.4	.11	767	.29	



# FIREHAWK GT

High Performance



## UTQG 460 A A

(H, V) RATED

UTQG 400 AA A

(W) RATED

50,000 Mile Treadwear  
Limited Warranty (H,V) Rated

40,000 Mile Treadwear  
Limited Warranty (W) Rated

GOLD PLEDGE  
LIMITED WARRANTY



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P195/60R14 85H	94954	5.5-7.0	6	23.2	7.9	6.9	10.8	.11	898	.23	..\$
P185/65R15 86H	76713	5.0-6.5	5.5	24.5	7.4	6.6	11.4	.11	853	.22	
P195/65R15 89H	76730	5.5-7.0	6	25	7.9	6.9	11.7	.11	834	.23	
P205/65R15 92H	76747	5.5-7.5	6	25.5	8.2	7.3	11.8	.11	815	.24	
P195/60R15 87H	76764	5.5-7.0	6	24.2	7.9	6.9	11.3	.11	861	.22	
P205/60R15 90H	76781	5.5-7.5	6	24.7	8.2	7.2	11.5	.11	844	.24	
P215/60R15 93H	76798	6.0-7.5	6.5	25.1	8.7	7.6	11.7	.11	829	.25	
215/65R16 98H	76900	6.0-7.5	6.5	27	8.7	7.6	12.6	.11	772	.27	
P205/60R16 91H	76866	5.5-7.5	6	25.7	8.2	7.2	12	.11	809	.26	
P205/60R16 91V	76934	5.5-7.5	6	25.7	8.2	7.2	12	.11	809	.26	
P215/60R16 94V	76985	6.0-7.5	6.5	26.1	8.7	7.6	12.2	.11	796	.27	
P225/60R16 97H	76815	6.0-8.0	6.5	26.6	9	8	12.4	.12	783	.29	
205/55R16 91H	76832	5.5-7.5	6.5	24.9	8.4	7.4	11.7	.11	838	.25	
205/55R16 91V	77002	5.5-7.5	6.5	24.9	8.4	7.4	11.7	.11	838	.25	
215/55R16 93H	76883	6.0-7.5	7	25.3	8.9	7.8	11.8	.11	820	.26	
225/55R16 95H	76849	6.0-8.0	7	25.8	9.2	8.2	12	.12	807	.28	
205/50R16 87V	76951	5.5-7.5	6.5	24.1	8.4	7.4	11.4	.11	865	.24	
225/50R16 92V	77019	6.0-8.0	7	24.9	9.2	8.2	11.7	.12	838	.27	
215/55R17 94V	77087	6.0-7.5	7	26.3	8.9	7.8	12.4	.11	792	.27	
225/55R17 97V	77104	6.0-8.0	7	26.8	9.2	8.2	12.6	.12	778	.29	
P235/55R17 98W	77427	6.5-8.5	7.5	27.2	9.5	8		.11	778	.29	
215/50R17 95W XL	77444	6.0-7.5	7	25.5	8.8	7.3		.11		.26	
225/50R17 94V	76968	6.0-8.0	7	25.9	9.2	8.2	12.2	.12	803	.28	
245/45R17 95W	77478	7.5-9.0	8	25.7	9.4	8.1		.11		.27	
P225/60R18 99H	76917	6.0-8.0	6.5	28.6	9	8	13.4	.12	727	.31	
225/50R18 95W	77223							.11		.29	
235/50R18 97W	77495	6.5-8.5	7.5	27.3	9.5	8		.11		.30	
245/45R18 100W XL	77512	7.5-9.0	8	26.7	9.4	8.1		.11		.29	
245/40R19 XL 98W	121389	8.0-9.5	8.5	26.7	9.6	8.1	12.5	.11	780	.32	
NEW 245/40R20 99W XL	100088		8.5	27.7	9.8			.11		.31	
245/45R20 99W	100054	7.5-9.0	8	28.7	9.6	8.1	13.4	.11	726	.32	
255/45R20 101W	109693	8.0-9.5	8.5	29.1	10	8.4	13.5	.11	716	.34	
245/35R20 95W XL	121372	8.0-9.5	8.5	26.8	9.8	0	12.6	.11	778	.27	

- Designed for high performance cars.
- Veri-pitch helps reduce noise.
- UNIT-T technology handles wet and dry roads.
- Wider construction improves cornering.
- Buy & Try 30 Day Guarantee.

# FIREHAWK INDY 500

Performance



## UTQG 500 A B

55,000 Mile Treadwear  
Limited Warranty

GOLD PLEDGE  
LIMITED WARRANTY

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
<b>RAISED WHITE LETTER</b>											
P215/70R14 96S	119520	5.5-7.0	6.5	25.9	8.7	7	11.6	.11	804	.24	..\$
P225/70R14 98S	118664	6.0-7.5	6.5	26.5	9	7.4	11.8	.12	786	.25	
P215/70R15 97S	119660	5.5-7.0	6.5	26.9	8.7	7	12.1	.11	774	.24	
P225/70R15 100S	119679	6.0-7.5	6.5	27.4	9	7.4	12.3	.12	760	.27	
P235/70R15 102S	118656	6.0-8.0	7	28	9.5	7.7	12.5	.12	744	.28	
P255/70R15 108S	118648	6.5-8.5	7.5	29.1	10.2	8.3	12.9	.12	716	.34	
P215/65R15 95S	118133	6.0-7.5	6.5	26	8.7	7	11.8	.11	801	.23	
P235/60R15 98S	119741	6.5-8.5	7	26.1	9.5	7.7	11.8	.11	798	.26	
P255/60R15 102S	119768	7.0-9.0	7.5	27.1	10.2	8.3	12.2	.12	769	.30	
P275/60R15 107S	118125	7.5-9.5	8	28	11	9	12.5	.12	744	.35	
P295/50R15 105S	36389	8.0-10.0	9.5	26.7	12.2	9.9	12	.12	780	.35	

- UNIT-T Technology for enhanced wet performance.
- All Season performance.
- 5-Rib design on sizes P225 and larger.
- Buy & Try 30 Day Guarantee.



# FR710

Mass Market



## UTQG 560 A B

65,000 Mile Treadwear Limited Warranty

GOLD PLEDGE LIMITED WARRANTY

- Unit-T technology.
- Quiet comfortable ride.
- Wide footprint for excellent traction.
- All-Season Performance.
- Buy & Try 30 Day Guarantee.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
<b>BLACKWALL</b>											
P175/65R14 86T	85808	5.0-6.5	5.5	24.5	7.4	5.8	11.2	11	850	19	\$
P185/65R14 85T	85825	5.0-6.5	5.5	23.5	7.5	5.8	10.7	11	886	17	
P185/65R15 86T	85842	5.0-6.5	5.5	24.5	7.4	5.8	11.2	11	850	19	
P195/65R15 89T	85893	5.5-7.0	6	25	7.2	5.7	11.4	10	833	20	
P205/65R15 92T	85910	5.5-7.5	6	25.5	8.2	6.5	11.2	11	815	20	
P215/65R15 95T	85927	6.0-7.5	6.5	26	8.7	6.8	11.8	11	801	21	
P185/60R15 84T	70355	5.0-6.5	5.5	23.7	7.4	6	10.9	11	879	21	
P195/60R15 87H	124670	5.5-7.0	6	24.2	7.9	6.3	11.1	11	861	19	
P215/65R16 98T	48136	6.0-7.5	6.5	27	8.7	6.8	11.9	11	768	25	
P235/65R16	124687	6.5-8.5	7	28	9.5	0	12.6	12	743	27	
P205/60R16 91H	124653							11		29	
P215/60R16 94T	85961	6.0-7.5	6.5	26.1	8.7	6.9	11.7	11	801	23	
P225/60R16 97T	85859	6.0-8.0	6.5					11		28	
P235/60R16 99T	70372	6.5-8.5	7	27.1	9.5	7.6	12.3	11	769	28	
P205/55R16 89T	85876	5.5-7.5	6.5					11		23	
P205/50R16 86H	124738	5.5-7.5	6.5	24.1	8.7	6.8	11.1	11	864	26	
<b>NEW</b> P225/65R17 100T	138253										
P215/65R17 98T	70389	6.0-7.5	6.5	28	8.7	6.8	12.8	11	744	26	
P215/60R17	124721	6.0-7.5	6.5	27.2	8.7	0	12.4	11	767	28	
P225/60R17 98H	84856	6.0-8.0	7.5	29.1	10.2	7.3	12.3	11	714	27	
<b>NEW</b> P235/60R17 100T	79042										
P215/55R17 93S	66105	6.0-7.5	7	26.4	8.8	7	12.1	10	789	23	
P225/55R17 95T	84873	6.0-8.0	7	26.8	9.2	7.4	12	11	778	25	
P235/55R17 98H	84890	6.5-8.5	7.5	27.2	9.7	7.8	12.1	11	767	29	
P225/50R17 93T	124755	6.0-8.0	7	25.9	9.2	7.8	12	11	804	23	
<b>WHITE STRIPE</b>											
P205/70R15 95S	47150	5.0-7.0	6	26.3	8.2	6.3	11.6	11	788	22	
P215/70R15 97S	47167	5.5-7.0	6.5	26.9	8.7	6.6	11.8	11	772	23	

# FIREHAWK GT PURSUIT

Police Pursuit



## UTQG 340 AA A\* UTQG 340 A\*\*

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P235/55R17 98W*	77325	6.5-8.5	7	27.2	27.2	9.7		11		33	\$
P225/60R18 99V**	77342	6.0-8.0	6.5	28.6	9	8		11		33	

- All-Season tread design.
- Specifically constructed and compounded for Police Pursuit and High Speed Emergency Vehicle use.

# FIREHAWK PV41

Police Pursuit



## UTQG 340 A A\* UTQG 340 A\*\*

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P255/70R15 100V*	67938	6.0-7.5	6.5	27.4	9	7.5	12.3	11	760	28	\$
P225/60R16 97V**	67911	6.0-8.0	6.5	26.6	9	7.5	12.1	11	784	27	

- All-Season tread design.
- Specifically constructed and compounded for Police Pursuit and High Speed Emergency Vehicle use.

# FIREHAWK PVS

Winter Police Pursuit



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P225/60R16 97V	98388	6.0-8.0	6.5	26.8	9.1	7.5	12.1	11	777	29	\$
P235/55R17 98V	77359	6.5-8.5	7	27.3	9.5	7.9		11	766	30	
P225/60R18 99V	77376	6.0-8.0	6.5	28.6	9	7.4		11	728	32	

- V-Speed rated construction.
- Specifically constructed and compounded for Police Pursuit and High Speed Emergency Vehicle use.
- Meets the severe snow service requirements of the Rubber Manufacturers Association.

# DESTINATION ST

# Light Truck



**40,000 Mile Warranty  
LIMITED WARRANTY**

- All Season Sport Tire.
- Asymmetrical.



Tire Size	Code #	Rim Range	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
<b>BLACK WALL</b>										
225/65R17 STD 102H	232-276	6.0-8.0	6.5	28.5	9.0	12.9	10	731	29	\$
235/65R17 XL 108H	232-293	6.5-8.5	7.0	29.1	9.5	13.1	10	717	33	
235/60R18 XL 107V	232-208	6.5-8.5	7.0	29.1	9.5	13.3	10	716	34	
245/60R18 STD 105H	232-225	7.0-8.5	7.0	29.6	9.8	13.4	10	704	34	
255/60R18 XL 112V	232-259	7.0-9.0	7.5	30.0	10.2	13.6	10	694	32	
235/55R18 STD 100V	232-191	6.5-8.5	7.5	28.2	9.7	12.9	10	740	30	
255/55R18 XL 109V	232-242	7.0-9.0	8.0	29.0	10.4	13.2	10	718	31	
P255/60R19 STD 108H	232-174	7.0-9.0	7.5	31.1	10.2	14.1	10	671	37	
255/55R19 XL 111H	232-157	7.0-9.0	8.0	30.0	10.4	13.7	10	693	38	
255/50R19 XL 107W	232-140	7.0-9.0	8.0	29.1	10.4	13.4	10	716	35	
P275/55R20 STD 111H	232-123	7.5-9.5	8.5	31.9	11.2	14.6	10	653	24	
255/50R20 XL 109V	232-055	7.0-9.0	8.0	30.1	10.4	13.9	10	693	37	
265/50R20 STD 107V	232-072	7.5-9.5	8.5	30.5	10.9	14.0	10	684	40	
275/45R20 XL 110H	232-106	8.5-10.5	9.0	29.8	10.8	13.7	10	700	40	
275/40R20 XL 106W	232-089	9.0-11.0	9.5	28.7	10.9	13.3	10	727	37	
275/45R22 XL 112V	232-021	8.5-10.5	9.0	31.8	10.8	14.7	10	656	42	
P285/45R22 STD 110H	133-782	9.0-11.0	9.5	32.1	11.2	14.9	11	649	44	
305/40R22 XL 114W	232-038	10.0-12.0	11.0	31.6	12.3	14.7	11	659	45	

# DESTINATION LE

# Light Truck



**UTQG 480 A B**

**GOLD PLEDGE 3 YEAR  
LIMITED WARRANTY**

- Features UNIT-T Technology for outstanding wet performance and a smooth quiet ride.
- S,T,H and S speed rated; Mud and Snow rate.
- Buy & Try 30 Day Guarantee.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	Limited Mileage Warranty	PRICE
<b>OUTLINE WHITE LETTER</b>													
P225/70R14 98S	147543	6.0-7.5	6.5	26.5	9	6.7	11.8		12	786		60,000	\$
P215/75R15 100S	146914	5.5-7.0	6	27.7	8.5	6.4	12.4		12	752		60,000	
P225/75R15 102S	146931	6.0-7.5	6	28.3	8.8	6.7	12.6		12	736		60,000	
P235/75R15 105S	146965	6.0-8.0	6.5	28.9	9.3	7	12.8		12	721		60,000	
P265/75R15 112S	54341	7.0-9.0	7.5	30.6	10.7	7.9	13.5		13	679	39	60,000	
P225/70R15 100S	146948	6.0-7.5	6.5	27.4	9	6.7	12.3		12	760		60,000	
P235/70R15 102S	146982	6.0-8.0	7	28	9.5	7	12.5		12	744		60,000	
P255/70R15 108S	146829	6.5-8.5	7.5	29.1	10.2	7.6	12.9		13	716		60,000	
P235/75R16 XL 109S	54358	6.0-7.5	6.5	29.8	9.3	7	13		12	699	34	60,000	
P245/75R16 109S	147016	6.5-8.0	7	30.5	9.8	7.3	13.6		13	683		60,000	
P265/75R16 114S	147050	7.0-9.0	7.5	31.7	10.5	7.9	14		13	657		60,000	
P225/70R16 101S	147560	6.0-7.5	6.5	28.4	9	6.7	12.8		12	733		60,000	
P235/70R16 XL 107S	54375								12		35		
P245/70R16 106S	123838	6.5-8.0	7	29.5	9.8	7.3	13.2		13	706		60,000	
P255/70R16 109S	147033	6.5-8.5	7.5	30.1	10.2	7.6	13.4		13	692		60,000	
P265/70R16 111S	123846	7.0-9.0	8	30.6	10.7	7.9	13.6		13	681		60,000	
P255/65R16 106S	40877	7.0-9.0	7.5	29.1	10.2	7.6	13		13		34	60,000	
P235/70R17 XL 108S	97538	6.0-8.0	7	30	9.5	7	13.5		13	694	36	60,000	
P245/70R17 108S	87389	6.5-8.0	7	30.6	9.8	7.3	13.4		13	673	36	60,000	
P265/70R17 113S	147067	7.0-9.0	8	31.7	10.7	7.9	14.1		13	657		60,000	
P245/65R17 105S	40928	7.0-8.5	7	29.5	9.8	7.3	13		13		35	60,000	
P255/65R17 108S	83190	7.0-9.0	7.5	30.2	10.2	8	13.6		13	690	36	60,000	
P265/70R18 114S	66173	7.0-9.0	8	32.6	10.7	7.9	14.6		13	639	44	60,000	
P235/65R18 104T	108792	6.5-8.5	7	30	9.5	7	13.7		12	694	35	60,000	
P265/65R18 112S	90279	7.5-9.5	8	31.7	10.5	8.7	14.3		11	657	41	60,000	
P265/60R18 109T	54409	7.5-9.5	8	30.6	10.7	7.9	13.8		11	683	39	60,000	
P275/60R20 114S	108741	7.5-9.5	8	33	11	8.9	15		13	631	48	60,000	
31X10.50R15/6 LT 109R	158404	7.00-9.00	8.5	30.5	0	8.1	0	0	15	683	41		
LT235/75R15/6 104/101S	158438	6.00-7.00	6.5	28.9	0	7.2	0	10.8	14	721	37		
LT265/75R16/6 112/109S	158710	7.00-8.00	7.5	31.7	0	8.2	0	12.2	15	657	44		
<b>BLACK WALL</b>													
P215/70R15 97S	30439	5.5-7.0	6.5	26.9	8.7	6.4	12.1		10	774		60,000	
P225/75R16 XL 106S	40860	6.5-8.0	7	30.5	9.8	6.7	13		12		33	60,000	
P215/70R16 99S	83224	5.5-7.0	6.5	27.9	8.7	6.3	12.3		12	748	28	60,000	
P235/65R16 101S	65068								10		30		
225/65R17 102S	83173	6.0-8.0	6.5	28.4	8.9	6.9	12.9		13	733	31	60,000	
P235/65R17 103T	40911	6.5-8.5	7	29.1	9.8	7	13		13		33	60,000	
P265/65R17 110T	54392	7.5-9.5	8	30.6	10.7	7.9	13.8		11	681	37	60,000	
P235/60R17 100H	112379	6.5-8.5	7	28.3	9.3	7.8	12.9		11	736	28	60,000	
P275/60R17 110S	40945	7.5-9.5	8	30	11	8.2	13		13		37	60,000	
P265/65R18 112S	90177	7.5-9.5	8	31.7	10.5	8.7	14.3		11	657	41	60,000	
P245/60R18 104S	108248								11		33		
P275/55R20 111H	108775	7.5-9.5	8.5	31.9	11.2	9.2	14.6		11	653	44	60,000	
P265/50R20 106V	108809	7.5-9.5	8.5	30.5	10.9	9	14.1		11	683	39	60,000	

# DESTINATION A/T

# Light Truck



## TQGT 460 A B

50,000 Mileage Warranty (P-Metric sizes only)

GOLD PLEDGE 3 YEAR LIMITED WARRANTY

- UNI-T Technology provides outstanding wet performance.
- All-Terrain Aggressive Tread Design with smooth quiet ride.
- Buy & Try 30 Day Guarantee.



Tire Size	Sidewall Styling	Code #	Measuring Approved Rims	Overall Rim Width	Overall Tire Diameter	Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	Limited Tire RPM	Mileage Warranty	UTQG	PRICE
<b>OUTLINE WHITE LETTER</b>														
P225/70R14 98S	OWL	26682	6.0-7.5	6.5	26.5	9	6.9	11.7	-	13	788	25	50,000	460 A B
P205/75R15 97S	OWL	26495	5.5-7.0	5.5	27.1	8	6.3	12	-	12	769	24	50,000	460 A B
P215/75R15 100S	OWL	26512	5.5-7.0	6	27.7	8.5	6.6	12.3	-	13	753	27	50,000	460 A B
P225/75R15 102S	OWL	26546	6.0-7.5	6	28.3	8.8	6.9	12.5	-	13	737	28	50,000	460 A B
P235/75R15 105S	OWL	26563	6.0-8.0	6.5	28.9	9.3	7.2	12.7	-	13	723	30	50,000	460 A B
P225/70R15 100S	OWL	26699	6.0-7.5	6.5	27.4	9	6.9	12.2	-	13	760	27	50,000	460 A B
P235/70R15 102S	OWL	26716	6.0-8.0	7	28	9.5	7.2	12.4	-	13	745	29	50,000	460 A B
P235/75R16 106S	OWL	027379	-	6.5	29.8	9.3	-	13.2	-	13	-	31	50,000	460 A B
P245/75R16 109S	OWL	26614	6.5-8.0	7	30.5	9.8	7.5	13.4	-	13	684	36	50,000	460 A B
P265/75R16 114S	OWL	26648	7.0-9.0	7.5	31.7	10.5	8.1	13.9	-	13	659	40	50,000	460 A B
P235/70R16 104S	OWL	26767	6.0-8.0	7	29	9.5	7.2	12.9	-	13	720	31	50,000	460 A B
P245/70R16 106S	OWL	27430	6.5-8.0	7	29.5	9.8	7.5	13.1	-	13	706	34	50,000	460 A B
P255/70R16 109S	OWL	26869	6.5-8.5	7.5	30.1	10.2	7.8	13.3	-	13	693	35	50,000	460 A B
P265/70R16 111S	OWL	27481	7.0-9.0	8	30.6	10.7	8.1	13.5	-	13	681	39	50,000	460 A B
P235/75R17 108S	OWL	54239	-	-	-	-	-	-	-	-	-	37	50,000	460 A B
P245/75R17 110S	OWL	77563	6.5-8.0	7	31.5	9.8	7.5	14.1	-	13	661	39	50,000	460 A B
P235/75R16 106S	OWL	10860	6.0-8.0	6.5	29.8	9.3	7.2	13.2	-	13	699	31	50,000	460 A B
P235/70R17 XL 108S	OWL	94869	-	-	-	-	-	-	-	13	-	36	-	-
P245/70R17 108S	OWL	54273	6.5-8.0	7	30.6	9.8	7.5	13.7	-	13	681	37	50,000	460 A B
P255/70R17 110S	OWL	54290	6.5-8.5	7.5	31.1	10.2	7.8	13.9	-	13	670	43	50,000	460 A B
P265/70R17 113S	OWL	26784	7.0-9.0	8	31.7	10.7	8.1	14	-	13	659	39	50,000	460 A B
P235/70R17 117T	OWL	66139	7.5-9.5	8.5	32.8	11.5	8.7	14.6	-	11	635	46	50,000	460 A B
P235/65R17 103T	OWL	10826	6.5-8.5	7	29.1	9.5	7.2	13.2	-	10	716	31	50,000	460 A B
P245/65R17 105S	OWL	40843	7.0-8.5	7	29.5	9.8	7.5	13.2	-	13	706	34	50,000	460 A B
P255/65R17 108S	OWL	54307	7.0-9.0	7.5	30.1	10.2	7.8	13.4	-	13	690	37	50,000	460 A B
P265/65R17 110T	OWL	66156	7.5-9.5	8	30.6	10.7	8.1	13.7	-	11	681	38	50,000	460 A B
P255/70R18 112S	OWL	108843	6.5-8.5	7.5	32.1	10.2	7.8	14.5	-	13	649	41	50,000	460 A B
P265/70R18 114S	OWL	77546	-	-	-	-	-	-	-	12	-	44	-	-
P275/70R18 114T	OWL	54324	7.5-9.5	8	32.1	11	8.4	14.4	-	11	649	47	50,000	460 A B
P265/60R18 109T	OWL	108877	7.5-9.5	8	30.5	10.7	8.3	13.9	-	11	683	38	50,000	460 A B
P275/60R20 114S	OWL	108894	7.5-9.5	8	33	11	9.2	15	-	11	631	46	50,000	460 A B
P275/55R20 111S	OWL	108911	7.5-9.5	8.5	31.9	11.2	9.3	14.6	-	11	653	44	50,000	460 A B
<b>DESTINATION A/T LT</b>														
LT235/75R15/6 104/101R	OWL	184278	6.0-7.0	6.5	28.9	9.3	7.2	13.4	-	14	723	33	-	-
LT245/75R16/6 108/104R	OWL	184295	6.5-7.5	7	30.5	9.8	7.5	14.1	-	14	684	37	-	-
LT265/75R16/6 112/109R	OWL	184329	7.0-8.0	7.5	31.7	10.5	8.1	14.7	-	14	659	42	-	-
LT285/75R16 126/123R	OWL	223640	-	-	-	-	-	-	-	15	-	53	-	-
LT265/70R16 117/114R	OWL	211512	-	-	-	-	-	-	-	14	-	46	-	-
LT305/70R16/10 124/121R	OWL	184431	8.0-9.5	9	32.8	12.2	9.3	15.2	-	16	635	54	-	-
LT265/70R17 112/109R	OWL	192285	-	-	-	-	-	-	-	13	-	44	-	-
LT275/70R17/6 114/110R	OWL	192302	7.0-8.5	8	32.2	11	8.4	14.4	12.8	15	646	48	-	-
LT285/70R17/8 121/118R	OWL	192319	7.5-9.0	8.5	32.8	11.5	8.7	14.6	13.4	11	635	52	-	-
<b>NEW</b> LT285/70R17/10 121/118R	OWL	232803	-	-	-	-	-	-	-	-	-	-	-	-
<b>NEW</b> LT315/70R17/8 121/118R	OWL	191537	8.5-10.0	10	34.5	12.7	9.8	15.9	-	17	604	57	-	-
<b>NEW</b> LT315/70R17/10 121/118R	OWL	232820	-	-	-	-	-	-	-	-	-	-	-	-
LT275/65R18/6 113/110S	OWL	192336	7.5-9.0	8	32.1	11	8.6	15	12.8	16	649	40	50,000	460 A B
30X9.50R15/6 LT 104R	OWL	184380	6.5-8.5	7.5	29.5	9.7	7.3	13.7	-	15	706	36	-	-
31X10.50R15/6 LT 109R	OWL	184397	7.0-9.0	8.5	30.5	10.7	8.1	14.1	-	15	683	41	-	-
33X12.50R15/6 LT 108R	OWL	184414	8.5-11.0	10	32.5	12.7	9.6	14.9	-	17	641	52	-	-
<b>DESTINATION A/T BLACKWALL</b>														
P235/75R15 XL 108S	BW	26580	6.0-8.0	6.5	28.9	9.3	7.2	12.7	-	13	723	30	50,000	460 A B
P235/75R16 106S	BW	112192	6.0-8.0	6.5	30	9.1	7.2	13.4	-	13	694	34	50,000	460 A B
LT325/65R18/10 127/124R	BW	192353	9.0-12.0	9.5	34.6	13	10.2	16.1	15.1	17	602	62	-	-

# DESTINATION M/T

# Light Truck



## GOLD PLEDGE LIMITED WARRANTY

- Designed with UNI-T The ultimate Tire Technology.
- Three full polyester body piles for strength and durability.
- Sidewall lug designed for pulling out of deep ruts.
- Features Rim Guard.
- 23degree Bar Angle for optimum traction and self-cleaning.
- Pinned for #15, #16, #17 studs, depending upon size.
- Buy & Try 30 Day Guarantee.

Tire Size	Code #	Measuring Approved Rims	Overall Rim Width	Overall Tire Diameter	Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
<b>OUTLINE WHITE LETTER</b>											
LT235/75R15 104/101Q 6PLY	155470	6.0-7.0	6.5	29.1	9.3	7.3	12.8	18	716	39	\$
LT265/75R16 126/120Q 10PLY	223589	7.0-8.0	7.5	31.9	10.5	8.2	14.8	19	653	54	
LT285/75R16 126/123Q 10PLY	223572	7.5-9.0	8	33.1	11.3	8.9	15.3	20	629	60	
<b>NEW</b> LT315/75R16 127/124Q 10PLY	232735	-	8	34.6	12.3	-	15.9	20	633	73	
LT305/70R16 124/121Q 10PLY	190262	8.0-9.5	9	32.9	12.5	9.5	14.2	19	633	49	
<b>NEW</b> LT 255/75R17 111/110Q 6PLY	224167	-	7	32.1	10	-	-	-	-	-	
LT245/70R17 119/116Q 10PLY	190279	6.5-8.0	7	30.8	9.7	7.6	13.7	20	681	50	
LT265/70R17 121/118Q 10PLY	190296	-	8	31.9	10.7	-	14.1	19	681	52	
LT285/70R17 121Q 10PLY	232752	-	8.5	32.8	11.5	-	15.2	22	61	61	
<b>NEW</b> LT275/70R18 125/122Q 10PLY	224184	-	7	33.2	11	-	15.5	20	57	57	
<b>NEW</b> 30X9.50R15 LT 104Q 6PLY	155594	6.5-8.5	7.5	30	9.5	7.5	13.2	20	695	44	
31X10.50R15 LT 109Q 6PLY	155608	7.0-9.0	8.5	31	10.5	8.3	13.7	20	672	49	
33X12.50R15 LT 108Q 6PLY	155616	8.5-11.0	10	33	12.5	9.9	14.6	22	632	60	
<b>BLACK WALL</b>											
LT215/85R16 115/112Q 10PLY	223606	5.5-7.0	6	30.6	8.5	6.4	14.2	18	681	43	
LT235/85R16 120/116Q 10PLY	155586	6.0-7.0	6.5	32	9.3	6.9	14.1	18	652	48	
LT225/75R16 115/112Q 10PLY	223623	6.0-7.0	6	29.5	8.8	7	13.7	18	706	44	
LT245/75R16 120/116Q 10PLY	155543	6.5-7.5	7	30.7	9.8	7.6	13.6	18	678	48	
LT285/65R18 125/122Q 10PLY	205171	8.0-10.0	10	32.8	11.5	8.9	15.3	20	635	60	
LT325/65R18 127/124Q 10PLY	205188	9.0-12.0	12	34.4	13	10.1	16.1	21	599	70	



# TRANSFORCE HT

Light Truck



**GOLD PLEDGE LIMITED WARRANTY**



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	Tire RPM	Tire Weight	PRICE
<b>BLACKWALL</b>												
LT235/75R15 104/101R 6PLY	189837	6.0-7.0	6.5	28.9	9.3	7.1	13.5		15	723	33	\$
LT215/85R16 115/112R 10PLY	189701	5.5-7.0	6	30.4	8.5	6.5	14.1		14	686	35	
LT235/85R16 120/116R 10PLY	189718	6.0-7.5	6.5	31.7	9.3	7.1	14.7		14	657	41	
LT225/75R16 115/112R 10PLY	189752	6.0-7.0	6	29.3	8.8	6.8	13.6		14	712	35	
LT245/75R16 120/116R 10PLY	189769	6.5-8.0	6.5	30.5	9.8	7.4	14.1		14	684	39	
LT265/75R16 123/120R 10PLY	189786	7.0-8.0	7.5	31.7	10.5	8	14.7		15	659	44	
8.75R16.5 LT 115/111R 10PLY	189803	6.0-6.75	6.75	29.5	8.75	6.4	13.7		14	708	34	
9.50R16.5 LT 121/117R 10PLY	189820	6.75-8.25	6.75	30.6	9.5	7.3	14.2		15	682	38	
LT235/80R17 120/117R 10PLY	191282	6.0-7.5	6.5	31.8	9.3	7.1	14.8		15	656	41	
LT225/75R17 116/113R 10PLY	224133	6.0-7.5	6	30.3	8.8	6.8	14.2	10.2	14	687		
LT245/70R17 119/116R 10PLY	191316	6.5-8.0	7	30.6	9.8	7.4	14.3		14	683	38	
<b>OUTLINE WHITE LETTER</b>												
LT265/75R16 123/120R 10PLY	207602	7.0-8.0	7.5	31.7	10.5	8	14.7	12.2	15	659	44	
LT245/75R17 121/118R 10PLY	207483	6.5-7.5	7	31.5	9.8	6.4		11.3	14		42	
LT265/70R17 121/118R 10PLY	200156	7.0-8.5	8	31.7	10.7	8.6	14.1	12.4	14	657	46	
LT275/70R18 125/122R 10PLY	207500											
LT275/65R18 123/120S 10PLY	207619	7.5-9.0	8	32.1	11	8.3	14.9	12.8	16	651	52	

- Features UNI-T Technology for Outstanding Wet Performance and a Smooth Quiet Ride.
- Modern All-Season Highway Tread Design.
- Polyester and Steel Light Truck Construction with Full Spiral-Wrap Nylon Cap Ply.
- Continuous shoulder ribs for reduced irregular wear and increased tread life.
- Mud and Snow rated.
- Buy & Try 30 Day Guarantee. (Commercial Service Excluded).

# TRANSFORCE AT

Light Truck



**GOLD PLEDGE LIMITED WARRANTY**



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	Tire RPM	Tire Weight	OE Fitment	PRICE
<b>BLACKWALL</b>													
LT235/75R15 104/101R 6PLY	189650	6.0-7.0	6.5	29.1	9.3	7.1	13.6	10.8	17	717	33		\$
LT215/85R16 115/112R 10PLY	189565	5.5-7.0	6	30.6	8.5	6.5	14.2	9.9	16	681	36		
LT235/85R16 120/116R 10PLY	189633	6.0-7.5	6.5	32	9.3	7.1	14.8	10.8	17	652	41		
LT225/75R16 115/112R 10PLY	189667	6.0-7.0	6	29.5	8.8	6.8	13.8	10.2	16	706	37		
LT245/75R16 120/116R 10PLY	189582	6.5-8.0	7	30.7	9.8	7.4	14.3	11.3	16	679	40		
LT265/75R16 123/120R 10PLY	189599	7.0-8.0	7.5	31.9	10.5	8	14.8	12.2	15	654	44		
LT235/80R17 120/117R 10PLY	191265	6.0-7.5	6.5	31.8	9.3	7.1	14.8		17	656			
LT225/75R17 116/113R 10PLY	224150	6.0-7.5	6	30.6	9.8	6.4	14.3	10.2	17	681	43		
LT245/70R17 108/104Q 6PLY	192234	6.5-8.0	7.5	30.6	10.2	7.9			16	39		GM Silverado Sierra, Tahoe, Yukon	
LT245/70R17 119/116R 10PLY	200173	6.5-8.0	7	30.8	9.8	7.9	13.6	11.3	17	717	41		
<b>OUTLINE WHITE LETTER</b>													
LT265/75R16 123/120R 10PLY	196858	7.0-8.0	7.5	31.9	10.5	8	14.8	12.2	18	654	44		
LT245/75R17 121/118R 10PLY	205222	6.5-7.5	7	31.5	9.8	6.4	14.7	11.3	17	661	42		
LT265/70R17 121/118R 10PLY	200190	7.0-8.5	8	31.9	10.7	8.6	14.2	12.4	17	659	46		
LT275/70R18 125/122R 10PLY	205205												
LT275/65R18 123/120S 10PLY	200207	7.5-9.0	8	32.1	10.9	8.3	14.9	12.8	17	651	52		

- Features UNI-T Technology for Outstanding Wet Performance and a Smooth Quiet Ride.
- Modern All-Season Highway Tread Design.
- Polyester and Steel Light Truck Construction with Full Spiral-Wrap Nylon Cap Ply.
- Continuous shoulder ribs for reduced irregular wear and increased tread life.
- Mud and Snow rated.
- Buy & Try 30 Day Guarantee. (Commercial Service Excluded).

# ORIGINAL EQUIPMENT

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Overall Tread Width	Static Load Radius	Tread Depth	Tread RPM	Tire Weight	Limited Mileage Warranty	UTQG	OE FITMENT	PRICE
<b>FIREHAWK GTA 02</b>														
P195/55R16 86H	75884	5.5-7.0	6	24.4	7.9	6.9	11.3	10	854	20			Nissan Sentra	\$
P215/55R16 91H	99236	6.0-7.5	7	25.3	8.9	7.2	11.6	10	823	23			Saturn LS	
P215/50R16 89V	61409	6.0-7.5	7	24.5	8.9	7.2	11.3	10	850	20			Ford Cougar	
P265/55R17 105H	92088	7.5-9.5	8.5	28.5	10.9	10.4	13	10	731	31			Nissan Frontier	
<b>GTA 03</b>														
P215/50R17 90T	43563	6.0-7.5	7	25.5	8.9	7.8	11.8	10	817	25		300 AA	Chevrolet HHR	
P215/55R18 94T	43495	6.0-7.5	7	27.4	8.8	6.4	12.6	10	761	27		300 AA	GM	
<b>AFFINITY T-4</b>														
P215/60R17 95T	43716												Dodge Caliber Jeep Compass	
<b>AFFINITY-S4</b>														
P195/65R15 89S	61923	5.5-7.0	6	25	7.2	5.7	11.4	10	833	20	65,000	560 A B		
P215/55R16 91S	43580	6.0-7.5	7	25.3	8.9	7.2	11.6	12	823	24	50,000	500 A B	Chevrolet HHR	
<b>FR710</b>														
P215/55R17 93S	66105	6.0-7.5	7	26.4	8.8	7	12.1	10	789	23	65,000	560 A B		
<b>FR690</b>														
P185/65R15 86H	89672	5.0-6.5	5.5	24.5	7.4	5.5	11.2	10	850	18		440 A B	Honda Civic	
P215/65R16 96T	58115	6.0-7.5	6.5	27	8.6	6.4	12.3	10	779	24		440 A B	Chrysler Sebring Dodge Avenger	
<b>FIREHAWK PV41</b>														
P225/60R16 97V	67911	6.0-8.0	6.5	26.6	9	7.5	12.1	11	784	27		340 A	Ford Crown Victoria	

# ORIGINAL EQUIPMENT

## Light Truck

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Overall Tread Width	Static Load Radius	Tread Depth	Tread RPM	Tire Weight	OE FITMENT	PRICE
<b>WILDERNESS LE OUTLINE WHITE LETTER</b>												
P265/70R16 111S	74810							12		40	Tahoe, Yukon	\$
<b>DESTINATION LE BLACKWALL</b>												
P215/70R15 97S	30439	5.5-7.0	6.5	26.9	8.7	6.4	12.1	10	774		Toyota Tacoma	
P235/65R16 101S	65068							10		30	Saturn Vue, Chevy Equinox Pontiac Torrent Suzuki XL7	
P235/60R17 100H	112379	6.5-8.5	7	28.3	9.3	7.8	12.9	11	736	28	Saturn Vue, Chevy Equinox Pontiac Torrent Suzuki XL7	
P265/65R18 112S	90177	7.5-9.5	8	31.7	10.5	8.7	14.3	11	657	41	Chevy Silverado GMC Sierra	
P245/60R18 104S	108248							11		33	Chevy Trailblazer GMC Envoy	
<b>OUTLINE WHITE LETTER</b>												
P265/65R18 112S	90279	7.5-9.5	8	31.7	10.5	8.7	14.3	11	657	41	Chevy Silverado GMC Sierra	
<b>DESTINATION AT BLACKWALL</b>												
P235/75R16 106S	112192	6.0-8.0	6.5	30	9.1	7.2	13.4	13	694	34	Chevy Colorado GMC Canyon	
<b>TRANSFORCE AT BLACKWALL</b>												
LT245/70R17 108/104Q 6PLY	192234	6.5-8.0	7.5	30.6	10.2	7.9		16		39	GM Silverado, Sierra Tahoe, Yukon	

visit us at:



# TDWONLINE.NET

OPEN 24 HRS / 7 DAYS A WEEK